## Safed Musli Farming: New entries in Medicinal Plant Database by Pankaj Oudhia. 230.

## **List of Documents**

Oudhia, P. (1990-2021). Safed Musli farming for Hepatic Cirrhosis formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abelmoschus crinitus WALL. and 20 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abelmoschus esculentus (L.) MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abelmoschus ficulneus (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abelmoschus manihot (L.) MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abelmoschus moschatus MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abies densa W. Griff. ex.Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abies pindrow ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abies spectabilis (D.DON) SPACH and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abies webbiana LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abrus fruticulosus WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abrus precatorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abrus pulchellus WALL. EX THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon asiaticum (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon avicennae GAETRN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon glaucum SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon

graveolens (ROXB. EX HORNEM.) WIGHT & ARN. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon hirtum (LAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon indicum (L.) SWEET guineense (SCHUMACH.) BORSSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon indicum (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon pannosum (G. FORST.) SCHLTDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon persicum (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon theophrasti MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia arabica SENSU BAKER vediana COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia arabica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia caesia (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia catechu (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia catechu (L.F.) WILLD. sundra (DC.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia chundra (ROXB. EX ROTTLER) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia concinna (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia dealbata LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia decurrens WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia eburnea (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia farnesiana (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia ferruginea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia indica DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia intsia WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia jacquemontii BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia leucophloea (ROXB.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia

melonoxylon R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia modesta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia nilotica (L.) WILLD. EX DEL. indica (BENTH.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia pennata (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia planifrons WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia polyacantha WILLD. polycantha BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia polyantha SPRENG EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia pseudo-eburnea DRUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia pycnantha BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia rugata (LAM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia senegal WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia sinuata (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia speciosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia suma (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia tomentosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia torta (ROXB) CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha alnifolia KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha betulina RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha ciliata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha fruticosa FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha hispida BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha paniculata MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha

racemosa WALL. EX BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acampe carinata (GRIFF) PANIGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acampe papillosa (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acampe praemorsa (ROXB.) BLATT. & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acampe wightiana LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acanthopanax trifoliatus (LINN.) VOSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acanthospermum hispidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acanthospermum hispidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acanthus ilicifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acer caesium WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acer cappadocicum GLEDITSCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acer laevigatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acer mono MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acer oblongum WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acer pentapomicum STEWART.EX BRAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acer pictum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Achillea millefolium LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Achillea santolina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Achras zapota L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Achyranthes aquatica R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Achyranthes aspera L. rubrofusca HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Achyranthes bidentata BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Achyranthes lanata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Achyranthes porphyristachya WALL. EX MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum atrox (BRUHL) MUK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum balfourii STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum bisma (HAM.) RAPAICS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum chasmanthum STAPF EX HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum deinorrhizum STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum elwesii STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum falconeri STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum ferox WALL. EX SERINGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum heterophyllum WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum kashmiricum STAPF EX COVENTRY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum laciniatum (BRUEHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum laeve ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum lethale GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum luridum HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum moschatum (BRUEHL) STAPF NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum napellus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum palmatum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum rotundifolium KAR. & KIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum soonoricum STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum spicatum (BRUHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconitum violaceum JACQ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aconogonum rumicifolium (ROYLE EX BAB.)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Aconogonum tortuosum (D.DON)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acorus calamus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acorus gramineus AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acrocarpus fraxinifolius WIGHT & ARNOLAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acrocephalus hispidus (L.) NICOLS. & SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acrocephalus indicus (BURM.F.) KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acronychia laurifolia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acronychia pedunculata (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acroptilon repens (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acrostichum aureum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acrotrema arnottianum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actaea racemosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actaea spicata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actiniopteris australis (L.F.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actiniopteris dichotoma BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actiniopteris radiata (SW.) LINK and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actinodaphne angustifolia NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actinodaphne dichotoma FLORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actinodaphne hookeri MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actinodaphne obovata BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adansonia digitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenanthera pavonina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenema hyssopifolium G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenia

heterophylla (BLUME) KOORD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenia hondala (GAERTN.) W.J.DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenia nicobarica KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenia palmata ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenia penangiana (DON) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenia wightiana (WALL. EX WIGHT & ARN.)ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenosma capitatum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenosma indianum (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenosma indicum MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenostemma lavenia (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adhatoda beddomei C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adhatoda vasica NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adhatoda zeylanica MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adiantum aethiopicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adiantum capillus-veneris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adiantum caudatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adiantum cuneipinnulum NAIR & GHOSH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adiantum flabellulatum LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adiantum incisum FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adiantum lunulatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adiantum melanacaulon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adiantum pedatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adiantum peruvianum A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adiantum

philippense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adiantum tinetum MOORE F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adiantum trapiziforme L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adiantum venustum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adina cordifolia BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adinobotrys atropurpureus DUNN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adonis aestivalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adonis chrysocyathus HOOK.F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adonis majus GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adonis scrobiculata L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adonis vernalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aegiceras corniculatum (L.) BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aeginetia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aegle marmelos (L.) CORREA EX. SCHULTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerides crispum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerides fieldingii WILLMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerides multiflorum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerides odorata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerides rosea LINDL. & PAXT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerides williamsii WARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerva javanica (BURM.F.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerva lanata (L.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerva monsonia MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerva

pseudotomentosa BLATT. & HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerva sanguinolenta (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerva tomentosa FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerva wightii HOOK .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aeschynanthus hookerii CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aeschynanthus maculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aeschynomene aspera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aeschynomene indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aesculus assamica GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aesculus hippocastamum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aesculus indica COLEBR. EX CAMBESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aframomum melegueta (ROSC.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aganosma calycina A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aganosma caryophyllata G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aganosma cymosa (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aganosma dichotoma (ROTH) K.SCHUM. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aganosma marginata G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aganosma wallichii G.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agapanthus africanus (L.)HOFFMANNS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agathis robusta F.M.BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agati grandiflora (L.) DEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agave americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agave angustifolia HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agave

cantala ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agave sisalana PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agave vera-cruz MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agave vivipara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ageratina adenophora (SPR.) KING & ROB., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ageratum conyzoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ageratum houstonianum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia diepenhorstii MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia domestica (CORREA EMEND. JACK) PELLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia elaeagoidea (JUSS.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia lawii (WIGHT.) SALDANHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia minutiflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia odorata LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia odoratissima BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia roxburghiana MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agnijwalamonia eupatoria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agnijwalamonia pilosa LEDEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agropyron repens BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agrostemma githago L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agrostis linearis RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agrostistachys meeboldii PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ailanthus altissima SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ailanthus excelsa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ailanthus

glandulosa DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ailanthus malabarica DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ailanthus triphysa (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ainsliaea angustifolla HOOK.F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ainsliaea aptera DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ainsliaea pteropoda DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aisandra butyracea (ROXB.) BAEHNI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ajuga bracteosa WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ajuga macrocarpa WALL EX. BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ajuga macrosperma WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ajuga parviflora WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alangium begonifolium MARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alangium decapetalum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alangium hexapetalum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alangium kurzii CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alangium lamarckii THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alangium salvifolium (L.F.) WANG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia amara (ROXB.) BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia chinensis (OSBECK) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia julibrissin DURASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia lebbeck (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia lucida BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia lucidior (STEND.) NIELSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia

marginata MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia myriophylla BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia odoratissima (L.F.)BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia procera (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia stipulata BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alcbornea javensis MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alcbornea rugosa (LOUR) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alcea rosea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alchornea tiliaeafolia MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alectra parasitaca RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alectra parasitica A.RICH. chitrakutensis RAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aleurites moluccana (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alhagi camelorum FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alhagi maurorum DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alhagi pseudalhagi (BIEB.) DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alisma plantago L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alisma plantago-aquatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alisma plantagoauatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alkanna tinctoria DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), AllamKalam cathartica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alliaria officinalis ANDRZEJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alliaria petiolata (BIEB.)CAVARA & GRANDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium ampeloprasum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium

ascalonicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium carolinianum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium cepa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium chinense DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium consanguineum KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium hookeri THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium humile KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium leptophyllum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium macleani BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium porrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium rubellum M.BIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium schoenoprasum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium stracheyi BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium tuberosum ROTTL. EX SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium victorialis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium wallichii KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allmania nodiflora (L.) R.BR. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allophylus cobbe (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allophylus rheedii (WIGHT.) RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allophylus serratus (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alloteropsis cimicina (L.) STAPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alnus nepalensis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alnus

nitida ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alocasia cucullata SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alocasia denudata ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alocasia fornicata (ROXB.) SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alocasia indica (LOUR.) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alocasia macrorhiza (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alocasia montana SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alocasia odora (ROXB.) C.KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloe abyssinica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloe barbadensis MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloe ferox MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloe indica (SCHOTT) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloe littoralis KOEN. EX. BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloe perryi BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloe spicata L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloe succotrina LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloe variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloe vera L. chinensis BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloe vera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloe vera L. littoralis KOEING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloe vera(typica) (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloysia triphylla (L'HER.) BRITT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alphonsea verntricosa HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia

allhugas ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia calcarata ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia chinensis ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia conchigera GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia galanga (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia khulanjan M. SHERIFF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia malaccensis (BURM.F.) ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia nigra (GAERTN.) BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia nutans ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia officinarum HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia speciosa K.SCHWM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia zerumbet BURTT & R.M. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alseodaphne semicarpifolia NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alstonia constricta F MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alstonia kurzii HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alstonia macrophylla WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alstonia scholaris R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alstonia spectabilis R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alstonia venenata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alternanthera ficoidea (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alternanthera philoxeroides (MAR.) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alternanthera pungens H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alternanthera sessilis (L.) R.BR.EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Alternanthera triandra LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Althaea ludwigii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Althaea officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Althaea rosea (L.) CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Altingia excelsa NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus bupleurifolius (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus longifolius WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus monilifer DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus vaginalis (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alyxia reinwartii BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alyxia stellata ROEM. & SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus atropurpureus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus blitum L. oleracea DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus blitum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus campestris WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus caudatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus dubius E.H.L.KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus fasciatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus gangeticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus gangeticus LINN. tristis PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus gracilis DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus graecizans AUCT. HISP. EX CUT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus hybridus L. hybridus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Amaranthus hybridus L. paniculatus THELL. cruentus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus hypochondriacus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus lividus L. polygonoides (MIQ.) THELL. EX PROBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus lividus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus mangostanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus oleraceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus paniculatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus polygamus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus polygonoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus spinosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus tenuifolius ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus tricolor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus tristis WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus viridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaryllis belladona LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amberboa divaricata KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amberboa hookeri (HASSK.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amberboa ramosa (ROXB.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amblyanthus glandulosus A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ambroma augusta (L.) L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amentotaxus assamica D.K.Ferguson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amischophacelus axillaris ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amischotolype hookeri (HASSK.) HARA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Ammannia auriculata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ammannia baccifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ammannia senegalensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ammannia vesicatoria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ammi majus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum aromaticum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum costatum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum dealbatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum fenzlii KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum granum-paradisi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum kepulaga SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum melegueta ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum racemosum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum subulatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum xanthioides WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum zingiber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amoora cucullata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amoora rohituka (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amorpha fruticosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amorphophallus bulbifer BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amorphophallus campanulatus BLUME EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amorphophallus commutatus ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amorphophallus dubius BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Amorphophallus paeoniifolius (DENNST.) NICOLSON campanulatus (DECNE.) SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amorphophallus paeoniifolius (DENNST.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amorphophallus prainii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amorphophallus sylvaticus (ROXB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ampelocissus araneosa (DALZ. & CRIBBS.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ampelocissus arnottiana PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ampelocissus barbata (WALL.) PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ampelocissus indica (L.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ampelocissus latifolia (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ampelocissus tomentosa (ROTH.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amphicome emodi LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amphilophis odorata CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amphineuron extensus (BI.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amyris gileadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anacardium occidentale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anacolosa densiflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anacyclus pyrethrum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anagallis arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anamirta cocculus (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ananas comosus (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ananas sativus SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis adnata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis brevifolia DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis

cinnamomea C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis contorta HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis cuneifolia HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis neelgerriana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis nubigena DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis sarmentosa WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis semepervivoides JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis triplinervis CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anastatica hierochuntica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anchusa strigosa LABILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ancistrocladus heyneanus WALL. EX GRAHAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ancistrocladus tectorius (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andira araroba AGUIAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrachne cadishaw ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrachne cordifolia MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis atropurpurea (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis echioides NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis lineata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis macrobotrys NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis serpyllifolia (ROTTL. EX VAHL)WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon citratus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon contortus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon halepensis BROT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon jwarancusa JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon laniger DUTHIE NON DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon martini ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon muricatus RETZ. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon nardus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon odoratus DNA LISBOA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum phlomidis L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum serratum (L.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum thomsonae Balf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum waiiichii Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Duranta erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gmelina

arborea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gmelina asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gmelina philippensis Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holmskioldia sanguinea Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lantana camara L. var. aculeata (L.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lantana camara L.var. splendens (Medic.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lantana indica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lantana trifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lantana veronicifolia Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lippia citriodora H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lippia javanica (Burm.f.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Petrea volubilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyla nodiflora (L.) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna balakrishnanii Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna coriacea Clarke var.coriacea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna coriacea Clarke var. villosa (C. B. Clarke) Rajendran & Daniel and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna corymbosa (Burm.f.) Rottl. & Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna glaberrima Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna herbacea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna latifolia Rozb. var. latifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna latifolia Roxb. var. henryi D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna latifolia Rozb. var. mollissima (Roth) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna latifolia Roxb. var. viburnoides Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna

mundanthuraiensis Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna paucinervis (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna serratifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna tomentosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna wightiana Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Priva cordifolia (L.f.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stachytarpheta jamaicensis (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stachytarpheta mutabilis (Jacq.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stachytarpheta urticaefolia (Salisb.) Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tectona grandis L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Verbena bipinnatifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Verbena bonariensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Verbena x hybrida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Verbena rigida Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex altissima L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex leucoxylon L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex negundo L. var. negundo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex negundo L. var. purpurascens Sivar. & Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex peduncularis Wall. ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex pinnata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex trifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Congea tomentosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphenodesme paniculata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Symphorema involucratum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Avicennia alba Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Avicennia marina (Forssk.) Vierh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Avicennia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acrocephalus hispidus (L.) Nicolson & Sadasivan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acrocephalus palniensis Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisochilus argenteus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisochilus carnosus (L.f.) Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisochilus dysophylloides Benth. var. dysophylloides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisochilus dysophylloides Benth. var. purpureus (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisochilus eriocephalus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisochilus henryi Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisochilus paniculatus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisochilus robustus Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisochilus scaber Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisochilus sericeus Benth. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisochilus suffruticosus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisochilus wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisomeles heyneana Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisomeles indica (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisomeles malabarica (L.) R. Br. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Basilicum polystachyon (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Becium filamentosum (Forssk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Clinopodium umbrosum (M. Bieb.) K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colebrookea oppositifolia J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elsholtzia ciliata (Thunb.) Hyland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Endostemon viscosus (Roth) M. Ashby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eusteralis cruciata (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eusteralis deccanensis Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eusteralis quadrifolia (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geniosporum elongatum Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geniosporum menthoides (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geniosporum menthoides (L.) Merr. var. longiracemosum (Ramam. & Sebastine) Press & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphostemma eriocarpon Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphostemma heyneanum Wall. ex Benth. var. heyneanum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphostemma heyneanum Wall. ex Benth. var. rottleri Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphostemma keralensis Vivek., Gopalan & Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphostemma strobilinum Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyptis suaveolens (L.) Poit. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isodon coetsa (D. Don) Kudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isodon nigrescens (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isodon nilgherricus (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isodon walkeri (Arn.) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isodon wightii (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lavendula angustifolia Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lavandula lawii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leonotis

leonurus R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leonotis nepetiifolia (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leonurus sibiricus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas anKalamraoana Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas angularis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas aspera (Willd.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas biflora (Vahl) R.Br. var. biflora and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas cephalotes (Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas chinensis (Retz.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas ciliata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas diffusa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas eriostoma Hook.f. var. eriostoma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas eriostoma Hook.f. var. lanata Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas eriostoma Hook.f. var. latifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas flaccida R.Br. var. scaberula (Hook.f.) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas helianthemifolia Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas hirta (Heyne ex Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas indica (L.) R.Br. ex Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas lamifolia Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas lanata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas lanceaefolia Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas marrubioides Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas martinicensis (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas

montana Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas nutans Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas prostrata (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas pubescens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas rosmarinifolia Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas stelligera Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas stricta Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas suffruticosa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas ternifolia Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas urticaefolia (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas vestita Benth. var. vestita and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas vestita Benth. var. angustifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas vestita Benth. var. oblongifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas vestita Benth. var. sericostoma Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas wightiana Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas zeylanica (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha canadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha x piperita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meriandra bengalensis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Micromeria biflora (Buch.-Ham.ex D.Don.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Micromeria capitellata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta hindostana (Roth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum

americanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum basilicum L. var. basilicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum basilicum L. var. pilosum Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum basilicum L. var. purpurascens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum basilicum L. var. thyrsiflorum Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum gratissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum tenuiflorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Origanium hortensis Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orthosiphon aristatus (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orthosiphon comosus Wight ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orthosiphon pallidus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orthosiphon rubicundus (D.Don) Benth. var. rubicundus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orthosiphon rubicundus (D.Don) Benth. var. hohenackeri Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orthosiphon thymiflorus (Roth) Sleensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus amboinicus (Lour.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus barbatus Andr. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus bishopianus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus bourneae Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus caninus Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus coleoides Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus deccanicus Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus malabaricus (Benth.) Willemse and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus mollis (Ait.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Plectranthus rivularis Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus rotundifolius (Poir.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus scutellarioides (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus stocksii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus subincisus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus urticifolius Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus vettiveroides (Jacob) Singh & Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon atropurpureus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon auricularius (L.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon benghalensis (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon cablin (Blanco) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon gardneri Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon hedgei V.S. Kumar & B. Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon heyneanus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon mollis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon myosuroides (Roth) El Gazzar & L. Watson and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon nilagiricus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon paludosus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon paniculatus (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon pubescens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon purpurascens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon rotundatus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon rugosus (Hook.f.) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Pogostemon speciosus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon wightii Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunella vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosmarinus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia coccinea Buc'hoz ex Etlinger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia farinacea Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia grahamii Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia involucrata Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia leucantha Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia microphylla Kunth var. neurepia (Fernald) Epling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia patens Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia rutilans Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia splendens Sell. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia uliginosa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia verbenacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Satureja umbrosa (Bieb.) Scheele and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scutellaria colebrookiana Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scutellaria rivularis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scutellaria violacea Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scutellaria wightiana Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetradenia riparia (Hochst.) Codd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Teucrium fruticans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Teucrium

plectranthoides Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Teucrium tomentosum Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Teucrium wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thymus vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago afra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago erosa Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago exigua Juss.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago lanceolata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago ovata Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commicarpus chinensis (L.) Heimerl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boerhavia crispa Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wild Boerhavia diffusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boerhavia erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boerhavia helenae Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bougainvillea glabra Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bougainvillea spectabilis Willd. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mirabilis jalapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mirabilis longiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pisonia aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pisonia grandis R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Achyranthes aspera L. var. aspera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Achyranthes aspera L. var. porphyristachya (Wall. ex Moq.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Achyranthes aspera L. var. rubro-fusca (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Achyranthes bidentata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerva lanata (L.) Juss. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerva persica (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerva sanguinolenta (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerva wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allmania nodiflora (L.) R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alternanthera paronychioides A.St. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alternanthera philoxeroides (C. Martiu) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alternanthera pungens Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alternanthera sessilis (L.) R.Br. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alternanthera tenella Colla. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alternanthera tenella Colla. var. bettzickiana (Regel) Veldkamp and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus blitum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus caudatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus graecizans subsp. thelProstateianus (Nevski) Gusev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus hybridus L. subsp. cruentus (L.) Thell. var. paniculatus (L.) Thell. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus spinosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus tricolor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaranthus viridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celosia argentea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celosia cristata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celosia polygonoides Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celosia pulchella Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyathula

prostrata (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digera muricata (L.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphrena globosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphrena serrata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indobanalia thyrsiflora (Moq.) Henry & Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iresine herbstii Hook.f. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nothosaerva brachiata (L.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psilotrichum elliotii Baker & Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psilotrichum nudum (Heyne ex Wall.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pupalia lappacea (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichuriella monsoniae (L.f.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arthrocnemum glaucum (Del.) Ung.-Sternb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arthrocnemum indicum (Willd.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atriplex repens Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atriplex stockesii Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Beta vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chenopodium album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chenopodium ambrosioides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chenopodium carinatum R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chenopodium giganteum D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chenopodium murale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chenopodium pumilo R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haloxylon recurvum (Moq.) Bunge and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kochia

indica Wight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salicornia brachiata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spinacia oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Suaeda maritima (L.) Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Suaeda monoica Forssk. ex Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Suaeda vermiculata Forssk. ex J.F.Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Basella rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ercilla spicata Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Petiveria alliacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phytolacca dioica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phytolacca octandra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rivina humilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antigonon leptopus Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coccoloba uvifera (L.) L. Syst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Emex spinosus (L.) Campdera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagopyrum esculentum Moench and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Muehlenbeckia gracillima Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Muehlenbeckia platyclada (F.v. Muell. ex Hook.) Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persicaria attenuata (R.Br.) Sojak subsp. pulchra (Blume) K.L.Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persicaria barbata (L.) Hara var. gracilis (Danser) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persicaria barbata (L.) Hara var. stagnina (Buch.-Ham. ex Meisn.) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persicaria capitata (Buch.-Ham. ex D.Don) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persicaria chinensis (L.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persicaria dichotoma (Blume) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persicaria hydropiper (L.) Spach var.hydropiper and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persicaria hydropiper (L.) Spach subsp. flaccida (Meisn.) Munshi & Javeid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persicaria lapathifolia (L.) Gray var. lanigera (R.Br.) Chantar. & Tubtimtong and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persicaria nepalensis (Meisn.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persicaria pedunculeris (Meissner) Nemato and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum dichotomum Blume var. angustissima (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum dichotomum Blume var. nilagirica (Hook.f.) Chandrasekaran and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum dichotomum Blume var. robusta (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum glabrum Willd. var. glabrum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum glabrum Willd. var. scabrinervis Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum minus Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum molle D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum plebeium R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Polygonum sphaerocephalum Wall.ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rheum rhaponticumL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex acetosella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex crispus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex maritimus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex nepalensis Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex vesicarius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalzellia zeylanica (Gard.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Farmeria indica Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indotristicha ramosissima (Wight) Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indotristicha tirunelveliana Sharma, Karthik. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Podostemon barberi Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Podostemon subulatus Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polypleurum dichotomum (Gard.) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polypleurum stylosum (Wight) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Willisia selaginoides (Bedd.) Warm. ex Willis and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zeylanidium lichenoides (Kurz) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zeylanidium olivaceum (Gard.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia bracteolata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia cymbifera Mart. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia grandiflora Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia ringens Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Aristolochia tagala Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thottea barberi (Gamble) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thottea siliquosa (Lam.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepianthes umbellata (L.) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peperomia blKalam (Jacq.) Kunth var. floribunda (Miq.) Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peperomia heyneana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peperomia pellucida (L.) H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peperomia candolleana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peperomia tetraphylla (Forst.f.) Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peperomia pseudo - rhombi C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peperomia wightiana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper argyrophyllum Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper betle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper galeatum C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper glabrirhache C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper hapnium Buch.-Ham. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper hymenophyllum Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper longum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper mullesua Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper obtusistigmum C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper ootacamunbense C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper

opacilimbum C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper ovatostemon C.DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper pykarahense C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper schmidtii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper trichostachyon (Miq.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper trioicum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper wightii Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcandra chloranthoides Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Knema attenuata (Wall. ex Hook.f.& Thoms.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myristica dactyloides Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myristica fatua Houtt. var. magnifica (Bedd.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myristica fragrans Houtt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actinodaphne bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actinodaphne bourneae Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actinodaphne campanulata Hook.f. var. campanulata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actinodaphne campanulata Hook.f. var. obtusa Gamble and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actinodaphne lanata Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actinodaphne lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actinodaphne maderaspatana Bedd. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actinodaphne malabarica Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actinodaphne salicina Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actinodaphne tadulingamii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alseodaphne semecarpifolia Nees var. semecarpifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Alseodaphne semecarpifolia Nees var. angustifolia Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alseodaphne semecarpifolia Nees var. parvifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Apollonias arnottii Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Beilschmiedia bourdillonii Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Beilschmiedia gammieana King ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Beilschmiedia wightii (Nees) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassytha capillaris Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassytha filiformis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum bejolghota (Buch. - Ham.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum camphora (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum filipedicellatum Kosternm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum keralaense Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum macrocarpum Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum malabatrum (Burm.f.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum multiflorum (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum nitidum Blume and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum perrottetii Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum riparium Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum sulphuratum Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum travancoricum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum verum Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum walaiwarense Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum wightii Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Cryptocarya anamalayana Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptocarya beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptocarya bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptocarya lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptocarya neilgherrensis Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptocarya stocksii Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laurus nobilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea coriacea (Heyne ex Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea deccanensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea floribunda (Blume) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea glabrata (Wall. ex Nees) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea glutinosa (Lour.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea hookeriana Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea insignis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea laevigata (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea monopetala (Roxb.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea nigrescens Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea oleoides (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea quinqueflora (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea stocksii (Meisner) Hook.f. var. stocksii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea stocksii (Meisner) Hook.f. var. glabrescens (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea

travancorica Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea venulosa (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea wightiana (Nees) Hook.f. var. wightiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea wightiana (Nees) Hook.f. var. tomentosa (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neolitsea cassia (L.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neolitsea fischeri Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neolitsea foliosa (Nees) Gamble var. caesia (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neolitsea scrobiculata (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persea americana Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persea macrantha (Nees) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoebe lanceolata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoebe paniculata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoebe wightii Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gyrocarpus asiaticus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Banksia marginata Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grevillea banksii R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grevillea bipinnatifida R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grevillea hilliana F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grevillea punicea R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grevillea robusta A. Cunn. ex R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hakea laurina R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hakea salicifolia (Vent.) Burtt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hakea sericea Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helicia

nilagirica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helicia robusta (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucadendron argenteum (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macadamia ternifolia F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Petrophile pulchella R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stenocarpus salignus R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gnidia glauca (Fresen.) Gilg var. glauca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gnidia glauca (Fresen.) Gilg var. sisparensis (Gard.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gyrinops walla Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ovidia humboldtia Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wikstroemia indica (L.) C. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeagnus conferta Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeagnus indica Servettaz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeagnus kologa Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrophthoe falcata (L.f.) Etting. var. falcata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrophthoe falcata (L.f.) Etting. var. pubescens (Hook.f.) Chandrasekaran and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrophthoe memecylifolia (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrophthoe neelgherrensis (Wight & Arn.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrophthoe sarcophylla (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrophthoe trigona (Wight & Arn.) Danser ex Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helicanthus elastica (Desr.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helixanthera hookeriana (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helixanthera intermedia (Wight) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Helixanthera lepidophylla (Walp.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helixanthera obtusata (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helixanthera wallichiana (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macrosolen capitellatus (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macrosolen parasiticus (L.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scurrula cordifolia (Wall.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scurrula parasitica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taxillus courtallensis (Gamble) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taxillus cuneatus (Heyne ex Roth) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taxillus heyneanus (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taxillus recurvus (Wall. ex DC.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taxillus sclerophyllus (Thw.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taxillus tomentosus (Heyne ex Roth) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Korthalsella japonica (Thunb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viscum angulatum Heyne ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viscum articulatum Burm.f. var. articulatum and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viscum articulatum Burm.f. var. dichotomum Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viscum articulatum Burm.f. var. thelocarpum (Danser) R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viscum capitellatum J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viscum heyneanum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viscum monoicum Roxb.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viscum orientale Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viscum ramosissimum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viscum

trilobatum Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osyris quadripartita Salzm. ex Decne. var. quadripartita and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osyris quadripartita Salzm. ex Decne. var. puberula (Hook.f.) Kumari

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Santalum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleropyrum pentandrum (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thesium wightianum Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. indica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var.minor (Eichl.) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. agastyamalayana Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. tirunelveliensis Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha alnifolia Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha brachystachya Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha ciliata Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha fruticosa Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha hispida Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha lanceolata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha malabarica Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha racemosa Heyne ex Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acalypha amentacea Roxb. subsp. wilkesiana (Muell.Arg.) Fosberg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Actephila excelsa (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agrostistachys borneensis Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agrostistachys indica Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aleurites

moluccana (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antidesma acidum Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antidesma alexiteria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antidesma bunius (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antidesma ghaesembilla Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antidesma menasu (Tul.) Miq. ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antidesma walkeri (Tul.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aporosa acuminata Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aporosa fusiformis Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aporosa lindleyana (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Baccaurea courtallensis (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Baliospermum montanum (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bischofia javanica Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blachia calycina Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blachia reflexa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blachia umbellata (Willd.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Breynia retusa (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Breynia vitis-idaea (Burm.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bridelia cinerascens Gehrm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bridelia crenulata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bridelia retusa (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bridelia scandens (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrozophora prostrata Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Chrozophora rottleri (Geiseler) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Claoxylon anomalum Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Claoxylon wightii Hook.f. var. angustatum Susila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Claoxylon wightii Hook.f. var. hirsutum (Hook.f.) Sushila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleidion spiciflorum (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleistanthus collinus (Roxb.) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleistanthus patulus (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleistanthus travancorensis Jablonszky and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Codiaeum variegatum (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelodepas calycinum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton bonplandianum Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton caudatus Geiseler var. caudatus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton caudatus Geiseler var. obovoideus Balakr. & Chakrab. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton hirtus L'Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton klotzchianus (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton laccifer L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton malabaricus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton oblongifolius Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton tiglium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton zeylanicus Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalechampia indica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalechampia scandens L. var. velutina (Wight) Mull. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dimorphocalyx beddomei (Benth.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Dimorphocalyx glabellus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dimorphocalyx lawianus (Muell.-Arg.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drypetes elata (Bedd.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drypetes longifolia (Blume) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drypetes malabarica (Bedd.) Airy Shaw

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drypetes porteri (Gamble) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drypetes roxburghii (Wall.) Hurusawa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drypetes sepiaria (Wight & Arn.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drypetes venusta (Wight) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drypetes wightii (Hook.f.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epiprinus mallotiformis (Muell.-Arg.) Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia agowensis Hochst. ex Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia antiquorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia balakrishnanii Binojk. & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia barnhartii Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia chamaesyce L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia

corrigioloides Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia cotinifolia L. subsp. cotinoides (Miq.) Christenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia cristata Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia cyathophora Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia dracunculoides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia heterophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia helioscopia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia heyneana Spreng. subsp. heyneana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia heyneana Spreng. subsp. nilagirica (Miq.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia hirta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia indica Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia laciniata Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia longistyla Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia neriifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia milii Des and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia nivulia Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia pulcherrima Willd.ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia pycnostegia Boiss. var. zornioides (Boiss.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia rosea Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia rothiana Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia santapaui Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia serpens H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia thymifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia

tirucalli L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia trigona Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia tortilis Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia vajravelui Binojk. & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Excoecaria agallocha L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Excoecaria cochinchinensis Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Excoecaria crenulata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Excoecaria robusta Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fahrenheitia zeylanica (Thw.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flueggea leucopyrus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flueggea virosa (Willd) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Givotia rottleriformis Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion arboreum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion balakrishnanii G.J. Jothi, V.S. Manickam, V. Sundaresan & M. Josphine Mary and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion candolleanum (Wight & Arn.) Chakrab. & Gangop and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion ellipticum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion fagifolium Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion malabaricum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion neilgherrense Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion pauciflorum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion tomentosum Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion velutinum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Glochidion zeylanicum (Gaertn.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hevea brasiliensis (Willd. ex Juss.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Homonoia retusa (Graham ex Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Homonoia riparia Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hura crepitans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha curcas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha glandulifera Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha gossypifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha heynei Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha integerrima Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha maheshwarii Subram. & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha multifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha tanjorensis Ellis & Saroja and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha villosa Wight var. villosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha villosa Wight var. ramnadensis Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macaranga flexuosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macaranga indica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macaranga peltata (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus atrovirens Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus aureo-punctatus (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus distans Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus philippensis (Lam.) Muell.-Arg. var. philippensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus

philippensis (Lam.) Muell.-Arg. var. tomentosus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus repandus (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus resinosus (Blanco) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus rhamnifolius Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus stenanthus Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus subramanyamii Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus tetracoccus (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Manihot esculenta Crantz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Manihot glaziovii Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Margaritaria indica (Dalz.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meineckia longipes (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meineckia parvifolia (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Micrococca beddomei (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Micrococca mercurialis (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Micrococca wightii (Hook.f.) prain var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Micrococca wightii (Hook.f.) prain var. hirsutum (Hook.f.) Prain and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mischodon zeylanicus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paracroton integrifolius (Airy Shaw) Balakr. & Chakrab and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pedilanthus tithymaloides (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus acidus (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus amarus Schum. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus baillonianus Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus beddomei (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Phyllanthus chandrabosei Govaerts & Radcl. - Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus debilis Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus emblica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus fimbriatus (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus gageana (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus gardnerianus (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus indofischeri Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus kozhikodianus Sivar. & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus lawii Graham ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus leschenaultii Muell. Arg.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus longiflorus Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus macraei Muell.-Arg. var. macraei and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus macraei Muell.-Arg. var. hispidus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus macrocalyx Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus maderaspatensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus megacarpa (Gamble) Kumari & Chandrabose and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus myrtifolius Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus pinnatus (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus polyphyllus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus reticulatus Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus rheedii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus rotundifolius Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus singampattiana (Sebastine & Henry) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Phyllanthus speciosus Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus urinaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus virgatus Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseudoglochidion anamalayanum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ricinus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sapium insigne (Royle) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sapium sebiferum (Michaux) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sauropus androgynus (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sauropus bacciformis (L.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sauropus quadrangularis (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sebastiania chamaelea (L.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Suregada lanceolata(Willd.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Synadenium grantii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragia bicolor Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragia involucrata L. var. involucrata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragia involucrata L. var. angustifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragia muelleriana Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragia plukenetii R. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trewia nudiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trewia polycarpa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trigonostemon nemoralis Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernicia montana Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Daphniphyllum neilgherrense (Wight) K. Rosenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buxus

sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcococca brevifolia (Muell.-Arg.) Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcococca saligna (D. Don.) Muell. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boehmeria glomerulifera Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boehmeria macrophylla Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boehmeria nivea (L.) Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chamabaina cuspidata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Debregeasia ceylanica Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Debregeasia longifolia (Burm.f.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Debregeasia wallichiana (Wedd.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrocnide sinuata (Blume) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Droguetia iners (Forssk.) Schweinf. subsp. urticoides (Wight) friis & Wilmot- Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatostema acuminatum (Poir.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatostema cuneatum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatostema lineolatum Wight var. lineolatum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatostema lineolatum Wight var. falcigera Thw. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatostema lineolatum Wight var. linearis Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatostema lineolatum Wight var. setosum Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatostema sessile Forst. var. sessile and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatostema sessile Forst. var. cuspidata (Wight) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatostema sessile Forst. var. pubescens Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatostema surculosum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatostema wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Girardinia

diversifolia (Link) Friis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laportea bulbifera (Sieb. & Zucc.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laportea interrupta (L.) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lecanthus peduncularis (Wall. ex Royle) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oreocnide frutescens (Thunb.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oreocnide integrifolia (Gaudich.) Miq. var. integrifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oreocnide integrifolia (Gaudich.) Miq. var. sylvatica (Hassk.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parietaria micrantha Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pellionia heyneana Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pilea angulata (Blume) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pilea kingii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pilea melastomoides (Poir.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pilea microphylla (L.) Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pilea wightii Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia auriculata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia bennettiana Wight var. bennettiana and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia bennettiana Wight var. acuta (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia bennettiana Wight var. gardneri (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia bennettiana Wight var. macrophylla Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia bennettiana Wight var. mysorensis (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia bennettiana Wight var. ovalifolia (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia bennettiana Wight var. quadrialata (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia bennettiana Wight var. tomentosa (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia

cymosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia hirta (Blume) hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia pentandra (Roxb.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia wightii Benn. var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia wightii Benn. var. caudata (Benn.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia wightii Benn. var. lawsoniana Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia wightii Benn. var. nilghirensis (Wight) Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia wightii Benn. var. scabra (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia wightii Benn. var. wallichiana Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia zeylanica (L.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Procris crenata Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urtica hyperborea Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urtica parviflora Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aphananthe cuspidata (Blume) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celtis australis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celtis philippensis Blanco var. wightii (Planch.) Soep. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celtis tetrandra Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celtis timorensis Spanoghe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holoptelea integrifolia (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trema orientalis (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cannabis sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antiaris toxicaria (Pers.) Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artocarpus incisus L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Artocarpus gomezianus Wall. ex Trec. subsp. zeylanicus Jarrett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artocarpus heterophyllus Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artocapus hirsutus Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Broussonetia papyrifera Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cudrania cochinchinensis (Lour.) Kudo & Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dorstenia indica Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus albipila (Miq.) King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus amplissima J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus amplocarpa Govindarajulu & Masilamoney and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus angladei Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus arnottiana (Miq.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus auriculata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus beddomei King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus benghalensis L. var. benghalensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus benghalensis L. var. krishnae C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus benjamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus callosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus carica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus dalhousiae Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus drupacea Thunb. var. pubescens (Roth) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus elastica Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus exasperata Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus glaberrima Blume var. bracteata Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus

guttata (Wight) Kurz ex King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus heterophylla L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus hispida L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus hookeriana Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus laevis Blume var. macrocarpa (Miq.) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus microcarpa L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus mollis Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus nervosa Heyne ex Roth var. nervosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus nervosa Roth var. minor King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus palmata Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus pumila L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus racemosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus religiosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus talbotii King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus tinctoria Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus tsjahela Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus virens Ait. var. virens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus virens Ait. var. lambertiana (Miq.) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus virens Ait. var. wightiana (Miq.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morus alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morus australis Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plecospermum spinosum Trec. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Streblus

asper Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Streblus taxoides (Heyne ex Roth) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Platanus orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juglans regia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casuarina glauca Sieber. ex A.Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casuarina equisetifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casuarina junghuhniana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casuarina stricta Dryand. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casuarina suberosa Otto & Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casuarina torulosa Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alnus nepalensis D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Betula alnoides Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Castanea crenataSieb. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Castanea sativa Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Castanopsis indica (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Castanopsis roxburghiana S.N. Biswas and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagus sylvatica L. var. sylvatica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagus sylvatica L. var. cuprea Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quercus baloot Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quercus coccifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quercus leucotrichophora A. Camus ex Bahadur and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quercus robur L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quercus serrata Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salix

babylonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salix tetrasperma Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceratophyllum demersum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blyxa aubertii Rich. var. echinosperma (Clarke) Cook & Luond and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blyxa octandra (Roxb.) Planch ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Enhalus acoroides (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Halophila beccarii Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Halophila decipiens Ostenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Halophila ovalis (R. Br.) Hook.f. subsp. ovalis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Halophila ovalis (R. Br.) Hook.f. subsp. ramamurthiana Ravikumar & Ganesan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Halophila ovata Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Halophila stipulacea (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrilla verticillata (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nechamandra alternifolia (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ottelia alismoides (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thalassia hemprichii (Ehrenb.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vallisneria natans (Lour.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Burmannia candelabrum Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Burmannia coelestis D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Burmannia wallichii (Miers) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acampe praemorsa (Roxb.) Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acanthephippium bicolor Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aenhenrya rotundifolia (Blatter) Sathish & Rasmussen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerides

crispaLindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerides maculosum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aerides ringens (Lindl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anoectochilus elatus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anoectochilus rotundifolius (Blatter) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aphyllorchis montana Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundina graminifolia (D. Don) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachycorythis iantha (Wight) Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachycorythis splendida Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbophyllum acutiflorum A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbophyllum albidum (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbophyllum aureum (Hook. f.) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbophyllum elegantulum (Rolfe) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbophyllum fischeri Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbophyllum fuscopurpureum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbophyllum kaitiense Reichb. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbophyllum sterile (Lam) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbophylum tremulum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbophylum xylophyllum Par. & Reichb. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calanthe sylvatica(Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calanthe triplicata (Willem.) Ames and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calanthe vestita Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cheirostylis flabellata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Cheirostylis parvifolia Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chiloschista fasciata(F. Muell.) Seidenf. & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysoglossum hallbergii Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysoglossum maculatum (Thw.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelogyne breviscapa Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelogyne glandulosa Lindl. var. glandulosa Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelogyne glandulosa Lindl. var. bournei Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelogyne glandulosa Lindl. var. sathyanarayanae Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelogyne mossiae Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelogyne nervosa A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelogyne odoratissima Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelogyne ovalis Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelogyne prolifera Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelogyne uniflora Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corymborkis veratrifolia (Reinw.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cottonia peduncularis (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crepidium purpureum(Lindl.) Szlach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbidium aloifolium (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbidium bicolor Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbidium ensifolium (L.) Sw. var. haematodes (Lindley) D. Du Put & P. Cribb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium anamalayanum Chandrabose, Chandrasekaran & N. C. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium aqueum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrocium barbatulum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium diodon Reichb.f. subsp. kodayarensis Gopalan & A.N. Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium haemoglossum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium herbaceum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium heterocarpum Wall. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium heyneanum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium macrostachyum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium microbulbon A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium nanum Hook. f. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium nutantiflorum Hawkes & Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium wightii A. Hawkers & A. H. Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium panduratum Lindl. subsp. villosum Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Didymoplexis pallens Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diplocentrum congestum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diplocentrum recurvum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Disperis neilgherrensis Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Epidendrum radicans Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epipactis veratrifolia Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epipogium roseum (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eria albiflora Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eria dalzellii (Hook. ex Dalz) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eria microchilos (Dalz.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eria mysorensis Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eria nana A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eria pauciflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eria polystachya A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eria pseudoclavicaulis Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eria reticosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia cullenii (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia epidendraea (Koen.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia graminea Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia pulchra (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia pratensis Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia spectabilis (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flickingeria nodosa (Dalz.) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gastrochilus acaulis (Lindl.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gastrochilus calceolaris (Buch.- Ham. ex J. E. Smith) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geodorum densiflorum (Lam.) Schlte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goodyera fumata Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goodyera

procera (Ker-Gawl) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria acuminata (Thw.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria barnesii Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria cepholotes Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria crassifolia A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria crinifera Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria decipens Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria denticulata Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria digitata Lindl. var. digitata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria digitata Lindl. var. foliosa (A. Rich) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria digitata Lindl. var. travancorica (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria elliptica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria elwesii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria furcifera Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria grandifloriformis Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria heyneana Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria hollandiana Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria longicorniculata Granham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria longicornu Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria macrostachya Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria marginata Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria multicaudata Sedgw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria

pallideviridis Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria perrottetiana A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria plantaginea Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria polyodon Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria rariflora A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria richardiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria roxburghii Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria virens (Lindl.) Abeyw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria viridiflora (Rottl. Ex Sw.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hetaeria ovalifolia Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kingidium deliciosum (Reichb.f.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liparis atropurpurea Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liparis beddomei Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liparis biloba Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liparis caespitosa (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liparis duthiei Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liparis elliptica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liparis nervosa (Sw.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liparis platyphylla Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liparis prazeri King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liparis resupinata Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liparis viridiflora (Blume) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liparis walkeriae Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liparis

wightiana Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luisia birchea Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luisia zeylanica Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malleola gracilis (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nervilia aragoana Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nervilia carinata (Roxb.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nervilia plicata (Andr.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nervilia prainiana (Ling & Prantl) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia anamalayana Joseph and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia balakrishnanii R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia brunoniana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia ensiformis (J. E. Smith) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia iridifolia Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia platycaulon Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia proudlockii King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia santapaui Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia sebastiana Shetty & Vivek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia seidenfadeniana Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia tenuis Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia verticillata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia wightiana Lindl. var. wightiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia wightiana Lindl. var. arnottiana (Wight) R. Ansari N. C. Nair & V. J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia wightiana Lindl. var. nilgirienis R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oberonia

zeylanica Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pachystoma senile (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paphiopedilum druryi (Bedd.) Pfitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Papilionanthe cylindrica (Lindl.) Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pecteilis gigantea (J. E. Smith) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristylus aristatus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristylus brachyphyllus A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristylus densus (Lindl.) Sant. & Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristylus goodyeriodes (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristylus lawii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristylus plantagineus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristylus secundus (Lindl.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristylus spiralis A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristylus stocksii (Hook. f.) Kraenzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pholidota pallida Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Podochilus falcatus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polystachya concreta (Jacq.) Garay & Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Porpax jerdoniana (Wight) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Porpax reticulata Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Proteroceras leopardianum (Par. Reichb.f.) Seidenf. & Smitin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchostylis retusa (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhytionanthos nodosus (Rolfe) Garay Hamer & Siegerist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Robiquetia josephiana Manilal & Satish Kumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Satyrium nepalense D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schoenorchis jerdoniana (Wight) Garay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Seidenfadeniella filiformis (Richb.f.) E.A.Christ & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Seidenfia densiflora (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Seidenfia intermedia (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Seidenfia rheedii (Sw.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Seidenfia versicolor (Lindley) Marg. & Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sirhookera lanceolata (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sirhookera latifolia (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smithsonia maculata (Dalz.) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spathoglottis plicata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spiranthes sinensis (Pers.) Ames var. sinensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spiranthes sinensis (Pers.) Ames var. wightiana Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taeniophyllum alwisii Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tainia bicornis (IIndl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thelasis pygmaea (Griff.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thrixspermum muscaeflorum A. S. Rao & Joseph var. nilagiricum Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trias stocksii Benth ex Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichoglottis tenera (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tropidia angulosa (lindl.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tropidia curculigoides Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), VKalam spathulata (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), VKalam tessellata (Roxb.) Hook ex. G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), VKalam testaceae (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), VKalam wightii Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vanilla planifolia Andrews and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vanilla walkeriae Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vanilla wightiana Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zeuxine affinis (Lindl.) Benth.ex. Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zeuxine gracilis (Breda) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zeuxine longilabris (Lindl.) Benth ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia abundiflora Burtt & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia calcarata Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia galanga Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia malaccensis (Burm.f.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia nigra (Gaertn.) B. L. Brutt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alpinia zerumbet (Pers.) B. L. Burtt & R. M.Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum

cannicarpum (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum hypoleucum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum masticatorium Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum muricatum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amomum pterocarpum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma amada Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma aromatica Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma longa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma montana Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma neilgherrensis Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma pseudomontana Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma zedoaria (Christm.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elettaria cardamomum (L.) Maton var. cardamomum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elettaria cardamomum (L.) Maton var. major Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Globba marantina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Globba ophioglossa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedychium coronarium Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedychium flavescens Carey ex Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedychium spicatum Hamilton ex Smith var. acuminatum (Roscoe) Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedychium venustum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kaempferia galanga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber montanum (K. D. Koenig) Link ex Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber nimmonii (J. Graham) Dalzell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber

officinale Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber roseum (Roxb.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber wightianum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber zerumbet (L.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Costus pictus D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Costus speciosus (Koen.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maranta arundinacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phrynium pubinerve Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schumannianthus virgatus (Roxb.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ensete superbum (Roxb.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ensete ventricosum(Welw.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliconia psittacorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Musa acuminata Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Musa balbisiana Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Musa parasidiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ravenala madagascarensis Sonner and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strelitzia reginae Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canna indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ananas comosus (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anigozanthos flavidus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Disporum leschenaultianum D. Don var. leschenaultianum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Disporum leschenaultianum D. Don var. angustifolium Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lilium trigrinum Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lilium

wallichianum Schultes & Schultes f. var. neilgherrense (Wight) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiopogon intermedius D. Don var. intermedius and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiopogon intermedius D. Don var. gracilipes Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiopogon intermedius D. Don var. pauciflorus Hook. f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peliosanthes teta Andr. subsp. humilis (Andr.) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristea ecklonii Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Babiana stricta (Aiton) Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Babiana villosa Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crocosmia x crocosmiiflora (E. Morren) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crocosmia pottsii (Baker) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dierama pulcherrima (Hook. F.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleutherine palmifolia (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Freesia refracta Klatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gladiolus natalensis (Eckl.) Reinw. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gladiolus primulinus Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iris germanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iris japonica Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iris unguicularis Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moraea iridioides L. Mant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Watsonia borbonica (Pourr.) Goldblatt subsp. ardernei (Sander) Goldblatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Watsonia rosea Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amaryllis belladonna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crinum asiaticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crinum

viviparum (Lam.) R.Ansari & V.J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crinum latifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crinum moorei Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucharis x grandiflora Planch. & Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eurycles sylvestris Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haemanthus coccineus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haemanthus matalensis Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hippeastrum x johnsonii (Hort.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hippeastrum reginae Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hippeastrum vittatum (L'Her.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hymenocallis littoralis (Jacq.) Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucojum aestivum L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucojum pulchellum Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Narcissus pseudo-narcissus L. subsp. moschatus (L.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Narcissus tazetta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nerine flexuosa (Jacq.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nerine undulata Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pancratium triflorum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaedranassa dubia (Kunth) J. F. Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sprekelia formossissima Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stenomesson coccineum Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zephyranthes carinata Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zephyranthes grandiflora Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Zephyranthes tubispatha Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agave americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agave angustifolia Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agave sisalana Perrine ex Engelm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agave vera-cruz Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordyline australis (Forst. F.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Furcraea foetida (L.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polianthes tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Yucca gloriosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dianella ensifolia (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phormium tenax Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dracaena fruticosa (L.) A. Chev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dracaena terniflora Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sansevieria roxburghiana Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sansevieria trifasciata Hort. ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sansevieria thyriflora Thunb. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sansevieria varians N.E.Br and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sansevieria zeylanica (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alstroemeria aurea Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bomarea caldasiana Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bomarea oligantha Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curculigo orchioides Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypoxis aurea Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Molineria

trichocarpa (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tacca leontopetaloides (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea alata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea belophylla Voigt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea bulbifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea esculenta (Lour.) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea hamiltonii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea hispida Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea kalkapershadii Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea oppositifolia L. var. oppositifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea oppositifolia L. var. dukhumensis Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea spicata Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea tomentosa Koen ex Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea wallichii Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea wightii Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichopus zeylanicus Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stemona tuberosa Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipcadi montanum (Dalz.) Baker var. madrasicum (Barnes & Fischer) Deb & Dasgupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucomis autumnalis (Miller) Chitt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucomis punctata L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ornithogalum arabicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ornithogalum conicum Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scilla

hyacinthina (Roth) Mecbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urginea congesta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urginea indica (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urginea polyantha Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asphodelus tenuifolius Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloe vera (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kniphofia uvaria (L.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus asiaticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus fysonii Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus gonoclados Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus laevissimus Steud. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus setaceus (Kunth) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus racemosus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chlorophytum acaule Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chlorophytum arundinaceum Baker and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chlorophytum attenuatum (Wight) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chlorophytum heynei Rottl. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chlorophytum laxum R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chlorophytum malabaricum Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chlorophytum nimmonii (Graham) Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chlorophytum tuberosum (Roxb.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gloriosa rothschildiana O'Brien and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gloriosa

superba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iphigenia indica (L.) A. Gray ex Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iphigenia magnifica Ansari & R. S. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hemerocallis aurantiaca Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agapanthus praecox Willd. var. orientalis (F. Leight.) F. Leight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agapanthus praecox Willd. var. albus Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium cepa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium porrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allium sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruscus aculeatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax aspera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax perfoliata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax wightii A. DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eichhornia crassipes (Mart.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Monochoria hastata (L.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Monochoria vaginalis (Burm. F.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xyris capensis Thunb. var. schoenoides (Mart) Nilsson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xyris pauciflora Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aclisia secundiflora (Blume) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aneilema montana (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aneilema ovalifolia (Wight) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Belosynapsis kewensis Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Belosynapsis vivipara (Dalz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina attenuata Koen var. Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina benghalensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina clavata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina diffusa Burm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina ensifolia R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina erecta L. var. erecta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina erecta L. var. glochidea (Koen.ex Clarke) Bhargavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina forskalaei Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina hirsuta (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina imberbis Ehrenb. ex Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina indehiscens Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina longifolia Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina paleata Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina paludosa Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina subulata Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina tricolor Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina wightii R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis adscendens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis arachnoidea Clarke var. arachnoidea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis arachnoidea Clarke var. thwaitesii (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis arcotensis R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis axillaris (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis

burmanniana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis concanensis Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis cristata (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis cucullata (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis fasciculata (Heyne ex Roth) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis obtusa Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis papilionacea (L.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis pilosa Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis tuberosa (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis villosa (Spreng.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis wightii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dictyospermum scaberrimum (Blumes) Morton ex Hara et al. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Floscopa scandens Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia dimorpha (Dalz.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia edulis (Stokes) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia esculenta (Wall ex Clarke) Raizada ex R. Rao & Kammathy and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mudannia gigantea (Vahl.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia glauca (Thw. ex Clarke) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia japonica (Thunb.) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia juncoides (Wight) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia lanceolata (Wight) Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia lanuginosa (Wall ex Clarke) Beueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia loriformis (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Murdannia nudiflora (L.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia pauciflora Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia semiteres (Dalz.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia simplex (Vahl.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia spirata (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia vaginata (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia zeylanica (Clarke) Brueckner var. longiscapa (Clarke) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhoeo discolor Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setcreasea purpurea Boom and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zebrina pendula Schnitzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flagellaria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juncus bufonius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juncus effusus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juncus inflexus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juncus leschenaultii J. Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luzula indica Kirschner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Areca catechu L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arenga wightii Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bentinckia condapanna Berry ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Borassus flabellifer L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus brandisii Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus gamblei Beccari ex Becari & Hook. var. gamblei and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus gamblei Beccari ex Beccari & Hook. var. sphaerocarpa Beccari ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus

huegelianus Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus pseudo-tenuis Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus rheedii Griff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus rotang L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus travancoricus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caryota urens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cocos nucifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corypha umbraculifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corypha macropoda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Livistona chinensis (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Livistona rotundifolia (Lam.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoenix canariensis Hort ex Chabaud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoenix loureirii Kunth var. loureirii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoenix loureirii Kunth var. humilis (Becc.) S.C. Barrow and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoenix pusilla Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoenix rupicola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoenix sylvestris (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinanga dicksonii (Roxb.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhapis excelsa (Thunb.) A. Henry ex Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Roystonea regia (Kunth) O. F. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sabal mauritiiformis (Karsten) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trachycarpus fortunei (Hook.) Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Washingtonia robusta Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

PKalamnus amaryllifolius Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), PKalamnus canaranus Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), PKalamnus odoratissimus L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), PKalamnus tectorius Parkinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), PKalamnus thwaitesii Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Typha angustifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acorus calamus L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alocasia indica (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amorphophallus paeoniifolius (Dennst.) Nicolson var. campanulatus (Blume ex Decne) Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amorphophallus sylvaticus (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphyllum beddomei Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphyllum wightii Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anthurium spathiphyllum N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema auriculatum Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema barnesii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema leschenaultii Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema murrayi (Graham) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema tortuosum (Wall.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema translucens Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema tuberculatum Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema tylophorum Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema wightii Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caladium bicolor (Ait.) Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colocasia

esculenta (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptocoryne ciliata (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptocoryne consobrina Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptocoryne retrospiralis (Roxb.) Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptocoryne spiralis (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epipremnum pinnatum cv aureum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagenandra meeboldii (Engler) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagenandra toxicaria Dalz. var. barnesii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Monstera deliciosa Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pistia stratiotes L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plesmonium margaritiferum (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pothos armatus Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pothos scandens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pothos thomsonianus Schott. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Remusatia vivipara (Lodd.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhaphidophora pertusa (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Theriophonum fischeri Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Theriophonum minutum (Willd.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Theriophonum sivaganganum (Ramam. & Sebastine) Bogner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xanthosoma sagittifolium (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zantedeschia aethiopica (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lemna gibba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lemna perpusilla Torrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spirodela

polyrhiza (L.) Schleiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wolffia globosa (Roxb.) Hartog & Vander Plas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyalisma janthina Champ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caldesia parnassiifolia (L.) Parl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophyton obtusifolium (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sagittaria guayanensis H.B.K. subsp lappula (D Don) Bogin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sagittaria sagittifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Najas graminea Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Najas indica (Willd.) Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Najas malesiana Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Najas marina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Najas minor All. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruppia maritima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aponogeton appendiculatus Bruggen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aponogeton echinatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aponogeton natans (L.) Engler and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aponogeton undulatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymodocea rotundata Ehrenb. & Hempr. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymodocea serrulata (R. Br.) Asch. & Magnus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Halodule pinifolia (Miki) Hartog and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Halodule uninervis (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Halodule wrightii Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potamogeton crispus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Potamogeton nodosus Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potamogeton pectinatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potamogeton perfoliatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syringodium isoetifolium (Asch.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon brownianum Martius ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon cinereum R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon conica (Fyson) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon elenorae Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon ensiforme Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon leucomelas Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon longicuspis Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon nairii Chandrabose & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon nepalense Prescott ex Bongard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon odoratum Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon panagudianum Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon pectinatum Ruhl. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon quinquangulare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon ramnadense Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon richardianum (Fyson) Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon ritchieanum Ruchl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon robusto-brownianum Ruhland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon robustum Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon talbotii Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Eriocaulon thwaitesii Koern. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon truncatum Buch. - Ham. ex Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon xeranthemum Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ascopholis gamblei Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbostylis barbata (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbostylis densa (Wall.) Hand.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbostylis puberula (Poir.) Kunth ex C. B. Clarke var. puberula and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbostylis puberula (Poir.) Kunth ex C. B. Clarke var. gracilis C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex baccans Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex breviculmis R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex brunnea Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex christii Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex eluta Nelmes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex foliosa D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex filicina Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex glaucina Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex hebecarpa C. Meyer var. ligulata (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex lateralis Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex lenta D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex leucantha Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex lindleyana Nees var. lindleyana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex lindleyana Nees var. mercarensis (Hochst. ex Steud.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex longicruris Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex

longipes D. Don var. longipes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex longipes D. Don var. dissitiflora Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex maculata Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex myosurus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex nubigena D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex phacota Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex pseudoaperta Boeckeler ex Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex raphidocarpa Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex rara Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex speciosa Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex vicinalis Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex walkeri Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex wallichiana Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex wightiana Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus alopecuroides Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus alternifolius L. subsp. flabelliformis (Rottboell) Kukenth. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus arenarius Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus articulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus bulbosus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus castaneus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus cephalotes Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus conglomeratus Rottb. subsp. pachyrrhizus (Nees ex Boeck.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus compressus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus

corymbosus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus curvibracteatus Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus cuspidatus Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus difformis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus diffusus Vahl. var. diffusus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus diffusus Vahl. var. macrostachyus Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus digitatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus distans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus distans L. var. pseudonutans Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus elatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus esculentus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus exaltatus Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus halpan L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus imbricatus Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus iria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus laevigatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus latovaginata Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus lurida Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus michelianus (L.) Link. subsp. pygmaeus (Rottb.) Asch. & Graebn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus nutans Vahl var. nutans and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus natans Vahl var. eleusinoides (Kunth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus pangorei Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus pilosus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus

platyphyllus Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus platystylis R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus plumbeonucea Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus polyanthelus Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus procerus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus pygmaeus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus rotundus L. subsp. rotundus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus rotundus L. subsp. tuberosus (Rottb.) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus rubicundus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus rubriglumosus Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus sesquifforus (Torr.) Mattf. & Kuek. var.cylindricus (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus sphacelatus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus stoloniferous Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus stricticulmis Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus sulcinux Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus tenuiculmis Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus tenuispica Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleocharis acutangula (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleocharis atropurpurea (Retz.) Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleocharis congesta D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleocharis dulcis (Burm.f.) Henschel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleocharis geniculata (L.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleocharis retroflexa (Poir.) Urban subsp. chaetaria (Roem. & Schult.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleocharis

spiralis (Rottb.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleocharis tetraquetra Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis aestivalis (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis aggregata Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis amplocarpa Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis aphylla Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis argentea (Rottb.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis bisumbellata (Forssk.) Bubani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis cinnamometorum (Vahl) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis complanata (Retz.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis consanguinea Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis contorta Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis crystallina Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis cymosa R. Br. subsp. spathacea (Roth) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis dichotoma (L.) Vahl subsp. dichotoma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis dichotoma (L.) Vahl subsp. podocarpa (Nees & Meyen) Koyama and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis dichotoma (L.) Vahl subsp. glauca (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis dipsacea (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis eragrostis (Nees & Meyen ex Nees) Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis falcata (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis ferruginea (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis kingii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis latiglumifera Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Fimbristylis latinucifera Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis longistigmata Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis miliacea (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis monospicula Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis monticola Hochst. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis narayanii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis nutans (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis ovata (Burm. F.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis paupercula Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis pentaptera (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis pierotii Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis polytrichoides (Retz.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis pustulosa Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis quinquangularis (Vahl) Kunth var. crassa C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis rectifolia Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis rigidiuscula Govindarajalu and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis rugosa Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis salbundia (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis scabrisquama Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis schoenoides (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis semidisticha Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis sieberiana Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis squarrosa Vahl var. esquarrosa Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Fimbristylis strigosa Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis tenera Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis tetragona R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis tortifolia Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis triflora (L.) Schum. ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis tristachya R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis uliginosa Hochst. ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis woodrowii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fuirena ciliaris (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fuirena pubescens (Lam.) Kunth var. pergamentacea Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fuirena trilobites Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fuirena umbellata Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fuirena unicinata (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fuirena wallichiana Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypolytrum nemorum (Vahl) Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kylinga brevifolius Rottboell and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kylinga bulbosa P. Beavu. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kylinga hyalina (Vahl) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kyllingia nemoralis (J. R. & G. Forst.) Dandy ex Hutchinson & Dalziel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kyllingia malanosperma Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lipocarpha chinensis (Osbeck.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lipocarpha raynaleana Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lipocarpha sphacelata (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mariscus

clarkei (Cooke) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mariscus compactus (Retz.) Bolding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mariscus cyperinus (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mariscus dubius (Rottboell) Kukenth ex C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mariscus paniceus (Rottboell.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mariscus squarrosus (L.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mariscus sumaterensis (Retz.) A. Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pycreus flavescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pycreus flavidus (Retz.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pycreus polystachyos (Rottboell) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pycreus pumilus (L.) Nees ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pycreus puncticulatus (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pycreus sanguinolentus (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pycreus stramineus (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pycreus unioloides (R. Br.) Urb. var. angulatus (Nees) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchospora corymbosa (L.) Britton and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchospora gracillima Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchospora rubra (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchospora rugosa (Vahl.) Gale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rikliella squarrous (L.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schoenoplectus articulatus (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schoenoplectus grossus (L. f.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schoenoplectus juncoides (Roxb) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Schoenoplectus littoralis (Schrad.) Palla subsp. subulatus (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schoenoplectus mucronatus (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schoenoplectus senegalensis (Steud.) Palla ex Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schoenoplectus supinus (L.) Palla subsp. lateriflorus (Gmel.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scirpus fluitans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scirpus maritimus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scirpus subcapitatus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleria caricnia (R. Br.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleria corymbosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleria lithosperma (L.) Sw. var. lithosperma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleria lithosperma (L.) Sw. var. linearis Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleria lithosperma (L.) Sw. var. multispiculata Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleria levis Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleria mikawana Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleria parvula Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleria terrestris (L.) Fassett and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acrachne henrardiana (Bor) Phillips and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acrachne racemosa (Heyne ex Roth) Ohwi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acrachne sundararajii Umamahesw. et al and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aeluropus lagopoides (L.) Trin ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agrostis micrantha Stue. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agrostis peninsularis Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agrostis pilosula Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agrostis

schmidii (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agrostis stolonifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agrostis zenkeri Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alloteropsis cimicina (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon hallii Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon lividus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon longipes Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon polyptychus Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon pumilus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anthoxanthum borii Jain & Pal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anthoxanthum odoratum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Apluda mutica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Apocopis courtallumensis (Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Apocopis vaginata Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristida adscensionis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristida funiculata Trin & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristida hystrix L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristida mutabilis Trin. & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristida setacea Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arthraxon castratus (Griff.) Narayanaswami ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arthraxon depressus Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arthraxon lanceolatus (Roxb.) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arthraxon micans (Nees) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arthraxon

prionodes (Steud.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arthraxon quartinianus (A. Rich) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundinaria walkeriana Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundinaria wightiana Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundinella ciliata (Roxb.) Nees ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundinella hookeri Munro ex Keng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundinella leptochloa (Nees ex Steud.) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundinella mesophylla Nees ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundinella nepalensis Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundinella nervosa (Roxb.) Nees ex Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundinella pumila (Hochst. ex A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundinella purpurea Hochst. ex Steud var. purpurea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundinella purpurea Hochst. ex Steud. var. laxa Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundinella setosa Trin. var. setosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundinella setosa Trin. var. nilagiriana Subbarao & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundinella vaginata Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundo conspicua Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundo donax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Avena byzantina K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Avena fatua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Avena sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Avena sterilis L. var. ludoviciana (Durieu) Gill & Magne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Axonopus compressus (Sw.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bambusa

bambos Voss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bothriochloa bladhii (Retz.) S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bothriochloa foulkesii (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bothriochloa insculpta (Hochst. ex A. Rich.) A. camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bothriochloa kuntzeana (Hack.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bothriochloa pertusa (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bothriochloa pseudoischaemum (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria distachya (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria eruciformis (J. E. Smith) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria kurzii (Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria miliiformis (J. S. Presl) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria munae Basappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria mutica (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria nilagirica Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria ramosa (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria remota (Retz.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria reptans (L.) Gard. & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria Semiundulata (Hochst. ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria Semiverticillata (Rottl.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria setigera (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachypodium distachyon (L.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachypodium sylvaticum (Huds.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Briza maxima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Briza

media L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Briza minor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bromus arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bromus catharticus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bromus diandrus Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bromus ramosus Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capillipedium filiculme (Hook. f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capillipedium huegelii (Hack.) Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capillipedium parviflorum (R. Br.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cenchrus biflorus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cenchrus ciliaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cenchrus glaucus Mudaliar & Sundararaj and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cenchrus pennisetiformis Hochst. & Steud. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cenchrus setigerus Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centotheca lappacea (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chionachne koenigii (Spreng.) THw. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chionachne Semiteres (Benth. ex Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloris barbata Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloris bournei Rang. & Tadl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloris dolichostachya Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloris gayana Kunth ex Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloris montana Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloris pycnothrix Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloris

roxburghiana Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloris virgata Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloris wightiana Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysopogon aciculatus (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysopogon asper (Heyne ex Hook. f.) Blatter & Mc Can and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysopogon copei Mohanan et Ravi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysopogon fulvus (Spreng) Choiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysopogon hackelii (Hook.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysopogon orientalis (Desv.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysopogon zeylanicus (Nees ex Steud.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelachne perpusilla (Arn. ex Steud.) Thw. var. perpusilla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelachne perpusilla (Arn. ex Steud.) Thw. var. nilagirica Ved Prakash & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelachne simpliciuscula (Wight & Arn. ex Steud) Munro ex Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelachyropsis lagopoides (Burm.f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coix aquatica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coix gigantea Koen. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coix lacryma-jobi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cortaderia selloana (Schultes) Asch. & Graebn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon caesius (Nees ex Hook. & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon citratus (DC.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon coloratus (Hook. f.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon flexuosus (Nees ex Steud.) Wats var. flexuosus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon flexuosus (Nees ex Steud) Wats var. coimbatorensis Gupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Cymbopogon gidarba (Ham. ex Steud.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon jwarancusa (Jones) Schultes subsp. olivieri (Boiss.) Soenarko and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopoogon martinii (Roxb.) Wats. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon nardus (L.) Rendle var. nardus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon nardus (L.) Rendle var. confertiflorus (Steud.) Stapf ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon polyneuros (Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon travancorensis Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynodon arcuatus J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynodon barberi Rang & Tad. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynodon dactylon (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynodon plectostachyus (Schum ex Engler) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyrtococcum deccanense Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyrtococcum longipes (Wight & Arn. ex Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyrtococcum muricatum (Retz.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyrtococcum oxyphyllum (Steud.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyrtococcum patens (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyrtococcum sparsicomum (Nees ex Steud.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyrtococcum trigonum (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dactylis glomerata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dactyloctenium aegyptium (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrocalamus strictus (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmostachya bipinnata (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichanthium annulatum (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Dichanthium aristatum (Poir) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichanthium caricosum (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichanthium foveolatum (Del.) Roberty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichanthium oliganthum (Hochst.ex Steud.) Cope and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichanthium pallidum (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichaetaria wightii Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitaria abludens (Roem. & Schultes) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitaria bicornis (Lam.) Roem. & Schultes ex Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitaria ciliaris (Retz.) Koeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitaria duthieana Henr. ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitaria griffithii (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitaria longiflora (Retz.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitaria microbachne (Presl) Henr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitaria radicosa (Presl) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitaria setigera Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitaria stricta Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitaria ternata (A. Rich) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitaria tomentosa (Koen ex Willd.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitaria violascens Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitaria wallichiana (Wight & Arn. ex Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dimeria acutipes Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dimeria avenacea (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dimeria balakrishnaniana K.Ravik., P.V. Sreek. & V. Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dimeria

fuscescens Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dimeria kollimalayana Mohanan & Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dimeria lehmanii (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dimeria orissae Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dimeria ornithopoda Trin. var. ornithopoda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dimeria ornithopoda Trin. var. khasiana Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dinebra retroflexa (Vahl) Panzer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diplachne malabarica (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echinochloa colona (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echinochloa crus - galli (L.) P. Beauv var. crus - galli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echinochloa crus - galli (L.) P. Beauv var. breviseta (Doll) Neilr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echinochloa frumentacea Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echinochloa oryzoides (Ard.) Fritsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echinochloa picta (J. Koen) Michael and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echinochloa stagnina (Retz.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ehrharta abyssinica Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleusine coracana (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleusine indica (L.) Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elytrophorus spicatus (Willd.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Enneapogon schimperanus (Hochst. Ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Enteropogon coimbatorensis K K. N. Nair Jain & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Enteropogon monostachyos (Vahl) Schum ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostiella bifaria (Vahl) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Eragrostiella brachyphylla (Stapf.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis aspera (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis atrovirens (Desf.) Trin. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis cilianensis (Al.) Vign. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis ciliaris (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis ciliata (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis coarctata Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis curvula (Schrader) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis dayanKalamnii P. Ravichandran S.Krishnan N.P. Samson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis deccanensis Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis gangetica (Roxb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis japonica (Thunb.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis kiwuelsis Jedwabn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis macilenta (A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis maderaspatana Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis minor Host and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis nigra Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis nutans (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis pilosa P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis riparia (Willd.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis rottleri Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis schweinfurthii Chioe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis superba Peyr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis

tef (Zucc.) Trotter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis tenella (L.) P. Beauv ex Roem. & Schultes var. tenella and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis tenella (L.) P. Beauv. ex Roem. & Schultes var. insularis Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis tenuifolia (A. Rich) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis tremula (Lam.) Hochst ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis unioloides (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis viscosa (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eremochloa muricata (Retz.) Hack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eremopogon foveolatus (Del.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriochloa procera (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriochrysis rangacharii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euchlaena mexicana Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulalia phaeothrix (Hack.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulalia trispicata (Schultes) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulalia wightii (Hook. f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulaliopsis binata (Retz.) C.E. Hubbard and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Festuca ovina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Festuca undata Stapf var. aristata Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garnotia arundinacea Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garnotia courtallensis (Arn. & Nees) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garnotia elata (Arn. Ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garnotia exaristata Gould and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garnotia fergusonii Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garnotia

schmidii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garnotia tenella (Arn. ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glyceria spicata Guss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Halopyrum mucronatum (L.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helictotrichon polyneurum (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helictotrichon schmidii (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helictotrichon virescens (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hemarthria compressa(L.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heteropogon contortus (L.) P Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heteropogon fischerianus Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heteropogon polystachyos (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holcolemma canaliculatum (Nees ex Steud.) Stapf & Hunnard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hordeum vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygroryza aristata (Retz.) Nees ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hymenachne acutigluma (Steud.) Gilliland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ichnanthus vicinus (Bailey) Merr. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Imperata cylindrica (L.)Raeusch. var. major (Nees) Hubbard ex Hubbard & Vaughan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isachne angladei Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isachne bourneorum Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isachne deccanensis Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isachne dispar Trin. var. dispar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isachne dispar Trin. var. villosa C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isachne elegans Dalz ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isachne

globosa (Thunb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isachne kunthiana (Wight & Arn. ex Steud.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isachne miliacea Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isachne oreades (Domin) Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isachne pulchella Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isachne walkeri (Arn. ex Steud.) Wight & Arn. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ischaemum commutatum Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ischaemum flumineum Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ischaemum indicum (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ischaemum koenigii (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ischaemum nilagiricum Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ischaemum pilosum (Klein ex Willd.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ischaemum rangacharianum Ficher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ischaemum rugosum Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ischaemum tadulingamii Nair & Sreekumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ischaemum timorense Kunth and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ischaemum zeylanicolum Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iseilema anthephoroides Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iseilema jainiana Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iseilema laxum Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iseilema prostratum (L.) Andersson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jansenella griffithiana (C. Muell.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leersia hexandra Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Leptochloa chinensis (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptochloa neesii (Thw.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptochloa obtusiflora Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptochloa panicea (Retz.) Ohwl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptochloa uniflora Hochst ex A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lolium perenne L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lolium temulentum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lophatherum gracile Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lopholepis ornithocephala (Hook.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lophopogon tridentatus (Roxb.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Manisuris myuros L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melanocenchris jacquemontii Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melanocenchris monoica (Rottl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melica scaberrima (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microchloa indica (L.f.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microchloa kunthii Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microchloa kunthii Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microstegium ciliatum (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microstegium nudum (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Miscanthus nepalensis (Trin.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mnesithea granularis (L.) de Koning & Sosef and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mnesithea laevis (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myriostachya wightiana (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oclandra

beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochlandra scriptoria (Dennst.) Fischer var. sivagiriana (Gamble) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochlandra setigera Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochlandra travancorica Benth ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiuros bombaiensis Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiuros exaltatus (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oplismenus burmannii (Retz.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oplismenus compositus (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oplismenus undulatifolius (Ard.) P. Beauv ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oropetium thomaeum (L.f.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oryza barthii A. Chevali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oryza meyeriana (Zoll. & Mor.) Baill. var. granulata (Nees & Arn. ex Wall) Duist. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oryza minuta J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oryza officinalis Wall ex Watt subsp malampuzhaensis (Krishnaswami & and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.Chandrasekaran) Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oryza rufipogon Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oryza sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ottochloa nodosa (Kunth) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxytenanthera monadelpha(Thw.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxytenanthera ritcheyi (Munro) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum antidotale Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum brevifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum fischeri Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum gardneri Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum maximum Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum miliaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum notatum Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum paludosum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum psilopodium Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum sparsicomum Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum

sumatrense Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum trypheron Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paspalidium flavidum (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paspalidium geminatum (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paspalidium punctatum (Burm.f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paspalum canarae (Steud.) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paspalum conjugatum Berg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paspalum dilatatum Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paspalum distichum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paspalum longifolium Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paspalum scrobiculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paspalum vaginatum Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pennisetum americanum (L.) Leeke. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pennisetum clandestinum Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pennisetum hohenackeri Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pennisetum pedicellatum Trin. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pennisetum polystachyon (L.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pennisetum purpureum Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pennisetum villosum R. Br. ex Fresen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Perotis indica (L.) Kuntze var. indica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Perotis indica (L.) Kuntze var. keelakaraiensis Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phalaris aquatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phalaris arundinacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phalaris

minor Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phragmites karka (Retz.) Trin ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Poa annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Poa gamblei Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Poa trivialis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogonatherum crinitum (Thunb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogonatherum paniceum (Lam.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polypogon fugax Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pommereulla cornucopiae L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseudanthistiria heteroclita (Roxb.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseudanthistiria umbellata (Hack.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseudechinolaena polystachya (H.B.K.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseudobrachiaria deflexa (Schum.) Launert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseudoraphis spinescens (R. Br.) Veickery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseudosorghum fasciculare (Roxb.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchelytrum repens (Willd.) Hubbard and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rottboellia cochinchinensis (Lour.) Clayton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccharum arundinaceum Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccharum narenga (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccharum officinarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccharum spontaneum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sacciolepis curvata (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sacciolepis indica (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Sacciolepis interrupta (Willd.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sacciolepis myosuroides (R. Br.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schizachyrium brevifolium (Sw.) Nees ex Buese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sehima nervosum (Rottl.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sehima sulcatum (Hack.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setaria homonyma (Steud.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setaria intermedia Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setaria italica (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setaria palmifolia (Koen.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setaria plicata (lam.) Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setaria poiretiana (Schultes) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setaria pumila (Poir.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setaria sphacelata (Schum.) Stapf & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setaria verticillata (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sinarundinaria wightiana (Nees) C.S.Chao & Renvoize and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum arundinaceum (Desv.) Stapf and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum bicolor (L.) Moench. Meth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum cernuum Host var. orbiculatum Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum cernuum Host var. truchmenorum (C.Koch) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum conspicuum Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum coriaceum Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum dimidiatum Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum dochna (Forssk.) Snowden var. irungu (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum dochna (Forssk.) Snowden var. obovatum (Hack.) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum durra (Forssk.) Stapf var. coimbatoricum (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum durra (Forssk.) Stapf var. mediocre (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum guineense Stafp and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum halepense (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum laxiflorum F.M. Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum nitidum (Vahl.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum roxburghii Stapf var. hians Stapf and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum subglabrescens (Steud.) Schweinf. & Asch. var. subglabrescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum subglabrescens (Steud.) Schweinf. & Asch. var. compactum (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum subglabrescens (Steud.) Schweinf. & Asch. var. irungiforme (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum subglabrescens (Steud.) Schweinf. & Asch. var. oviforme Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum subglabrescens (Steud.) Schweinf. & Asch. var. rubidum (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum versicolor Anderss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spinifex littoreus (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spodiopogon rhizophorus (Steud.) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sporobolus capillaris Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sporobolus coromandelianus (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sporobolus hajrae Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sporobolus indicus (L.) R. Br. var. diander (Retz.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sporobolus indicus (L.) R. Br. var. fertilis (Steudd.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sporobolus maderaspatanus Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sporobolus piliferus (Trin.) Kunth and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sporobolus spicatus (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sporobolus tenuissimus (Schrank) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sporobolus tremulus (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sporobolus virginicus (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sporobolus wallichii Munro ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stenotaphrum dimidiatum (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Teinostachyum wightii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Themeda

cymbaria Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Themeda quadrivalvis (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Themeda tremula (Nees ex Steud.) hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Themeda triandra Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thysanolaena maxima (Roxb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trachys muricata (L.) Pers ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragus roxburghii Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tripogon bromoides Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tripogon jacquemontii Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tripogon lisboae Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tripogon pungens Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tripogon wightii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tripsacum laxum Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triticum aestivum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triticum dicoccum Schubler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urochloa panicoides P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vetiveria lawsonii (Hook. f.) Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vetiveria zizanioides (L.) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vulpia bromoides (L.) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vulpia megalura (Nutt.) Rydb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vulpia myuros (L.) Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zea mays L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zenkeria elegans Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zenkeria

sebastinei Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zenkeria stapfii Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zoysia matrella (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zoysia pungens Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon schoenanthus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon sorghum BROT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andropogon squarrosus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Androsace rotundifolia HARDW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aneilema conspicuum KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aneilema lineolatum KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aneilema nudiflorum BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aneilema scapiflorum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aneilema tuberosum HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anemarrhena asphodeloides BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anemone falconeri THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anemone narcissiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anemone obtusiloba D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anemone rivularis HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anemone rupicola CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anemone tetrasepala ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anemone vitifolia HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aneseia martinicensis (JACQ.) CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anethum foeniculum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anethum

graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anethum sowa KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Angelica archangelica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Angelica archangelica L. himalayana (C.B.CLARKE)BADHWAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Angelica glauca EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Angelica polymorpha MAXIM. SINENSIS OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Angelonia salicariaefolia HUMB. & BONPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Angiopteris evecta (FORST.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aniseia martinicensis (JACQ.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisochilus carnosus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisochilus carnosus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisochilus eriocephalus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisomeles indica (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisomeles malabarica R.BR. EX SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisomeles ovata R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anisonema multiflorum WILLD. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Annona cherimola MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Annona muricata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Annona reticulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Annona squamosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anodendron paniculatum A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anoectochilus regalis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anoectochilus roxburghii BL. REGALIS (BL.) PRADHAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Anoectochilus setaceus (BLUME) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anogeissus acuminata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anogeissus latifolia WALL. EX. GUILL. & PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anogeissus pendula EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anotis foetida (DALZ.) BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anplectrum assamicum CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anthemis cotula L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anthemis gayana BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anthemis nobilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anthemis odontostephana BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anthemis pyrethrum GOUAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anthocephalus cadamba MIQ.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anthocephalus chinensis (LAM.) A.RICH. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anthocephalus indicus A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anthoxanthum odoratum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anthriscus cerefolium (L.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anthriscus sylvestris HOFFM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anthyrium filix-femina (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antiaris innoxia BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antiaris saccidora DALZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antiaris toxicaria (PERS.) LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anticharis glandulosa ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antidesma acidum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Antidesma bunius (L.)SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antidesma diandrum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antidesma ghaesembilla GAERTN. FRUCT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antidesma menasu (TULASNE) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antidesma zeylanicum LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antirrhinum cymbalaria GUELDENST EX LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antirrhinum majus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antirrhinum orantium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Apama siliquosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Apama tomentosa (BI.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aphanamixis polystachya (WALL.) PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aphananthe cuspidata (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Apium graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Apium leptophyllum F.MUELL. EX.BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aplotaxis auriculata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Apluda mutica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Apluda varia HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Apocynum foetidum BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Apollonias arnottii NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aponogeton monostachyon L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aponogeton natans (L.) ENGL. & KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aporusa dioica (ROXB.) MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aporusa lindleyana BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aporusa

octandra (BUCH.- HAM. EX D. DON) VICK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aquilaria agallocha ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aquilaria malaccensis LAM., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aquilaria ovata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aquilegia fragrans BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aquilegia vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arabidopsis thaliana (L.) HEYNH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arabidopsis wallichii (HOOK.F.&T.) N. BUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arabis chinensis ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arabis recta MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arabis tribetica HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arachis hypogaea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arachne cordifolia (DECNE) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aralia armata SEEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aralia cachemirica DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aralia pseudo-ginseng BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aralia quinquefolia DECNE. & PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aralia racemosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arbutus unedo L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arceuthobium minutissimum HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Archangelica himalaica EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Archangelica officinalis HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Archidendron clypearia (JACK) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Archidendron monadelphum (ROXB.) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arctium lappa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arctostaphylos uva ursi SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ardisia colorata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ardisia humilis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ardisia odontophylla WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ardisia oxyphylla WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ardisia solanacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Areca catechu L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Areca concinna THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Areca nagensis GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Areca triandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arenaria serpyllifolia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arenga obtusifolia MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arenga pinnata MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arenga saccharifera LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arenga wightii GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argemone alba LESTIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argemone mexicana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia aggregata (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia argentea ARN. EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia cuneata KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia daltonii CLARKE IN HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia

fulgens CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia imbricata (ROTH) SANT. & PATEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia involucrata C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia kleiniana (ROEM.&SCHULT.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia malabarica CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia nervosa (BURM.F.) BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia petaloidea CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia pomacea (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia sericea Dalz. & Gib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia setosa (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia speciosa SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aricennia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arikuryroba schizophylla BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema alba N. E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema curvatum KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema decipiens SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema flavum (FORSK.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema jacquemontii BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema leschenaultii BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema murrayi (GRAHAM) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema speciosum (WALL.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema tortuosum SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema triphyllum SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arisaema

wallichianum HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristida adscenscionis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristida depressa RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristida humilis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristida setacea RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia bracteata RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia bracteolata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia labiosa KER.-GAWL.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia longa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia reticulata NUTTAL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia rotunda L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia roxburghiana KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia saccata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia serpentaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aristolochia tagala CHAM. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Armoracia rusticana GAERTN. MEY. & SCHERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arnebia benthamii (WALL. EX G.DON) JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arnebia euchroma (ROYLE) JOHN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arnebia guttata BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arnica montana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artabotrys hexapetalus (L.F.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artabotrys odoratissimus R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Artabotrys suaveolens BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artanema longifolia (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artanema longifolium (L.) VATAKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artanema sesamoides (VAHL) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia abrotanum SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia absinthium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia austriaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia biennis WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia brevifolia WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia capillaris THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia cina BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia dracunculus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia gmelinii WEBER EX. STECHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia indica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia japonica THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia macrocephala JACQ. EX BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia maderaspatana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia maritima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia moorcroftiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia nilagirica (CLARKE) PAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia pallens WALL. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia parviflora BUCH. HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia

persica BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia roxburghiana BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia sacrorum LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia scoparia WALDST.& KIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia sieversiana EHRH. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia vestita WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia vulgaris AUCT.NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arthraxon nudus (STEUD.) HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arthrocnemum indicum MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arthrophyllum blumeanum ZOLL. & MOR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artocarpus chaplasha ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artocarpus communis J. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artocarpus gomezianus WALL. EX TREC. zeylanicus JANET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artocarpus heterophyllus LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artocarpus hirsutus LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artocarpus integra (THUNB.) MERRILL. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artocarpus integrifolia L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artocarpus lakoocha ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arum campanulatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arum colocasia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arum macrorhizon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arum numphaeifolium ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aruncus dioicus (WALTER) FERNALD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundina

graminifolia (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundinella nepalensis TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundo donax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arundo karka RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asagraea officinalis LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asarum europaeum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asclepias asthmatica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asclepias curassavica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asclepias gigantea WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asclepias lactifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asclepias prolifera ROTTLER EX W. AINSLIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asclepias volubilis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asclepias vomitoria KOEN. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asechynanthus gracilis PARISH EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aspalathus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aspalathus linearis (BURM.F.) R. DAHLGR. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus adscendens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus curillus BUCH .-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus filicinus BUCH .-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus gonoclados BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus laevissimus STEND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus punjabensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus

racemosus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus rottleri BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asparagus sarmentosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asperugo procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asphodelus fistulosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asphodelus tenuifolius CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aspidium polymorphum (WALL.); BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asplenium adiantoides (L.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asplenium adiantum-nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asplenium alternans WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asplenium ceterach L. ceterach Khullar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asplenium dalhousiae HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asplenium falcatum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asplenium furcatum THUMB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asplenium laciniatum D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asplenium nidus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asplenium parasiticum WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asplenium polyodon G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asplenium ruta-muraria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asplenium septentrionale HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asplenium trichomanes L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asplenium viride HUDSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aster amellus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aster

asteroides (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aster falconeri HUTCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aster indamellus GRIERSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aster tibeticus HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aster trinervius ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asteracantha longifolia (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asteriastigma macrocarpa BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astilbe rivularis BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astraeus hygrometricus (PERS.) MORG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus aegacanthoides PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus candolleanus ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus ciliolatus BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus graveolens BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus hamosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus heratensis BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus himalayanus KLOTZ. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus jacquemontii BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus multiceps BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus munori BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus nivalis KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus polyacanthus ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus psilocentrus FISCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus rhizanthus ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Astragalus sarcocola DYMOCK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus strobiliferus ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus tribuloides DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Astragalus verus OSKIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asystasia coromandeliana NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asystasia dalzelliana SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asystasia gangetica (L.) T. ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asystasia violacea DALZ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atalantia monophylla CORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atalantia racemosa WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Athyrium filix-femina (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Athyrium hohenackerianum BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Athyrium puncticaule (BL.) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Athyrium schimperi (FEE) MOUG. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atriplex hortensis LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atropa acuminata ROYLE EX LINDL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atropa belladonna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atylosia barbata (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atylosia candollei WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atylosia goensis DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atylosia lineata WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atylosia mollis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atylosia platycarpa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atylosia

scarabeoides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atylosia volubilis GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Auricularia sambucina MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Avena fatua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Avena sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Averrhoa acida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Averrhoa bilimbi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Averrhoa carambola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Avicennia alba BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Avicennia marina (FORSK.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Avicennia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Avicennia tomentosa JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Azanza lampas (CAV.) ALEF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Azima tetracantha LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Baccaurea ramiflora LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balanites aegyptiaca (L.) DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balanites roxburghii PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balanocarpus utilis BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balanophora dioica R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balanophora fungosa J.R. & G. FORST. indica (ARN.) Hans. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balanophora involucrata Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balanophora polyandra GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Baliospermum axillare BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Baliospermum calycinum MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Baliospermum montanum (WILLD.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Baliospermum sinuatum MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Baliospermum solanifolium (J.BURM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balsamodendron agallocha WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balsamodendron kataf KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balsamodendron mukul HOOK. EX STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balsamodendron myrrha N.& E. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balsamodendron stocksiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bambusa arundinacea WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bambusa balcooa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bambusa bambos DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bambusa nana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bambusa nutans WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bambusa oSkiniana GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bambusa tulda ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bambusa vulgaris SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barbarea vulgaris R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria acanthoides VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria acuminata NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria buxifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria courtallica NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria cristata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria

cuspidata HEYNE EX. NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria dichotoma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria involucrata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria longiflora L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria longifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria lupulina LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria montana NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria mysorensis ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria noctiflora LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria prattensis SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria prionitis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria strigosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barringtonia acutangula (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barringtonia asiatica (L.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barringtonia racemosa (L.) K.SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barringtonia speciosa FORST. CHAR. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Basella alba L. rubra (L.) STEWART and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Basella alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Basella cordifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Basella rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Basilicum polystachyon (L.) MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bassia butyracea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bassia latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bassia

longifolia KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bassia malabarica BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia acuminata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia candida WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia diphylla BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia macrostachya WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia malabarica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia phoenica WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia phoenicea HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia racemosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia retusa HAM. EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia roxburghiana VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia rufescens LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia scandens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia tenuiflora WATT EX CLARKE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia vahlii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia wallichii MACBRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia cathcartii J.D. HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia hatacoa BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia inflata C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia

josephii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia laciniata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia luxurians SCHEIDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia malabarica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia palmata DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia picta SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia rex PUTZEYS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia rubro-venia HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia thomsonii DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), NripatimcKalam chinensis (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Benincasa cerifera SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Benincasa hispida (THUNB.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Benkara malabarica (LAM.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bentinckia condapanna BERRY EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis aristata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis asiatica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis chitria EDWARDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis insignis HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis jaeschkeana SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis kashmiriana AHRENDT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis kumaoensis SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis lamberti PARKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis

lycium ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis nepalensis SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis pachyacantha JAFRI zabeliana JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis petiolaris WALL. EX G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis pseudumbellata PARKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis tinctoria LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis ulicina HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis umbellata WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis wallichiana DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berchemia lineata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bergenia ciliata (HOW.) STERN. fa ligulata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bergenia ciliata (HOW.) STERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bergenia ligulata SENSU BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bergenia purpurascens (HOOK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bergenia stracheyi (HOOK.F.& THOMS.) ENGL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bergera koenigii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bergia capensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bergia odorata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bergia suffruticosa (DEL.) FENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Beta benghalensis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Beta maritima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Beta vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Betula

alnoides BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Betula bhojpattra WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Betula utilis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bidens biternata (LOUR.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bidens cernua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bidens pilosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bidens tripartita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biebersteinia odora STEPH. EX FISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bignonia chelonoides L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bignonia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bigonia longifolia (WILLD.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biophytum apodisciac TUREZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biophytum candolleanum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biophytum nervifolium THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biophytum petersianum KLOTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biophytum reinwardtii (ZUCC.) KLOTZSCH and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biophytum sensitivum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bischofia javanica BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bistorta amplexicaulis GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bixa orellana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blastania garcini COG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blechnum orientale L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blechnum spicant (L.) WITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blepharis

boerhaviifolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blepharis edulis PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blepharis linariaefolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blepharis maderaspatensis (L.) ROTH. maderaspatensis NAPPER maderaspatensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blepharis persica (BURM.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blepharispermum subsessile DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blepharistemma serratum (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blighia sapida KOEN. & SIMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea aurita DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea balsamifera DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea densiflora DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea erientha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea fistulosa (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea hieracifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea lacera DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea laciniata (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea lanceolaria (ROXB.) DRUCE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea membranacea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea mollis (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea myriocephala DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea obliqua DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea oxyodonta DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea pubigeru (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea

riparia (BLUME) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea sessiliflora DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea wightiana DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumeopsis falcata (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumeopsis flava (DC.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blyxa octandra (ROXB.) PLANCH.EX.THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bocagea dalzellii HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boehmeria macrophylla HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boehmeria nivea (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boehmeria repens NEES & MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boenninghauseni albiflora (HK.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boenninghausenia albiflora (HOOK. F.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boerhavia chinensis (L.) ASCH. & SCHW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boerhavia diffusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boerhavia erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boerhavia repKalam WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boerhavia repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boerhavia verticillata ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boesenbergia rotunda (L.) MANSF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bolbitis subcrenata (HOOK. & GREV.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boletus crocatus BATSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bombax ceiba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bombax cibaricum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bombax

insigne WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bombax malabaricum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bombax pentandrum JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bongardia chrysogonum (L.) SPACH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bongardia rauwolfii C.A.MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bonnaya oppositifolia SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bonnaya reptans SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Borago officinalis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Borassus flabellifer L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Borassus flabelliformis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Borreria articularis (L.F.) WILLIAMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Borreria hispida (L.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Borreria pusilla (WALL) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bosea amherstiana HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boswellia carteri BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boswellia frereana BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boswellia glabra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boswellia ovalifoliolata BAL & HENRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boswellia serrata ROXB. glabra (ROXB.) BENNETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boswellia serrata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boswellia thurifera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bothriochloa odorata (LISBOA) A. CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Botrychium lunaria (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Botrychium ternatum (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Botrychium virginianum SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boucerosia aucheriana DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bougainvillaea spectabilis WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria eruciformis (J.E.SMITH) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria ramosa STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachiaria reptans (L.) C.A. GARDNER & C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachyactis roylei WEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bragantia tomentosa BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bragantia wallichii R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brasenia sachreberi J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brasenia schreberi J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassaiopsis glomerulata BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica alba (L.) RABENH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica campestris L. dichotoma (ROXB.) WATT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica campestris L. glauca and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica campestris L. rapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica campestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica cernua (THUNB.) FORBES & HEMSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica integrifolia (WEST) SCHULZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica juncea (L.) CZERN. integrifolia (WEST) SINSKAJA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica juncea (L.) CZERN. SSP. JUNCEA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica napus L. dichotoma (ROXB.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica

napus L. glauca (ROXB.) SCHULZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica nigera (L.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica nigra (L.) KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica oleracea L. capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica oleracea L. gongylodes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica rapa L. campestsris (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica tournefortii GOUAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Breea arvensis (L.) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bremekampia verticillata (ROXB.) SREEMADHAVAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Breynia patens (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Breynia retusa (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Breynia rhamnoides MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Breynia vitis-idaea (BURM.F.) FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bridelia crenulata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bridelia montana WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bridelia retusa SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bridelia scandens (ROXB.) WIILLD, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bridelia squamosa (LAM.) GEHRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bridelia stipularis BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bridelia tomentosa BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bromelia ananas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bromus unioloides H.B.N.NOV. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Broussonetia papyrifera (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brucea javanica (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brucea mollis WALL. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bruguiera cylindrica (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bruguiera gymnorrhiza (L.) SOVIGY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brunfelsia americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brunfelsia calycina BENTH. MACRANTHA RAFFILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bruxanellia indica DENNST. EX KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bryonia epigoea ROTTL.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bryonia grandis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bryonia laciniosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bryonia rostrata ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bryonia scaber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bryonia umbellata KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bryonopsis laciniosa NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bryophyllum calicynum SALISB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bryophyllum pinnatum (LAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bryum bicolor DICKSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buchanania angustifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buchanania axillaris (DESR.) RAMAMOORTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buchanania angustifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buchanania latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buddleja asiatica LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buddleja

davidii FRANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buddleja macrostachys BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buddleja neemda HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buettneria herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbophyllum congestum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbophyllum neilgherrense WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbophyllum sterile (LAM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bulbostylis barbata (ROTTB.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bunium persicum (BOISS.) FEDT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bupleurum falcatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bupleurum jucundum KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bupleurum lanceolatum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bupleurum longicaule WALL. EX DC. himalayense (KI.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bupleurum setaceum FENZL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bupleurum thompsoni CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bursera serrata COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Butea buteiformis (VOIGT) GRIERSON & LONG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Butea frondosa ROXB. ET KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Butea monosperma (LAM.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Butea parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Butea superba ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Butia yatay (MART.) BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buxus sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buxus

wallichiana BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bytineria Kalammanensis KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Byttneria herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Byttneria pilosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cacalia kleinia HERB. MADR. EX. C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cacalia pentaloba HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cacalia sonchifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caccinia crassifolia O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cachrys pabularia (LINDL.) HERRNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cactus ficus-indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cadaba farinosa FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cadaba fruticosa (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cadaba indica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cadaba trifoliata WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia bonduc (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia bonducella (L.) FLEMING and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia coriaria WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia crista L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia cuculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia decapetala (ROTH) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia digyna ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia jayabo NAZA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia mimosoides LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Caesalpinia nuga AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia paniculata DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia pulcherrima (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia sappan L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia sepiaria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia spicata DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesulia axillaris ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cajanus bicolor DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cajanus cajan (L.) MILLSP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cajanus indicus SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calacanthus grandiflorus (DALZ.) RADLK.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caladium bicolor VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caladium sagittaefolium SUBER. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamintha clinopodium BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamintha umbrosa FISH. & MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus draco WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus erectus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus extensus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus huegelianus MART, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus latifolius ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus rheedei GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus rotang L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus tenuis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus

thwaitesii BECC. canaranus Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus travancoricus BEDD. EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calamus viminalis WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calanthe masuca (D.DON) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calanthe sylvatica (THOU.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calanthe triplicata (WILLEM.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calanthe veratrifolia (WILLD.) KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calendula arvensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calendula officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callicarpa arborea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callicarpa cana L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callicarpa lanata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callicarpa longifolia LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callicarpa macrophylla VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callicarpa psilocalyx CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callicarpa rubella LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callicarpa tomentosa (L.) MURRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calligonum polygonoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callistemon lanceolatus DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callitris inophyllum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calonyction bona-nox BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calonyction muricatum G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calophyllum apetalum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Calophyllum calaba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calophyllum elatum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calophyllum inophyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calosanthes indica BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calotropis gigantea (L,) R.BR. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calotropis gigantea (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calotropis procera R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caltha alba CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caltha palustris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calvatia cyathiformis (BOSC.) MORGAN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calycopteris floribunda LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calyptranthes caryophyllifolia WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calyptranthes jambolana MOON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Camellia kissi WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Camellia sinensis (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Camellia thea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Campanula colorata WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Camphora officinarum NEES. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Campsis grandiflora (THUNB.)SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Campsis radicans (LINN.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cananga odorata HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canangium odoratum BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canarium bengalense ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canarium

commune L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canarium euphyllum KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canarium resiniferum BRUCE EX KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canarium strictum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canarium vulgare LEENH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canavalia ensiformis SENSU BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canavalia gladiata (JACQ.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canavalia lineata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canavalia rosea (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canavalia virosa (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canella alba Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canella winterana (L.) GAERTNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canna coccinea MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canna indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canna orientalis ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cannabis indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cannabis sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canscora andrographioides GRIFF. EX C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canscora decussata SCHULTES & SCHULTES.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canscora diffusa (VAHL) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canscora perfoliata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cansjera rheedi J.F. GMELIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canthium angustifolium ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canthium

coromandelicum (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canthium dicoccum (GAERTN.) TEIJSM. & BINN. dicoccum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canthium parviflorum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canthium rheedei DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canthium umbellatum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caoxylon indicum (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis aphylla ROTH. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis assamica HK. F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis bisperma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis corundas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis decidua (FORSK.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis diffusa RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis divaricata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis grandis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis heyneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis horrida L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis micrantha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis moonii WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis olacifolia HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis pedunculosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis rheedii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis sepiaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis

spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capsella bursa-pastoris MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capsella thomsoni HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capsicum annuum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capsicum festigiatum BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capsicum frutescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capsicum grossum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capsicum minimum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caragana crassicaulis BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caragana cuneata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caragana pygmaea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carallia brachiata (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carallia integerrima DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caralluma adscendens (ROXB.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caralluma attenuata WT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caralluma edulis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caralluma tuberculata BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caralluma umbellata HAW. SYN. PL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carapa granatum (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carapa gromatum (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carapa moluccensis LAM. EXCYCL. METH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carapa obovata BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Cardamine impatiens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cardamine loxostemonoides O.E. SCHULZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cardamine pratensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cardamine scutata THUNB. flexuosa (WITH.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cardanthera uliginosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cardaria draba (L.) DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cardiocrinum giganteum (WALL.) MAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cardiospermum canescens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cardiospermum halicacabum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carduus edelbergii RECH.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carduus gigas UCRIA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carduus nutans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex atrata L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex cernua BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex nivalis BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex notha KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carex nubigena D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Careya arborea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Careya herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carica cKalammarcensis HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carica papaya L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carissa carKalams L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carissa congesta WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carissa

opaca STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carissa paucinervia A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carissa spinarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carmona microphylla (LAM.) G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carmona retusa (VAHL) MASAMUNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carpesium abrotanoides L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carpesium cernuum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carpopogon pruriens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carthamus lanatus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carthamus oxyacantha BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carthamus tinctorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carum bulbocastanum Auct. Non Koch:C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carum carvi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carum copticum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carum roxburghianum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carum strictocarpum C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caryophyllus aromaticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caryopteris odorata ROBIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caryota mitis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caryota urens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), CascaNripati thevetia (L.) LIPPOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia elliptica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia esculenta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia

esculentta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia graveolens DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia grewiaefolia VENT. deglabrata KOORD. & VAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia ovata (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia tomentosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia vareca ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia zeylanica (GAERTN.) RHW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia absus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia acutifolia DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia alata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia angustifolia VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia arborea MACFAD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia auriculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia didymobotrya FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia elongata LEMAIRE - LIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia fistula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia fistula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia glauca LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia italica (MILL.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia javanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia kleinii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia laevigata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia

lanceolata COLLAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia marginata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia mimosoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia montana HEYNE EX. ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia obovata COLLOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia obtusifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia occidentalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia pumila LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia senna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia siamea LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia sophera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia surattensis BRUN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia tora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia uniflora Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassine glauca (ROTTB.) O.KTZE. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassiope fastigiata DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassytha filiformis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Castanea sativa MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Castanopsis indica DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Castanopsis tribuloides A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Castanospermum australe A. CUNN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casuarina equisetifolia FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Catha

edulis FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Catharanthus pusillus (MURR.) G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Catharanthus roseus (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Catimbium malaccense (BURM.F.) HOLTTUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Catimbium speciosum (WENDL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Catunaregam rugulosa (THW.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Catunaregam uliginosa (RETZ.) SIVARAJAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Catunaregum spinosa (THUNB.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caulophyllum thalictroides MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cayratia auriculata (ROXB.)GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cayratia carnosa (WALL.) GAGNEP. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cayratia mollissima (WALL.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cayratia pedata (LAM.) JUSS. EX GAGNEP. glabra GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cayratia pedata JUSS. EX GAGNEPAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cayratia trifolia (L.) DOMIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cedrela serrata ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cedrela toona ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cedrus deodara (ROXB.) LOUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cedrus libani BARREL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cedrus libani BARREL deodara HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceiba pentandra (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celastrus paniculatus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celosia argentea L. cristata (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celosia

argentea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celosia cristata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celosia cristeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celsia coromandeliana VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celtis australis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celtis cinnamomea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celtis orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celtis philippensis BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celtis tetrandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celtis timorensis SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celtis wightii PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cenchrus barbatus SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cenchrus biflorus ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cenchrus ciliaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centaurea behen L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centaurea calcitrapa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centaurea cyanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centaurea iberica TREV. EX SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centaurea picris PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centaurea solstitialis ASSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centaurium centaurioides (ROXB.) ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centaurium roxburghii (G.DON) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centella asiatica (L.) URBAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centipeda

minima (L.) A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centipeda orbicularis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centranthera grandiflora BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centranthera indica (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centratherum anthelminticum (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centrosema pubescens BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centrostachys aquatica (R.BR.) WALL.EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cepa alba RENAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cepa flava MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cephaelis ipecacuanha RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cephalandra indica NAUDIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cephalanthera ensifolia RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cephalanthera longifolia (L.) FRITZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cephalostachyum capitatum MUNRO NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cephalostachyum pergracile MUNRO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cephalotaxus griffithi Hook.f. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cerastium cerastoides (L.) BRITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cerastium fontanum BAUMG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cerastium glomeratum THUILL.FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cerastium indicum THUILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cerastium thomsoni HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cerastium vulgatum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cerasus hexagonus MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Ceratocephalus falcatus (L.) PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceratonia siliqua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceratophyllum demersum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceratopteris siliquosa COPELAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceratopteris thalictroides (L.) BRONGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cerbera manghas L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cerbera odollam GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cereus grandiflorus MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceriops candolleana ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceriops roxburghiana ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceriops tagal C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceriscoides turgida (ROXB.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia bulbosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia candelabrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia hirsuta Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia juncea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia tuberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cestrum diurnum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cestrum nocturnum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cestrum parqui L'HERIT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceterach officinarum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chaerophyllum acuminatum LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chaerophyllum villosum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Chamaemelum nobile (L.) ALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chamaerops ritchieana GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Champereia griffithii PLANCH. EX KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Champereia manillana (BL.) MORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chasallia chartacea CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chassalia chartacea CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chassalia chartacea CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chassalia curviflora (WALL. EX KURZ) THW. ophioxyloides (WALL.) DEB & KRISHNA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chassalia ophioxyloides (WALL.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chavica betle MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chavica roxburghii MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cheilanthes albomarginata C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cheilanthes farinosa (FORST.) KAULF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cheilanthes fragrans (L.F.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cheilanthes rufa D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cheilanthes tenuifolia (N.BURM.) SW. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cheiranthus cheiri L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chenopodium album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chenopodium ambrosioides BERT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chenopodium blitum HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chenopodium botrys L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chenopodium murale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chesneya nubigena (D.DON)ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Chrysanthemum segetum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cichorium endivia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cichorium intybus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cirsium wallichii DC. var. wightii (Hook.f.) Vivek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissampelopsis ansteadii (Tad. & Jacob) C. Jeffrey & Y.L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissampelopsis corymbose (DC.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissampelopsis walkeri (Arn.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Conyza aegyptiaca (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Conyza bonariensis (L.) Cronquist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Conyza japonica (Thunb.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Conyza leucantha (D.Don) Ludlow & Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Conyza stricta Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coreopsis grandiflora Nutt. ex Chapm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coreopsis tinctoria Nutt var. tinctoria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coreopsis tinctoria Nutt var. atkinsoniana (Douglas) H. M. Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cosmos caudatus Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cosmos sulphureus Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cotula australis (Sieb. ex Spreng.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crassocephalum crepidioides (Benth.) S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyathocline purpurea (Ham. ex D.Don) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dahlia coccinea Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dahlia imperialis Roezel ex E. Ortgies and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendranthema x grandiflorum (Ramat.) Kitam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Dichrocephala chrysanthemifolia (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichrocephala integrifolia (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicoma tomentosa Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echinops echinatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eclipta prostrata (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elephantopus scaber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Emilia coccinea (Sims) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Emilia javanica (Burm.f.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Emilia ramulosa Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Emilia scabra DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Emilia sonchifolia (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Emilia zeylanica Clarke var. zeylanica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Emilia zeylanica Clarke var. paludosa Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epaltes divaricata (L.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epaltes pygmaea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erigeron alpinus L. var. wightii (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erigeron canadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erigeron karvinskianus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erigeron multiradiatus (DC.) C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erigeron sublyratus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eupatorium ianthinum Hemsl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eupatorium repandum Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Filago arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flaveria

contrayerba Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flaveria trinervia (Spreng.) C. Mohr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gaillardia pulchella Foug. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galinsoga parviflora Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galinsoga quadriradiata Ruiz. & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gamochaeta coarctata (Willd.) M. Kerguelen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gamochaeta pensylvanica (Willd.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gamochaeta purpurea (L.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gazania linearis (Thunb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gerbera jamesonii Bolus ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glossocardia bosvallea (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glossogyne bidens (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gnaphalium hypoleucum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gnaphalium luteo-album L. subsp. luteo-album and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gnaphalium luteo-album L. subsp. affine (D. Don.) Koster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gnaphalium polycaulon Pers. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goniocaulon indicum (Klein ex Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grangea maderaspatana (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Guizotia abyssinica (L.f.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynura aurantiaca (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynura bicolor (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynura lycopersicifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynura nitida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynura

pseudo-china (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynura travancorica W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helianthus annus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helianthus debilis Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helianthus tuberosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helichrysum buddleioides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helichrysum perlanigerum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helichrysum wightii Clarke ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helipterum citrinum Harv. & Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helipterum roseum Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypochoeris glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypochoeris radicata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kleinia grandiflora (Wall. ex DC.) Rani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lactuca hastata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lactuca sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagascea mollis Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laggera crispata (Vahl) Hepper & Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea acaulis (Roxb.) Babc. ex Kerr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea intybacea (Jacq.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea procumbens (Roxb.) Ramayya & Rajagopal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea sarmentosa (Willd.) Sch.-Bip. ex Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucanthemum x superbum (J.W. Ingram) D. H. Kent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Montanoa bipinnatifida C. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moonia

heterophylla Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myriactis wightii DC. var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myriactis wightii DC. var. bellidioides Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Notonia shevaroyensis Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Notonia walkeri (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olearia cassiniae F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oligochaeta ramosa (Roxb.) Wagenitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osteospermum ecklonis (DC.) Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osteospermum moniliferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parthenium hysterophorus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentanema cernuum (Dalzell) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentanema indicun (L.) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllocephalum courtallense (Wight) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllocephalum indicum (Less.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllocephalum phyllolaenum (DC.) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllocephalum rangacharii (Gamble) Narayana and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllocephalum scabridum (DC.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllocephalum sengaltherianum (Narayana) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Picris hieracioides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pluchea tomentosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Proustia pyrifolia Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psiadia ceylanica (Arn.) Grierson var. ceylanica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psiadia ceylanica (Arn.) Grierson var. beddomei (Gamble) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pulicaria

angustifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pulicaria wightiana (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rudbeckia maxima Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Santolina chamaecyparissus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sclerocarpus africanus Jacq.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio ansteadi Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio articulatus (Haw.) Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio calcadensis Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio candicans DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio cineraria DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio confusus Elmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio edgeworthii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio hohenackeri Hook.f. var. hohenackeri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio hohenackeri Hook.f. var. rupestris (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio intermedius Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio kundaicus Fishcher and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio lavandulaefolius DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio lessingianus (Wight & Arn.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio ludens Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio neelgherryanus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio polycephalus (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio tenuifolius Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio

vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio wightii (DC.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio zeylanicus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sigesbeckia orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Silybum marianum (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solidago canadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solidago gigantea Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solidago microglossa Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solidago nemoralis Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solidago virga-aurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonchus asper (L.) Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonchus jainii Chandrabose, Chandrasekaran & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonchus oleraceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonchus wightianus DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphaeranthus africanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphaeranthus amaranthoides Burm.f. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphaeranthus indicus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spilanthes calva DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spilanthes radicans Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spilanthes uliginosa Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stokesia laevis (Hill) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Struchium sparganophorum (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Synedrella nodiflora (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tagetus

erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tagetus lucida Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tagetus minuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tagetus patula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tanacetum parthenium (L.) Sch. bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taraxacum javanicum Soest and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taraxacum officinale Weber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tanacetum cinerariaefolium Sch.Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tithonia diversifolia (Hemsl.) A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tricholepis radicans (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tridax procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Verbesina encelioides (Cav.) Benth. & Hook.f. ex A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia albicans Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia anamallica Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia anthelmintica (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia arborea Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia bourneana W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia cinerascens Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia cinerea (L.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia comorinensis W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia conyzoides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia dalzelliana Drumm. & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia

divergens (Roxb.) Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia elaeagnifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia fysonii Calder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia gossypina Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia heynei Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia indica Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia malabarica Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia membranacea Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia monosis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia pectiniformis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia peninsularis (Clarke) Clarke ex Hook.f. var. peninsularis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia peninsularis (Clarke) Clarke ex Hook.f. var. kodayarensis Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia pothigaiana Chelladurai & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia ramaswamii Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia recurva Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia saligna DC. var. nilghirensis Hook.f. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia salvifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia setigera Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia shevaroyensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia travancorica Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vittadinia australis (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wedelia chinensis (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wedelia trilobata (L.)A. Hitchi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wedelia

urticaefolia (Blume) DC. var. urticaefolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wedelia urticaefolia (Blume) DC. var. wightii DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xanthium indicum Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Youngia fuscipappa Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Youngia japonica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Youngia nilgiriensis Babc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zinnia elegans Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scaevola plumieri (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scaevola sericea Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asyneuma fulgens (Wall.) Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Campanula alphonsii Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Campanula benthamii Wall. ex Kitam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Campanula drabifolia Sibth. & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Campanula latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Campanula medium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Campanula ramulosa Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Campanula rapunculoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Campanula wightii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laurentia longiflora (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wahlenbergia erecta (Roth ex Schultes) Tuyn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wahlenbergia flexuosa (Hook.f. & Thoms.) Thulin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wahlenbergia marginata (Thunb.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia alsinoides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia

angulata Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia chinensis Lour and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia courtallensis K.K.N.Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia heyneana Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia leschenaultiana (Presl) Skottsb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia nicotianifolia Roth ex Schultes var. nicotianifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia nicotianifolia Roth ex Schultes var. trichandra (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphenoclea zeylanica Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vaccinium leschenaultii Wight var. leschenaultii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vaccinium leschenaultii Wight var. pubescens S.M. Rajendran, S.C. Agarwal & H.N. Verma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vaccinium leschenaultii Wight var. rotundifolia (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vaccinium leschenaultii Wight var. zeylanica Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vaccinium neilgherrense Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arbutus unedo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calluna vulgaris (L.) Hull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erica arborea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erica vagans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gaultheria fragrantissima Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron arboreum J.E. Smith subsp. nilagirium (Zenk.) Tagg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron indicum (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron mucronatum G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron ponticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron simsii Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clethra

arborea Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limonium sinuatum (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumbago auriculata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumbago indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumbago zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anagallis arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anagallis pumila Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lysimachia candida Lindl. subsp. obovata (Buch.-Ham.ex Hook.f.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lysimachia leschenaultii Duby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lysimachia procumbens Baudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aegiceras corniculatus (L.) Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antistrophe serratifolia (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ardisia amplexicaulis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ardisia blatteri Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ardisia littoralis Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ardisia missionis Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ardisia paniculata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ardisia pauciflora Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ardisia rhomboidea Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ardisia solanacea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ardisia sonchifolia Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Embelia adnata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Embelia basaal (Roem. & Schultes) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Embelia

gardneriana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Embelia ribes Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Embelia tsjeriam-cottam (Roem. & Schultes) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maesa indica (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myrsine wightiana Wall. ex. A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rapanea capitellata (Wall.) Mez var. capitellata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rapanea capitellata (Wall.) Mez var. sessilis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rapanea daphnoides Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rapanea thwaitesii Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jacquinia barbasco (Loefl.) Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jacquinia aculeata Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysophyllum cainito L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysophyllum roxburghii G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isonandra lanceolata Wight forma lanceolata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isonandra lanceolata Wight forma anfractuosa (Clarke) Jeuken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isonandra montana (Thw.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isonandra perrottetiana A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isonandra stocksii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Madhuca indica J. F. Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Madhuca longifolia (Koen.) Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Madhuca neriifolia (Moon) H.J. Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Manilkara hexandra (Roxb.) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Manilkara roxburghiana (Wight) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Manilkara

zapota (L.) P. Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimusops elengi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Palaquium bourdillonii Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Palaquium ellipticum (Dalz.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xantolis tomentosa (Roxb.) Rafin. var. tomentosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xantolis tomentosa (Roxb.) Rafin. var. elengioides (A.DC.) Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros affinis Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros assimilis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros barberi Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros bourdillonii Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros buxifolia (Blume) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros candolleana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros chloroxylon Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros cordifolia Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros ebenum Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros ferrea (Willd.) Bakh. var. buxifolia (Rottb.) Bakh. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros ferrea (Willd.) Bakh. var. neilgherrensis (Wight) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros foliolosa Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros humilis Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros insignis Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros malabarica (Desr.) Kostel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros melanoxylon Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros montana Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros

nigresens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros nilgirica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros oocarpa Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros paniculata Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros pruriens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros racemosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros sylvatica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros walkeri (Wight) Guerke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos anamallayana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos authilingomii Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos cochinchinensis (Lour.) Moore subsp. laurina (Retz.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos foliosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos macrocarpa Wight ex Clarke subsp. macrocarpa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos macrocarpa Wight ex Clarke subsp. kanarana (Talbot) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos macrophylla Wall. ex A.DC. subsp. macrophylla and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos macrophylla Wall. ex A.DC. subsp. microphylla (Wight) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos macrophylla Wall. ex A.DC. subsp. rosea (Bedd.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos monantha Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos nairii Henry, Gopalan & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos obtusa Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos oligandra Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos pendula Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Symplocos pulchra Wight subsp. pulchra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos pulchra Wight subsp. coriacea Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos racemosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos wynadense (Kuntze) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chionanthus leprocarpa Thw. var. courtallensis (Bedd.) K.K.N. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chionanthus linocieroides (Wight) Bennet & Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chionanthus macrophylla Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chionanthus mala-elengi (Dennst.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chionanthus ramiflorus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chionanthus zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum angustifolium (L.) Willd. var. angustifolium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum angustifolium (L.) Willd. var. sessiliflorum (Vahl) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum arborescens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum auriculatum Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum azoricum L. var. azoricum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum azoricum L. var. travancorense (Gamble) Mohanan and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum bignoniaceum Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum brevilobum A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum calophyllum Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum cordifolium Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum cuspidatum Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum grandiflorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum malabaricum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum

mesnyi Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum multiflorum (Burm.f.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum polyanthum Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum ritchiei Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum rottlerianum Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum sambac (L.) Ait. var. sambac and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum sambac (L.) Ait.var. heyneanum Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum scandens Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum trichotomum Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum wightii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ligustrum decaisnei Clarke var. decaisnei and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ligustrum decaisnei Clarke var. microphylla Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ligustrum gamblei Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ligustrum lucidum Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ligustrum perrottetii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ligustrum robustrum (Roxb.) Blume subsp. walkeri (Decne.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ligustrum travancoricum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myxopyrum serratulum A.W. Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olea dioica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olea paniculata R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olea polygama Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schrebera swietenioides Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Nyctanthes arbor-tristis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Azima tetracantha Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvadora persica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenium obesum Roem & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aganosma cymosa (Roxb.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aganosma dichotoma (Roth) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), AllamKalam cathartica L. var. nobilis Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), AllamKalam violacea Gardn. & Field and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alstonia scholaris (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alstonia venenata R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anodendron paniculatum A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Beaumontia grandiflora Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Beaumontia jerdoniana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carissa carKalams L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carissa congesta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carissa grandiflora A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carissa hirsuta Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carissa inermis Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carissa paucinervia A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carissa salicina Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carissa spinarum L. var. spinarum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Catharanthus pusillus (Murr.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Catharanthus roseus (L.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cerbera

odollam Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chonemorpha fragrans (Moon) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ellertonia rheedii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Funtumia africana (Benth.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holarrhena pubescens (Buch. - Ham) Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hunteria zeylanica (Retz.) Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ichnocarpus frutescens (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kopsia fruticosa (Ker-Gawl.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mandevilla laxa (Ruiz & Pavon) Woodson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nerium oleander L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parsonsia alboflavescens (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumeria obtusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumeria rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rauvolfia hookeri Srinivasan & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rauvolfia micrantha Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rauvolfia serpentina (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rauvolfia tetraphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rauvolfia verticillata (Lour.) Baill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strophanthus wightianus Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tabernaemontana divaricata (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tabernaemontana gamblei Subram. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tabernaemontana heyneana Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thevetia peruviana K.Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vallaris

solanacea (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vinca major L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Voacanga grandiflora (Miq.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wrightia arborea (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wrightia indica Ngan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wrightia tinctoria (Roxb.) R.Br. var. tinctoria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wrightia tinctoria (Roxb.) R.Br. var. rothii (G.Don) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asclepias curassavica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachystelma bourneae Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachystelma brevitubulatum (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachystelma maculatum Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brachystelma rangacharii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calotropis gigantea (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calotropis procera (Ait.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caralluma adscendens (Roxb.) Haw. var. adscendens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caralluma adscendens (Roxb.) Haw. var. attenuata (Wight) Grav. & Mayuranathan and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caralluma bhupinderana Sarkaria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caralluma diffusa (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caralluma indica (Wight & Arn.) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caralluma nilagiriana Kumari & Subba Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caralluma pauciflora (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caralluma procumbens Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caralluma stalagmifera Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caralluma

umbellata Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia barnesii Bruce & Chatterjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia bulbosa Roxb. var. bulbosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia bulbosa Roxb. var. lushii (Graham) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia candelabrum L. var. candelabrum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia candelabrum L. var. biflora (L.) M.Y. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia ciliata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia decaisneana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia elegans Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia ensifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia fimbriifera Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia hirsuta Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia intermedia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia juncea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia maculata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia mannarana Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia metziana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia oculata Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia omissa Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia pusilla Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia spiralis Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceropegia thwaitesii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cosmostigma racemosum (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Cynanchum alatum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynanchum callialatum Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynanchum tunicatum (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphocarpus fruticosus (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphocarpus physocarpus E. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema alterniflorum (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema elegans Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema hirsutum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema lactiferum (L.) R. Br. ex. Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema montanum (Roxb.) Hook.f. var. montanum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema montanum (Roxb.) Hook.f. var. beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema montanum (Roxb.) Hook.f. var. publiflora Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema sylvestre (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema tingens (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heterostemma tanjorense Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holastemma ada-kodien Schultes and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoya alexicaca (Jacq.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoya kanyakumariana Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoya ovalifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoya pauciflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoya wightii Hook.f.subsp. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoya wightii Hook.f. subsp. palniensis K .T. Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptadenia reticulata (Retz.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marsdenia

brunoniana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marsdenia tenacissima (Roxb.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marsdenia tirunelvelica Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentatropis capensis (L.f.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pergularia daemia (Forrsk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Raphionacme purpurea Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcostemma acidum (Roxb.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcostemma brunonianum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcostemma intermedium Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcostemma secamone (L.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Secamone emetica (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stapelia gigantea N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stapelia grandiflora Masson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Telosma minor (Andr.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Telosma pallida (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Toxocarpus beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Toxocarpus kleinii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Toxocarpus palghatensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora capparidifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora fasciculata Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora indica (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora macrantha Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora mollissima Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora

multiflora (Wight & Arn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora pauciflora Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora rotundifolia Buch.-Ham. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora subramanii Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora tertrapetala (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora zeylanica Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wattakaka volubilis (L.f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bacolepis nervosa (Wight & Arn.) Decne. ex Moq. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptolepis buchananii Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptolepis grandiflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptostegia grandiflora R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Decalepis hamiltonii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hemidesmus indicus (L.) R.Br. var. indicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hemidesmus indicus (L.) R.Br. var. pubescens (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Decalepis arayalpathra Joseph & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utleria

salicifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagraea ceilanica Thub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardneria ovata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mitrasacme indica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spigelia anthelmia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos lenticellata Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos minor Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos nux-vomica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos potatorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos vanprukii Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos wallichiana Steud. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buddleja asiatica Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buddleja davidii Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buddleja madagascariensis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buddleja volubilis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canscora decurrens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canscora decussata (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canscora diffusa (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canscora heteroclita (L.) Gilg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canscora perfoliata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canscora roxburghii Arn. ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Enicostema axillare (Lam.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum anamallayanam Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum

atropurpureum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum courtallense Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum grande Klack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum lawii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum pedunculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum petiolare Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum pumilum Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum sessile L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum tetragonum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum travancoricum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum wightianum Arn. var. wightianum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum wightianum Arn. var. uniflorum Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana pedicellata Griseb.var. wightii Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana quadrifaria Blume var. zeylanica (Griseb.) Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Halenia perrottetii Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoppea dichotoma Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoppea fastigiata (Griseb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia angustifolia Buch.-Ham. var. pulchella (Buch.-Ham.ex D.Don) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia beddomei Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia corymbosa (Griseb.) Wight ex Clarke var. corymbosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia corymbosa (Griseb.) Wight ex Clarke var. grisebachiana (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia densifolia (Griseb.) Kashyapa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia minor (Griseb.) Knobl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia

trichotoma (Wight & Arn. ex Wight) Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphoides aurantiacum (Dalz.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphoides hydrophylla (Lour.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphoides indicum (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrolea zeylanica (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wigandia canacasana H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phlox drummondii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carmona retusa (Vahl) Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coldenia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia alba Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia diffusa Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia domestica Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia evolutior (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia gharaf (Forssk.) Ehrenb. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia macleodii (Griff.) Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia monoica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia obliqua Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia wallichii G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia sebestena L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia subcordata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynoglossum zeylanicum (Vahl ex Hornem.) Thunb. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echium vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ehretia aspera Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ehretia

canarensis (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ehretia laevis Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ehretia ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ehretia pubescens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ehretia wightiana Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium arborescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium bracteatum R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium curassavicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium marifolium Retz. subsp. marifolium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium marifolium Retz. subsp. wallichii (Clarke) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium ovalifolium Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium peruvianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium rottleri Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium strigosum Willd. subsp. brevifolium (Wall.) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium subulatum (Hochst.ex DC.) Vatke and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium supinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium zeylanicum (Burm.f.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rotula aquatica Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symphytum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tournefortia argentea L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tournefortia heyneana Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tournefortia reticosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Tournefortia wightii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichodesma indicum (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichodesma inaequale Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichodesma zeylanicum (Burm.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aniseia martinicensis (Jacq.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia argentea Choisy var. venusta (Choisy) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia coonoorensis W.W. Smith & Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia cuneata (Willd.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia cymosa (Roxb.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia daltonii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia elliptica (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia fulgens Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia hirsuta Wight & Arn. var. hirsuta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia imbricata (Roth) Sant. & Patel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia involucrata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia

kleiniana (Roem. & Schultes) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia nellygherya Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia nervosa (Burm.f.) Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia osyrensis (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia pilosa Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia pomacea (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia populifolia Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia sericea Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyreia setosa (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bonamia evolvuloides (Choisy) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bonamia Semidigyna (Roxb.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus flavus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus rottlerianus Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cressa cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cuscuta campestris Decne. ex Engelm. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cuscuta chinensis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cuscuta hyalina Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cuscuta reflexa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erycibe paniculata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Evolvulus alsinoides (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Evolvulus nummularius (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hewittia sublobata (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea

alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea aquatica Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea asarifolia (Desr.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea barlerioides (Choisy) Benth.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea batatus (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea cairica (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea campanulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea carnea Jacq. subsp. carnea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea carnea Jacq. subsp. fistulosa (Mart. ex Choisy) D.F. Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea coptica (L.) Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea deccana Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea dichroa Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea diversifolia R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea eriocarpa R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea hederifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea indica (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea involucrata Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea marginata (Desr.) Verdc . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea mauritiana Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea nil (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea obscura (L.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea pes-caprae (L.) R.Br. var. pes-caprae and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea pes-caprae (L.) R. Br. var. perunkulamensis Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea

pes-tigridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea pileata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea purpurea (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea quamoclit L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea rumicifolia Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea sepiaria Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea sinensis (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea staphylina Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea tuberculata Ker - Gawl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea turbinata Lag. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea violacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea wightii (Wall.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jacquemontia caerulea Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jacquemontia paniculata (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jacquemontia pentantha (Jacq.) D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepistemon leiocalyx Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia aegyptia (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia dissecta (Jacq.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia emarginata (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia hederacea (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia quinata (R.Br.) Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia quinquefolia (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia tridentata (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia

umbellata (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia umbellata (L.) Hall.f. subsp. Orientalis Hall.f. Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia vitifolia (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Operculina turpethum (L.) Silva Manso and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Porana paniculata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Porana racemosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rivea hypocrateriformis (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rivea ornata (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stictocardia tiliifolia (Desr.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Browallia americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Browallia speciosa Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Browallia viscosa Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brugmansia arborea (L.) Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brugmansia suaveolens (Humb. & Bonpl. ex Willd.) Bercht. & Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brugmansia versicolor Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brunfelsia undulata Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capsicum annuum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capsicum frutescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cestrum aurantiacum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cestrum corymbosum Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cestrum diurnum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cestrum elegens Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cestrum fasciculatum Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cestrum

nocturnum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cestrum parqui L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyphomandra betacea (Cav.) Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datura cornigera Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datura innoxia Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datura metal L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datura ferox L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datura sanguinea Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datura stramonium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iochroma coccinea Scheid. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycium barbatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycianthes laevis (Dunal) Bitter subsp. laevis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycianthes laevis (Dunal) Bitter subsp. bigeminata (Nees) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycianthes laevis (Dunal) Bitter subsp. kaitisis (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycianthes laevis (Dunal) Bitter subsp. kaitisis (Dunal) Deb var. gouakai (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycopersicon esculentum Mill. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nicandra physalodes (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nicotiana alata Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nicotiana glauca Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nicotiana glutiniosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nicotiana plumbaginifolia Viv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nicotiana repKalam Willd. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nicotiana tabacum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Nierembergia gracilis Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Petunia axillaris (Lam.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Petunia x hybrida Vilm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Physalis ixocarpa Brot. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Physalis angulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Physalis lagascae Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Physalis pruinosas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Physalis peruviana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schizanthus pinnatus Ruiz & Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schizanthus wisetonensis Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solandra grandiflora Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum americanum Mill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum anguivi Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum ariculari G. Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum barbisetum Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum capsicastrum Link & Schau. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum capsicoides Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum clavatum Rusby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum convolvulus Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum elaeagnifolium Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum erianthum D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum giganteum Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum grandiflorum Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum

hispidum Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum jasminoides Paxt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum kurzii Brace ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum macrocarpon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum macrophyllum Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum marginatum L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum mauritianum Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum melongena L. var. melongena and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum insanum J.B.Fisch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum lasiocarpum Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum pseudo-capsicum L.var. pseudo-capsicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum pseudo-capsicum L. difflorum (Vell.) Bitter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum pubescens Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum robustum H. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum seaforthianum Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum sisymbrifolium Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum stramoniifolium Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum torvum Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum trilobatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum tuberosum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum vagum Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum viarum Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum violaceum Ortega Subsp. violaceum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum

violaceum Ortega Subsp. multiflorum (C. B. Clarke) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum virginianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum wendlandii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum wrightii Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Streptosolon jamesonii (Benth.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Withania somnifera (L.) Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenosma indianum (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Angelonia biflora Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antirrhinum majus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antirrhinum orontium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Antirrhinum purpureum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artanema longifolia (L.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bacopa floribunda (R.Br.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bacopa hamiltoniana (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bacopa monnieri (L.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buchnera hispida Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calceolaria gracilis Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celsia arcturus Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centranthera indica (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centranthera tranquebarica (Spreng.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbalaria muralis Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitalis purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dopatrium junceum (Roxb.) Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Dopatrium lobelioides (Retz.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dopatrium nudicaule (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glossostigma diandrum (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hebe speciosa (A.Cunn) Andersen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hebe andersonii Cockayne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kickxia ramosissima (Wall.) Janchen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila aromatica (Lam.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila chinensis (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila connata (Buch.-Ham. ex D.Don) Handb.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila heterophylla (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila indica (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila polystachya Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila repens (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila rugosa (Roth) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindenbergia indica (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia anagallis (Burm.f.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia antipoda (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia caespitosa (Blume) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia ciliata (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia crustacea (L.) F.v.Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia hyssopioides (L.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia minima (Benth.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia nummulariifolia (D.Don) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia

oppositifolia (Retz.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia parviflora (Roxb.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia procumbens (Krock.) Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia rotundifolia (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia ruellioides (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia srilankana Cramer & Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia sessiliflora (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia tenuifolia (Colsm.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia viscosa (Hornem.) Boldingh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maurandya barclaiana Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maurandya erubescens (D.Don) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maurandya lophospermum Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maurandya semperflorens Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mazus pumilus (Burm.f.) Steenis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mecardonia procumbens (Mill.) Small and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Micrargeria wightii Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microcarpaea minima (Koen.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paulownia tomentosa (Thunb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pedicularis perrottetti Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pedicularis zeylanica Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Penstemon azureus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Penstemon campanulatus (Cav.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peplidium maritimum (L.f.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Russelia

equisetiformis Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scoparia dulcis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sopubia delphiniifolia (L.) G.Don var. delphiniifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sopubia delphiniifolia (L.) G.Don var. parviflora Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sopubia stricta G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sopubia trifida Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stemodia viscosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Striga angustifolia (D.Don) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Striga asiatica (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Striga densiflora (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Striga gesnerioides (Willd.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Striga masuria Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sutera dissecta (Del.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Torenia bicolor Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Torenia cordifolia Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Torenia courtallensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Torenia fournieri Linden ex Fourn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Torenia hirsuta Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Torenia travancorica Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Torenia vagans Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Verbascum chinense (L.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Verbascum thapsus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Verbascum virgatum Stokes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Veronica

arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Veronica javanica Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Veronica polita Fries and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Veronica speciosa R.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Veronica persica Poir.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aeginetia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aeginetia pedunculata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Christisonia bicolor Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Christisonia neilgherrica Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Christisonia saulierei Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Christisonia subacaulis Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Christisonia tubulosa (Wight) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orobanche cernua Loefl. var. nepalensis Reut. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia aurea Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia australis R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia bifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia caerulea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia exoleta R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia graminifolia Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia hirta Klein ex Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia minutissima Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia nayarii Jana. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia polygaloides Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Utricularia reticulata J.E.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia roseo-purpurea Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia scandens Benj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia smithiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia stellaris L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia striatula J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia uliginosa Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia wightiana Taylor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aeschynanthus ceylanica Gard. var. pinguis Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aeschynanthus perrottetii A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Didymocarpus fischeri Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Didymocarpus gambleanus Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Didymocarpus humboldtianus Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Didymocarpus innominatus Burtt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Didymocarpus lyrata Wight var. lyrata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Didymocarpus lyrata Wight var. prostrata Clarke and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Didymocarpus meeboldii W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Didymocarpus missionis Wall. ex R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Didymocarpus ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Didymocarpus repens Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Didymocarpus tomentosus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Didymocarpus wightii (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epithema carnosum (G.Don) Benth. var. hispida Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gesneria

cardinalis Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jerdonia indica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchoglossum notonianum (Wall) Burtt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchoglossum obliquum Blume var. parviflora Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchotechum permolle (Nees) Burtt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arrabidaea magnifica Sprague ex SteenisBull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bignonia megapotamica Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Campsis radicans (L.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Catalpa bignonioides Walter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clytostoma callistegioides (Cham.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clytostoma purpureum (Lodd. ex Sweet) Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parmentiera alata Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crescentia cujeta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichandrone arcuata (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichandrone atrovirens (Heyne ex Roth) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichandrone falcata (Wall.ex DC.) Seem. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haplophragma adenophyllum (DC.) Dop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), JacarKalam mimosifolia D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kigelia africana (Lam.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macfadynea unguis-cati (L.) A. Gentry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Markhamia stipulata Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Millingtonia hortensis L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nyctocalos cuspidata (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oroxylum

indicum (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pandorea jasminoides (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaedranthus buccinatorius (DC.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllarthron bojerianum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pleonotoma jasminifolia (H.B.K.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Podranea ricasoliana (Tranf.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrostegia venusta (Ker-Gawl.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Radermachera xylocarpa (Roxb.) K.Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spathodea campanulata Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stereospermum colais (Buch.-Ham. ex Dillw.) Mabberley var. colais and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stereospermum colais (Buch.-Ham. ex Dillw.) Mabberley var. angustifolium (Haines) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tabebuia rosea (Bertol.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tabebuia arjentea Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tabebuia pallida Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tabebuia palmeri Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tecoma stans (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tecomaria capensis (Thunb.) Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cobaea scandens Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pedalium murex L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesamum alatum Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesamum indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesamum laciniatum Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesamum prostratum Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesamum

radiatum Schumach. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Martynia annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acanthus ilicifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acanthus mollis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis affinis Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis alata (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis atropurpurea (Dennst.) A. Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis ceylanica Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis echioides Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis elongata (Vahl) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis explicata (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis lineata Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis lobelioides Wight var. lobelioides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis lobelioides Wight var. composita Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis longipedunculata (Sreemadh.) L.H. Cramer and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis macrobotrys Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis neesiana Wight var. neesiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis neesiana Wight var. producta Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis neesiana Wight var. rotundifolia Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis ovata (T. And. ex Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis paniculata (Burm.f.) Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis rothii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Andrographis serpyllifolia (Rottl. ex Vahl) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis stellulata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis stenophylla Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Andrographis viscosula Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aphelandra deppeana Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asystasia chelonoides Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asystasia crispata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asystasia dalzelliana Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asystasia gangetica (L.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Asystasia travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria acuminata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria buxifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria courtallica Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria cristata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria cuspidata Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria gibsonii Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria involucrata Nees var. elata (Dalz.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria longiflora L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria montana Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria mysorensis Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria nitida Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria noctiflora L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria paniculata Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria

pilosa Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria prattensis Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria prionitis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria strigosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria tomentosa Roth var. tomentosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria tomentosa Roth var. glandulosa Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barleria vestita T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blepharis maderaspatensis (L.) Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blepharis repens (Vahl) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clinacanthus nutans (Burm.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crossandra infundibuliformis (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicliptera cuneata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicliptera foetida (Forssk.) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicliptera verticillata (Forssk.) Christensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diotacanthus albiflorus (Bedd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diotacanthus grandis (Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipteracanthus beddomei (C. B. Clarke) Santapau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipteracanthus patulus (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipteracanthus prostratus (Poir.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dyschoriste madurensis (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dyschoriste nagchana (Nees) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dyschoriste vagans (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ecbolium ligustrinum (Vahl) Vollesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ecbolium

viride (Forssk.) Alston var. viride and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ecbolium viride (Forssk.) Alston var. dentata (Klein ex Link) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ecbolium viride (Forssk.) Alston var. rotundifolia (Nees) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elytraria acaulis (L.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eranthemum capense L. var. capense and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eranthemum capense L. var. concanensis (T.And.ex Clarke) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eranthemum nervosum (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eranthemum purpurascens Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eranthemum roseum (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Graptophyllum hortense Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnostachyum canescens (Nees) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnostachyum ceylanicum Arn. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnostachyum latifolium (Dalz.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haplanthodes neilgherryensis (Wight) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haplanthodes verticillatus (Roxb.) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hemigraphis latebrosa (Heyne ex Roth) Nees and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygrophila balsamica (L.f.) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygrophila heinei Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygrophila quadrivalvis (Buch.-Ham.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygrophila salicifolia (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygrophila schulli (Hamilt.) M.R.Almeida & S.M. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jacobinia carnea (Lindl.) G. Nicholson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia adhatoda L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia

beddomei (Clarke) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia betonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia diffusa Willd. var. diffusa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia diffusa Willd. var. hedyotidifolia (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia diffusa Willd. var. orbiculata (Wall. ex T.And.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia gendarussa Burm.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia glabra Koen.ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia glauca Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia japonicaThunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia latispica (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia neesii Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia nilgherrensis (Nees) Wall. ex T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia prostrata (Roxb. ex Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia salsoloides T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia santapaui Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia simplex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia tranquebariensis L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia trinervia Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia vahlii Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia wynaadensis (Nees) Heyne ex T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis cristata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Lepidagathis cuspidata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis diffusa Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis fasciculata (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis incurva Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis mitis Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis pungens Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis scariosa Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis spinosa Wight ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis subarmata (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptostachya wallichii Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meyenia hawtayneana (Wall.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Monothecium aristatum (Wall. ex Nees) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neuracanthus neesianus Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristrophe montana Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristrophe paniculata (Forssk.) Brummitt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Petalidium barlerioides (Roth) Nees and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaulopsis imbricata (Forssk.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseuderanthemum malabaricum (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhinacanthus nasutus (L.) Kurz var. nasutus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhinacanthus nasutus (L.) Kurz var. montana (Clarke) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruellia colorata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruellia tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rungia apiculata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rungia

crenata T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rungia laeta Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rungia latior Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rungia parviflora (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rungia pectinata (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rungia repens (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rungia sisparensis T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rungia wightiana Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sanchezia nobilis Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sanchezia parvibracteata Spraque & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Santapaua madurensis Balakr. & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Staurogyne glauca (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Staurogyne zeylanica (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stenosiphonium confertum Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stenosiphonium cordifolium (Vahl) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stenosiphonium parviflorum T.And. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stenosiphonium russellianum Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stenosiphonium wightii Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes asperrimus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes amabilis Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes anamallaica J. R. I. Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthus andersonii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes barbatus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Strobilanthus bolampattiana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes ciliatus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes consanguineaus (Nees) T. Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes cuspidatus (Benth.) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes decurrens Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes foliosus (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes gracilis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes heyneanus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes hamiltoniana (Steud.) Bosser & Heine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes heteromallus T. Anderson ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes homotropus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes humilis (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes isophylla (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes ixiocephala Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes kunthianum (Nees) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes lanatus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes lupulinus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthus luridus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthus matthewiana R. W. Scotland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthus micranthes Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes microstachya Benth. ex Hohen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes neoasper Venu & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Strobilanthes neilgherrensis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes papillosus T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes perrottetianus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes pulneyensis C. B.Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes rubicundus (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes sessilis Nees var. sessilis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes sessilis Nees var. sessiloides (Wight) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthus sexennis Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes tristis (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes urceolaris Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes violaceus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes walkeri Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes wightianus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes walkeri Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes wightianus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthus zenkerianus (Nees) T. Anderson and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thunbergia alata Boj. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thunbergia bicolor (Wight) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thunbergia erecta (Benth.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thunbergia fragrans Roxb. var. fragrans and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thunbergia fragrans Roxb. var. vestita Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thunbergia grandiflora (Roxb. ex Rottl.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thunbergia mysorensis (Wight) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Thunbergia tomentosa Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aloysia triphylla (L'Herit.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bouchea hyderabadense Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callicarpa arborea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callicarpa tomentosa (L.) Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citharexylum fruticosum L. forma subserratum (Sw.) Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum aculeatum Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum cordatum D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum indicum (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum inerme (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum infortunatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum neriifolium Wall.ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum paniculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum philippinum Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chionachne koenigii (SPRENG.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chionanthus macrophylla BL. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chionanthus mala-elengi (DENNST.) GREEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chlondrus crispus LYNGBYE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloranthus elatior LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloranthus glaber (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloranthus inconspicuus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloranthus officinalis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloris barbata SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloris

virgata SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chlorophora excelsa BENTH. & HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chlorophytum arundinaceum BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chlorophytum attenuatum BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chlorophytum laxum R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chlorophytum tuberosum BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloroxylon dupada BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloroxylon swietenia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chondrus crispus STACKH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chonemorpha fragrans (MOON) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chonemorpha macrophylla (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chorchorus trilocularis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Christella arida (DON) HOLT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Christella contiguum (ROSENT) HOLTTUM F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Christella crinipes HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Christella parasitica (L.) LEV. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Christella subpubescens (BL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chromolaena odorata (L.) R.M. KING & H. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrozophora plicata A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrozophora prostrata DALZ . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrozophora rottleri (GEIS.) A.JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrozophora tinctoria A.JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysanthellum americanum (L.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Chrysanthellum indicum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysanthemum cinerariifolium (TREV.) VIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysanthemum coccineum WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysanthemum coronarium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysanthemum indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysanthemum purethroides (KAR. & KIR.) FEDT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysanthemum roxburghii DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysobalanus icaco L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysophyllum cainito L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysophyllum roxburghii DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysopogon aciculatus TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysopogon fulvus (SPRENG.) CHIOV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chukrasia tabularis A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cibotium barometz LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cicca acida MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cicca disticha L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cicer arietinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cicer microphyllum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cichorium endivia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cichorium intybus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cichorium noeanum BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cicuta virosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cimicifuga foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Cimicifuga racemosa NUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinchona calisaya WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinchona calisaya WEDD. ledgeriana HOWARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinchona excelsa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinchona ledgeriana MOENS EX TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinchona officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinchona robusta HOWARD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinchona succirubra PAV. EX KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum aromaticum NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum bejolghota (BUCH.-HAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum camphora (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum cassia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum cecidodaphne MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum glanduliferum MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum glaucescens (NEES) HAND-MEZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum impressinervium MEISSN. NULL and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum iners REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum javanicum BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum macrocarpum HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum malabathrum BATKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum obtusifolium NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum parthenoxylon MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum pauciflorum NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Cinnamomum sulphuratum NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum tamala NEES & EBERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum travancoricum GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum verum PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum wightii C.F.W.MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinnamomum zeylanicum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cipadessa baccifera (ROTH.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Circaea alpina L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Circaea cordata ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cirrhopetalum sutepense (ROLFE) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cirsium argyracanthum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cirsium arvense (L.) SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cirsium sinense CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cirsium verutum (DON) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cirsium wallichii DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissampelos pareira L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus acida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus adnata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus discolor BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus javanica DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus lanceolata MALME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus latifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus pallida (WIGHT & ARN.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus

pedata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus quadrangularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus repKalam VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus repens LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus setosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus trilobata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus vitiginea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cistanche tubulosa WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cistus creticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citharexylum subserratum SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrullus colocynthis (L.) SCHRADER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrullus lanatus (THUNB.) MATSUMARA & NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrullus lanatus (THUNB.) MATSUMURA & NAKAI fistulosus (STOCKS) CHAKRAVARTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrullus vulgaris SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrullus vulgaris SCHRAD. fistulosus STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus acida PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus aurantifolia (CHRISTM.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus aurantium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus aurantium L. bergamia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus bergamia RISSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus bigaradia LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus decumana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus grandis (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus

hystrix DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus jambhiri LUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus karna RAFIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus latipes (SWINGLE) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus limetta RISSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus limon (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus limonum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus macroptera Montr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus madurensis LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus maxima MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus medica L. medica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus medica L. limetta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus medica L. limonum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus medica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus paradisi MACF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus pyxidata (LINN.) FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus reticulata BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus sinensis (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cladonia alpestris (L.) RABH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Claoxylon indicum HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Claoxylon polot (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clausena dentata (WILLD.) ROEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clausena excavata BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clausena

heptaphylla WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clausena lansium (LOUR.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clausena pentaphylla (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clausena wampi BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clausena willdenowii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Claviceps purpurea (FR.) TUL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Claxylon indicum (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleidion nitidum KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleisostoma tenuifolium (L.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleisostoma williamsonii (RCHB.F.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleistanthus collinus (ROXB.) BENTH. & HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis barbellata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis buchananiana DC. vitifolia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis connata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis gouriana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis grata WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis graveolens LINDL. IN JOURN. HORT. SOC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis hedysarifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis montana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis napaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis orientalis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis smilacifolia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis triloba HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis

wightiana WALL. EX WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome brachycarpa VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome burmanni WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome chelidonii L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome felina L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome gynandra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome heptaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome icosandra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome monophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome vahliana FAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome viscosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum colebrookianum WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum indicum (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum inerme (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum infortunatum L. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum kaempferi (JACQ.) SIEB. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum multiflorum (Burm.f.)Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum nutans WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum paniculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum philippinum SCHAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum phlomides L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum serratum (L.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Clerodendrum siphonanthus R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum splendens G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum viscosum H.W. MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clerodendrum wallichii MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clinogyne dichotoma SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clinogyne grandis BENTH. HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clinopodium umbrossum (BIEB.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clinopodium vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clitoria mariana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clitoria ternatea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coccinia cordifolia COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coccinia glauca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coccinia grandis (L.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coccinia indica WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coccoloba uvifera L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cocculus cordifolius (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cocculus hirsutus (L.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cocculus laurifolius DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cocculus leaeba DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cocculus macrocarpus W. & A. PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cocculus pendulus (JR. & G. FORST) DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cocculus suberosus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cocculus villosus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Cochlearia armoracia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cochlearia cochlearioides (ROTH) SANTAPAU & MAHESHWARI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cochlospermum gossypium DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cochlospermum religiosum (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cocos nucifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cocos nucifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cocos schizophylla MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Codiaeum variegatum (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Codonacanthus pauciflorus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Codonopsis clematidea (SCHR.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Codonopsis ovata BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelodepas calycinum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelogyne cristata LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelogyne ovalis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelogyne punctulata LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coelogyne stricta (DON) SCHL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coffea arabica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coffea bengalensis HEYNE EX ROEM. & SCHULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coffea travancorensis WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coix gigantea KOENIG EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coix lachryma L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coix lacryma-jobi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cola nitida (VENT.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Colchicum autumnale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colchicum luteum BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colchicum variegatum BIVONA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coldenia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colebrookea oppositifolia SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coleus ambonicus LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coleus aromaticus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coleus barbatus (ANDR.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coleus forskohlii (POIR.) BRIQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coleus osmirrhizon W.ELLIOT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coleus rotundifolius (POIR.) A. CHEV. & PERROT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coleus scutellarioides (L.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coleus vettiveroides K.C. JACOB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coleus zeylanicus (BENTH.) CRAMEV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colocasia antiquorum SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colocasia esculenta (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colocasia macrorrhiza SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colocasia virosa KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colophospermum mopane KIRK EX LEON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colubrina asiatica (L.) BRONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colutea arborescens L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colutea nepalensis SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Combretum acuminatum (ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Combretum decandrum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Combretum extensum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Combretum latifolium BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Combretum nanum DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Combretum pilosum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Combretum roxburghii SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina benghalensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina communis EUGELM. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina diffusa BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina longifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina nudiflora (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina obliqua BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina paludosa BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina salcifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commelina suffruticosa BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commicarpus chinensis (L.) HEIMERL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commicarpus helenae (J.A.SCHULTES) MEIKLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commicarpus verticillatus STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commiphora abyssinica ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commiphora agallocha ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commiphora berryi (ARN.) ENGLR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commiphora caudata (WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commiphora molmol ENGL. EX. TSCHIRAH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Commiphora mukul (HOOK. EX. STOCKS) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commiphora myrrha ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commiphora opobalsamum (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commiphora playfairii HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commiphora roxburghii ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commiphora schimperi ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commiphora stocksiana ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commiphora wightii (A.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Conium maculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Connarus monocarpus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Conocarpus latifolia ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Conocephalus suaveolens BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Consolida ajacis (L.) SCHUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Consolida ambigua (L.) BALL. & HEYWOOD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Consolida regalis S.F. GRAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convallaria majalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus auricomus (A. RICH.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus gemellus BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus grandiflorus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus malabaricus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus microphyllus SIEB.EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus nil L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Convolvulus paniculatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus pluricaulis CHOIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus prostratus FORSSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus scammonia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus speciosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus spinosus BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Convolvulus turpethum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Conyza bonariensis (L.) CRONQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Conyza cinerea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Conyza japonica (THUNB.) LESS. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Conyza stricta WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Copernicia cerifera MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coptis teeta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corallocarpus epigaea HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corallocarpus epigaeus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corbichonia decumbens EXELL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus acutangulus AUCT.NON FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus aestuans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus antichorus ROEUSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus capsularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus depressus STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus fascicularis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus olitorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus

trilocularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus urticifolius WIGHT & ARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia dichotoma FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia gharaf (FORSK.) EHRENB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia grandis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia macleodii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia monoica ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia myxa SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia obliqua WILLD. wallichii (G.DON) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia obliqua WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia rothii ROEM.& SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia sebestena L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia vestita HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordia wallichii G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordyceps sinensis (BERK.)SAAC and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordyline fruticosa GOEPPERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cordyline terminalis (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coriandrum sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coriaria nepalensis WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coronilla picta WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coronopus didymus (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cortia depressa (DON) NORM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corydalis

adiantifolia HK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corydalis flabellata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corydalis govaniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corydalis meifolia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corydalis ramosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corydalis rutifolia (SMITH) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corydalis vaginans ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corylus avellana L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corylus colurna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corylus jacquemonti DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corymbis veratrifolia RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corymborkis veratrifolia (REINW.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corypha umbraculifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coscinium fenestratum (GAERTN.) COLEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cosmostigma racemosa WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Costus arabicus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Costus speciosus (KOEN. EX RETZ.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cotinus coggygria SCOP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cotinus racemiflora (DESF.) C. KOCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cotoneaster bacillaris WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cotoneaster buxifolia WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cotoneaster microphylla WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cotoneaster microphyllus WALL. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Cotoneaster nummularia FISCH. & MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cotula anthemoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cotula aurea Loefl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cousinia thomsonii CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crambe cordifolia STEVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crassocephalum crepidioides (BTH.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crataegus laevigata (POIR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crataegus oxyacantha L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crataegus songarica KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crataeva adansonii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crataeva magna (LOUR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crataeva marmelos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crataeva nurvala SENSU KANJ. & DAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crataeva religiosa FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crataeva tapia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cratoxylum cochinchinense (LOUR.) BLUME NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cratoxylum neriifolium KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cremanthodium arnicoides DC. GOOD trigida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cremanthodium decaisnei CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cremanthodium plantagineum MAX. maximowiczii GOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cremastra appendiculata (D.DON) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cremastra wallichiana LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crepidium acuminatum (D.DON) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crepis

flexuosa (DC) BETH. & HK.F. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crepis japonica BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crescentia cujete VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cressa cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crinum amoenum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crinum asiaticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crinum defixum KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crinum latifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crinum powellii HORT. album HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crinum pratense HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crinum revolutum HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crinum viviparum (LAM.) HEMADRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crocus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crossandra infundobuliformis (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crossandra undulaefolia SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria alata BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria albida HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria anagyroides H.B. & K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria angulosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria benghalensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria bialata SCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria biflora LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria burhia BUCH-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria

calycina SHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria juncea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria laburnifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria linifolia L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria medicaginea LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria mucronata DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria mysorensis ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria pallida DRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria paniculata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria prostrata ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria pulchra ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria quinquefolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria ramosissima ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria retusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria saltiana ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria sericea RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria spectabilis ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria striata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria trifoliastrum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria verrucosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton argyratus BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton aromaticus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton bonplandianum BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton

caudatus GEISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton joufra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton malabaricus BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton oblongifolius ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton plicatum VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton polyandrum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton reticulatus HEYNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton roxburghii BALAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton sebiferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton sparsiflorus MORONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton tiglium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Croton zeylanicus MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptocarya wightiana THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptocoryne spiralis FISCH. EX WYDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptolepis buchananii ROEMER & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptolepis elegans WALL. EX G. DON. NULL and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptolepis grandiflora WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cryptostegia grandiflora R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ctenitis apiciflora (WALL. & METT) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ctenolepis cerasiformis NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ctenolepis garcinii BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cubeba officinalis RAFIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucubalus baccifer L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis

acutangulus DESCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis agrestis NAUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis anguinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis callosus (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis colocynthis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis hardwickii ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis lagenarius DUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis madraspatanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis melo L. utilissimus DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis melo L. momordica DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis melo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis momordica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis myriocarpus NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis prophetarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis pseudo-colocynthi ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis pubescens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis trigonus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis utilissimus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucurbita citrullus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucurbita lagenaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucurbita maxima DUCHESNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucurbita moschata (LAM.) DUCHESNE EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucurbita

pepo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cudrania javanensis TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cullenia exarillata ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cuminum cyminum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cupressus sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curanga amara JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curanga fel-terrae MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curculigo capitulata (LOUR) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curculigo crassifolia GEARTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curculigo orchioides GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curculigo prainiana (DEB.) BENNET & RAIZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curculigo recurvata DRYAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma amada ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma angustifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma aromatica SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma caesia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma domestica (MEDIK) VALH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma inodora BLAT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma leucorhiza ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma longa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma montana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma pseudomontana GRAHAM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma rubescens ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma

zedoaria (CHRIST.) ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Curcuma zerumbet ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cuscuta capitata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cuscuta chinensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cuscuta europaea BOVE & ENGELM. indica ENGELM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cuscuta hyalina ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cuscuta reflexa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyamopsis psoralioides (LAM). DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyamopsis tetragonoloba (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyamopsis tetragonolobus (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis axillaris (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis concanensis HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis cristata (L.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis papilionaceae (L.) SCHULT. & SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyanotis tuberosa (ROXB.) SCHULT. AND SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyathea albo-setacea (BEDD.) COPEL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyathea gigantea (WALL. EX HOOK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyathea spinulosa WALL. EX HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyathocline purpurea (DON) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyathostemma micranthum J.SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyathula prostrata BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyathula tomentosa MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyathus limbatus TULSANE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyathus

stercoreus (SCHW.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cycas beddomei DYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cycas circinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cycas revoluta THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cycas rumphii MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyclamen europaeum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyclamen persicum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyclea arnotii MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyclea bicristata GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyclea burmanni (DC.) HOOK.F. TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyclea fissicalyx DUNN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyclea peltata (LAM.) HOOK. F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyclosorus dentatus (FORSK.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyclosorus gongylodes (SCH.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyclosorus parasiticus (L.) FOREWELL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cydonia oblonga MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cydonia vulgaris PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cylista scariosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbalaria muralis G.M. SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbidium aloifolium (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbidium aloifolium (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbidium grandiflorum RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbidium hookerianum RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Cymbidium pendulum (ROXB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon caesius STAPH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon citratus (DC.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon coloratus STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon flexuosus WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon jwarancusa (JONES) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon jwarancusa (JONES) SCHULT. olivieri (BOISS.) SOENARKO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon martini (ROXB.) WATS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon nardus (L.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cymbopogon schoenanthus (L.) SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynanchum arnottianum WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynanchum extensum JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynanchum heydei HOOK.F.CYNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynanchum vincetoxicum (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynanthus lobatus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynara scolymus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynodon dactylon (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynodon linearis WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynoglossum denticulatum A. DC. zeylanicum HORNEM. CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynoglossum glochidiatum WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynoglossum lanceolatum FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynoglossum micranthum DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynoglossum wallichii G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Cynoglossum zeylanicum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynometra cauliflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynometra iripa KOSTEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynometra mimosoides WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynometra ramiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynometra ramiflora Linn. bijuga (Span.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynosurus coracanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus alopecuroides ROTTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus amabilis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus articulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus brevifolius (ROTTB.) HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus bulbosus VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus compactus RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus compressus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus corymbosus ROTTLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus cyperoides (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus denticulatus SCHRAD EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus diffusus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus distans L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus esculentus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus exaltatus RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus haspan BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus inundatus ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus

iria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus jeminicus HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus juncifolius ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus kyllingia ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus laevigatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus longus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus malaccensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus michelianus (L,) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus nutans VAHL. eleusinoides (KUNTH) HAINES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus pangorei ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus pedunculatus (R.BR.) KERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus pertenius BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus pilosus VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus platyphyllus ROEM. & SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus platystylis R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus rohita and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus rotundus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus scariosus R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus stoloniferus RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus triceps (ROTTB.) ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus tuberosus ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyperus undulatus KUKENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyphostemma setosum (ROXB.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Cyrtomium caryotideum (WALL.) PRESL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyrtomium falcatum (L. F.) BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyrtophyllum peregrinum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cythocline purpurea (DON.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cytisus scoparius (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dactylis glomerata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dactyloctenium aegyptium BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dactyloctenium sindicum BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dactylorhiza hatagirea (DON.) SOO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Daedalacanthus roseus T. ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Daemia cordata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Daemia extensa R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Daemonorops draco BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dahlia rosea CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia arborea HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia candenatensis (DENNST.) PRAIN and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia emarginata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia horrida (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia lanceolaria L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia oogeinensis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia paniculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia pinnata PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia

sissoides GRAHAM EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia sissoo ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia spinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia stipulacea ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia sympathetica NIMMO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia tamarindifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia volubilis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergla spinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalechampia indica WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalhousiea bracteata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Daphne cannabina WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Daphne oleo SCHRAB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Daphne oleoides SCHREB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Daphne papyracea WILLD. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Daphniphyllum himalayense MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Daphniphyllum neilgherrense ROSENTH and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datisca cannabina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datura alba NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datura fastuosa L. alba (NEES) C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datura fastuosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datura innoxia MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datura metel L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datura metel L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datura

nilhummatu DUN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datura stramonium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Datura tatula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Daucus carota L. sativa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Daucus carota L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Davallia tenuifolia WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Davallia trichomanoides BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Debregeasia longifolia (BURM.F.) WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Decalepis hamiltonii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Decaspermum fruticosum FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Deeringia amaranthoides (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delima scandens (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delonix elata (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delonix regia (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphaenium denudatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphaenium elatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium altissimum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium bruonianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium caeruleum JACQ. EX CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium cashmirianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium denudatum WALL. EX HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium elatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium glaciale HOOK.F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Delphinium kashmirianum ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium kohatense (BRUHL.) MUNZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium paciflorum ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium roylei MUNZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium saniculifolium AUCT NON BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium semibarbatum BLENERT EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium speciosum JANKA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium vestitum WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium viscosum HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium zalil AITCH & HEMSL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium aduncum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium aggregatum - JENKINSII K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium amoenum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium chrysanthum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium coerulescens LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium crumenatum SW. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium crumentum SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium densiflorum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium jenkinsii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium macraei AUCT. NON LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium moschatum (BUCH.-HAM.) SW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium nobile LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrobium ovatum (L.) KRAENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Dendrobium paxtonii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrocalamus hamiltonii NEES EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrocalamus strictus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrocnide sinuata (BL.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrophthoe elastica (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrophthoe falcata (L.F) ETTING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dendrophthoe pentandra (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dentella repens (L.) J.R. & G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris elliptica BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris ferruginea (ROXB.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris indica (LAM.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris malaccensis PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris robusta BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris scandens (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris trifoliata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris uliginosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Descurainia sophia (L.) WEBB. EX PRANTL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmanthus cinereus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmanthus virgatus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmochaeta atropurpurea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium biarticulatum (L.) F.V.MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium dichotomum (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium elegans BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Desmodium gangeticum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium gyrans DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium gyroides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium heterocarpon - strigosum VAN MEEWUEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium heterocarpon (LINN.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium heterophyllum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium lasiocarpum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium latifolium DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium laxiflorum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium microphyllum (THUNB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium motorium (HOUTT.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium oojeinense (ROXB.) OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium polycarpum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium pseudotriquetrum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium pulchellum BENTH.EX. BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium retroflexum DC. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium styracifolium (OSB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium tiliaefolium G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium triangulare (RETZ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium triflorum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium triquetrum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium umbellatum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium velutinum (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmos

chinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmos cochinchinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmos dumosa (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmos longiflorus (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmostachya bipinnata STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmotrichum fimbriatum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Deutzia scrabra THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dianthus anatolicus BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dianthus caryophyllus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dianthus chinensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicaelospermum ritchiei CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicentra chrysantha WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicentra thalictrifolia HF.& T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichanthium caricosum (L.) A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichanthium pertusum CLYTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichopsis ellipticum BENTH & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichroa febrifuga LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichrocephala bicolor (ROTH) SCHLECHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichrocephala integrifolia (L.F.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichrocephala latifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichrostachys cinerea WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicliptera bupleuroides NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicliptera cuneata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicliptera

micranthus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicliptera roxburghiana NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicliptera verticillata (FORSK.) CHRISTENS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicoma tomentosa CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicranopteris linearis (BURM.F.) UNDERW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dictamnus albus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Didymocarpus aromaticus WALL. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Didymocarpus pedicellata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dieffenbachia seguine (L.) SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dienia muscifera LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digera arvensis FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digera muricata (L.) MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitalis lanata EHRH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Digitalis purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dillenia aurea SIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dillenia bracteata WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dillenia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dillenia pentagyna ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dimocarpus longan LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dimorphocalyx glabellus THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dinebra arabica JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dinebra retroflexa (VAHL) PANZER retroflexa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dinochloa Kalammanica KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dionysia

diapensiaefolia BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea alata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea belophylla VOIGT EX HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea bulbifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea composita HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea crispata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea daemona ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea deltoidea WALL. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea esculanta (LOUR.) BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea glabra AUCT. NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea globosa ROXB. ET. PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea hamiltonii HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea hirsuta DENNST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea hispida DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea oppositifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea prazeri PRAIN & BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea puber BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea purpurea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea rubella L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea sativa AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea tomentosa KOEN. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea

triphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dioscorea wallichii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros bourdilloni BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros buxifolia (BLUME) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros candolleana WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros chloroxylon ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros cordifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros ebenum KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros embryopteris PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros exsculpta BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros ferrea (WILLD.) BATCH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros glutinosa KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros insignis THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros kaki L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros lancaefolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros lotus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros malabarica (DESR.) KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros melanoxylon ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros montana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros oocarpa THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros paniculata DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros peregrina (GAERTN.) GURKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros quaesita THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros

racemosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros sylvatica ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros tomentosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diospyros toposia BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipcadi erythraeum WEBB & BERTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diplazium esculentum (RETZ.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diplazium stoliczkae BEDD. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diploclisia glaucescens (BL.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diplocyclos palmatus (L.) JAFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diploknema butyraceae (ROXB.) H.J. LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diplospora singularis KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diplospora sphaerocarpa HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipsacus fullonum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipsacus inermis WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipsacus mitis D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipteracanthus patulus (JACQ.) NEES and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipteracanthus prostratus (POIR.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipteracanthus suffruticosus (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipterocarpus alatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipterocarpus bourdilloni BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipterocarpus gracilis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipterocarpus indicus BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipterocarpus laevis HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Dipterocarpus pilosus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipterocarpus tuberculatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipterocarpus turbinatus GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dischidia rafflesiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Disporum cantoniense (LOUR.)MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Distemon indicum WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dittelasma raraka (DC.) HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dodonaea angustifolia (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dodonaea burmanniana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dodonaea viscosa (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dodonaea viscosa JACQ. angustifolia (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichandrone arcuata C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichandrone atrovirens (HEYNE EX. ROTH) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichandrone falcata SEEMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichandrone spathacea (L.F.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichandrone stipulata BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichos biflorus SENSU AUCT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichos bulbosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichos catiang L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichos catjang L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichos cylindricus DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichos falcatus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichos gladiatus JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichos

lablab L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichos lablab L. typicus Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichos pruriens (L,) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichos sinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichos trilobus (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichos uniflorus LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolomaea macrocephala DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dombeya cayeuxii HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Donax connaeformis (FORST.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dopatrium junceum HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dopatrium lobelioides BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dopatrium nudicaule HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dorema ammoniacum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dorema aureum STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Doronicum falconeri HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Doronicum hookeri C.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Doronicum pardalianches L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Doronicum roylei DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dorstenia indica WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dosma bracteatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Douepia tortuosa CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Draba muralis (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Draba setosa ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dracaena

angustifolia (MEDIC.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dracaena cinnabari BALF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dracaena petiolata HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dracaena terminalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dracaena terniflora ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dracocephalum heterophyllum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dracocephalum moldavica LINN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dracocephalum royleanum ROYLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dracocephalum stamineum KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dracontium polyphyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dregea volubilis (L.F.) BENTH. EX.HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drimia indica (ROXB.) J.P. JESSOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drimys winteri FORST. CHAR. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drosera burmannii VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drosera indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drosera lunata HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drosera peltata SM.WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drymaria cordata (L.) WILLD. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drymaria cordata WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drymaria diandra BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drymoglossum carnosum (WALL.)SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drynaria quercifolia (L.) J.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dryobalanops aromatica GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Dryopteris barbigera (MOORE) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dryopteris blanfordii (HOPE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dryopteris cochleata (DON) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dryopteris filix-mas (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dryopteris marginata (WALL.) CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dryopteris odontoloma (MOORE) C.CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dryopteris schimperiana (HOCHST.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dryopteris sparsa (DON)KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drypetes confertiflora (HOOK. F.) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drypetes macrophylla (BLUME) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drypetes roxburghii (WALL.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drypetes zeylanica (MUELL.-ARG.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Duboisia myoporoides R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Duchesnea indica (ANDR.) FOCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Duranta repens L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Durio zibethinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dyschoriste madurensis (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dysophylla auricularia (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dysophylla rugosa HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dysophylla stelata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dysophylla stellata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dysoxylum alliarum (BUCH.-HAM.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dysoxylum binectariferum HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Dysoxylum hamiltonii HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dysoxylum malabaricum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dysoxylum procerum HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ebermaiera glutinosa CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ecbolium linneanum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ecbolium viride (FORSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ecbolium virids (FORSSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echeveria glauca BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echinacea angustifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echinochloa colona LINK. frumentacea BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echinochloa crusgalli (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echinochloa frumentacea LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echinochloa stagnina (RETZ.) BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echinops cornigerous DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echinops echinatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echioglossum williamsonii (RCHB.F.) SZLAC. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Echites dichotoma ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eclipta alba HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eclipta erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eclipta parviflora WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eclipta prostrata (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Edgeworthia gardneri (WALL.) MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Edgeworthia tomentosa NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Edwardsia

griffithii (STOCKS) PHILIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ehretia acuminata BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ehretia aspera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ehretia buxifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ehretia canarensis MIQ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ehretia laevis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ehretia laevis ROXB. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ehretia microphylla LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ehretia obtusifolia HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eichhornia crassipes SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Codariocalyx motorius (Houtt.) H. Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria acicularis Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria agatiflora Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria alata Buch.-Ham & Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria albida Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria anagyroides H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria angulata Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria barbata Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria berteroana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria bidiei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria bifaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria bourneae Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria calycina Schrank and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria

candicans Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria clarkei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria clavata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria conferta Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria digitata Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria dubia Graham ex benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria epunctata Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria evolvuloides Wight ex Wight & Arn. var. evolvuloides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria evolvuloides Wight ex Wight & Arn. var. acutifolia Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria formosa Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria fysonii Dunn var. fysonii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria fysonii Dunn var. glabra Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria globosa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria grahamiana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria hebecarpa (DC.) Rudd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria heyneana Grahma ex Wight and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria hirta Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria humifusa Graham ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria juncea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria laburnifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria laevigata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria beddomeana Thoth. & A. A. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria spectabilis Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria

linifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria longipes Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria lunulata Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria madurensis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria medicaginea Lam. var. medicaginea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria medicaginea Lam. var. neglecta (Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria multiflora Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria mysorensis Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria nana Burn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria notonii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria obtecta Graham ex Wight & Arn. var. obtecta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria obtecta Graham ex Wight & Arn. var. glabrescens (Benth.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria orixensis Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria ovalifolia Wall. ex Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria pallida Dryand. var. pallida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria pallida Dryand. var. obovata (G.Don) Polhill and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria paniculata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria peduncularis Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria priestleyoides Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria prostrata Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria pulchra Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria pusilla Neyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria quinquefolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria

ramosissima Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria retusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria rigida Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria salicifolia Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria scabra Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria scabrella Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria semperflorens Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria shevaroyensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria speciosa Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria subperfoliata Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria tecta Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria trifoliastrum Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria triquetra Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria umbellata Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria verrucosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria walkeri Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria wightiana Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria willdenowiana DC. subsp. willdenowiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crotalaria willdenowiana DC. subsp. glabrifoliolata Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyamopsis tetragonoloba (L.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cytisus canariensis Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cytisus hirsutus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cytisus monspessulanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cytisus

multiflorus Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cytisus proliferus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cytisus scoparius (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cytisus supinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia congesta Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia coromandeliana Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia gardneriana Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia horrida (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia lanceolaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia latifolia Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia malabarica Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia melanoxylon Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia paniculata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia pinnata (Lour.) prain var. acaciaefolia (Dalz.) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia pseudo-siso Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia rubiginosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia sissoides Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia sissoo Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia spinosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia tinnevelliensis Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dalbergia volubilis Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris benthamii (Thw.) Thw. var. benthamii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris benthamii (Thw.) Thw. var. wightii (Baker) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris

brevipes (Benth) Baker var. brevipes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris brevipes (Benth) Baker var. coriacea Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris canarensis (Dalz.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris scandens (Roxb.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris thothathrii Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Derris trifoliata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium alysicarpoides Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium barbatum (L.) Benth. subsp. sauliereri (Schind.) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium dichotomum (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium dolabriforme Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium ferrugineum Wall ex Thw. subsp. ferrugineum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium ferrugineum Wall ex Thw. subsp. wynaadense (Bedd. ex Gamble) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium gangeticum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium heterocarpon (L) DC. var. heterocarpon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium heterocarpon (L.) DC. var. strigosum Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium heterophyllum (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium laxiflorum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium laxum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium microphyllum (Thunb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium oojeinense (Roxb) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium pryonii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium pulchellum (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium repandum (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Desmodium styracifolium (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium tortuosum (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium triangulare (Retz.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium triflorum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium triquetrum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium velutinum (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmodium zonatum Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicerma biarticulatum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dolichos trilobus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dumasia villosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dunbaria ferruginea Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dunbaria heynei Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleiotis monophylla (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythrina crista-galli L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythrina stricta Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythrina suberosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythrina subumbrans (Hassk.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythrina variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia grahamiana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia lineata (L.) Roxb. Ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia macrophylla (Willd.) Prain ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia nilgheriensis (Baker) Wight ex Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia Semialata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia

stricta Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia strobilifera (L.) R. Br. ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia tuberosa Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia wallichii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia wightiana Grahams ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galactia longifolia Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galactia tenuiflora (Klein ex Willd.) Wight & Arn var. lucida Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galactia tenuiflora (Klein ex Willd.) Wight & Arn var. villosa (Wight & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geissaspis cristata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gliricidia sepium (Jacq.) Kunth ex Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycine max (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hardenbergia comptoniana (Link) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera aspalathoides Vahl ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera astragalina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera

caerulea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera cassioides Rottl. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera colutea (Buem. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera constricta (Thwaites) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera cordifolia Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera glandulosa Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera hochstetteri Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera karnatakana Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera karuppiana Pallithanam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera linifolia (L.f.) Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera linnaei Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera longiracemosa Boiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera mysorensis Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera nummularifolia (L.) Skina ex Alston and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera oblongifolia Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera parviflora Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera pedicellata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera prostrata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera spicata Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera stachyodes Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera tinctoria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera

tirunelvelica Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera trifoliata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera trita L.f. var. trita and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera trita L. f. var. maffeii (Chiov.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera trita L. f. var. marginulata Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera uniflora Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera vicioides Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera wightii Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera zollingeriana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lablab purpureus (L.) Sweet var. purpureus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lablab purpureus (L.) Sweet var. lignosus (Prain) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laburnum anagyroides (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lathyrus aphaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lathyrus latifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lathyrus odoratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lathyrus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lens culinaris Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptodesmia congesta (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lespedeza cuneata (Dum. Cours.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lonchocarpus violaceus OSkin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lupinus angustifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lupinus luteus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lupinus pilosus Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Macroptilium atropurpureum (DC.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macroptilium lathyroides (L) Urban var. semierectum (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macrotyloma ciliatum (Willd.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macrotyloma uniflorum (Lam.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Medicago sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melilotus alba Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Millettia racemosa (Wight & Arn.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Millettia rubiginosa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Millettia splendens Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna atropurpurea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna gigantea (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna monosperma DC. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna pruriens (L.) DC. var. pruriens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna pruriens (L.) DC. var. hirsuta (Wight & Arn.) Wilmot - Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mundulea sericea (Willd.) A. Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neonotonia wightii (Graham ex Wight & Arn.) Lackey var. wightii and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neonotonia wightii (Wight & arn.) Lackey var. coimbatorensis (Ajita Sen) Karthik. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ormocarpum cochinchinense (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ormosia travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ougeinia oojeinensis (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paracalyx scariosa (Roxb.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parochetus communis Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus coccineus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus lunatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus vulgarisL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllodium pulchellum (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pisum sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pongamia pinnata (L.) Pierre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseudarthria viscida (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psophocarpus tetragonolobus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psoralea corylifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psoralea pinnata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterocarpus marsupium Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterocarpus santalinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pueraria triloba (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pueraria tuberosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pycnospora lutescens (Poir.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia albiflora (Sims) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Rhynchosia aurea (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia cana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia capitata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia densiflora (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia filipes Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia heynei Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia jacobii Chandrabose & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia minima (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia nummularia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia rothii Benth ex Aitch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia rufescens (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia suaveolens (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia velutina Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia viscosa (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Robinia pseudo-acacia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rothia indica (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania bispinosa (Jacq.) W. F. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania grandiflora (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania procumbens (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania sesban (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania speciosa Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Shuteria involucrata (Wall.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smithia bigemina Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smithia

blKalam Wall. ex Wight & Arn. var. blKalam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smithia blKalam Wall. ex Wight & Arn. var. racemosa (Heyne ex Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smithia capitata Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smithia conferta Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smithia gracilis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smithis hirsuta Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smithia sensitiva Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smithis setulosa Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sophora glauca Lesh.ex DC. Ann. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sophora interrupta Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sophora wightii Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spartium junceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stylosanthes fruticosa (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stylosanthes sundaica Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia barberi Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia calophylla Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia candida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia canarensis Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia fusca Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia hookeriana Wight & Arn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia maxima Pres. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia pulcherrima (Wight ex Baker) Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia pumila (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia

purpurea (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia spinosa (L.f.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia strigosa (Dalz.) Sant. & Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia tinctoria Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia vegellii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia villosa (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Teramnus labialis (L.F.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Teramnus mollis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trifolium alexandrium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trifolium cernuum Brot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trifolium dubium Sibth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trifolium incarnatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trifolium pratense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trifolium repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trifolium subterraneum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trigonella foenum-graecum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ulex europaeus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uraria alopecuroides Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uraria lagopodioides (L.) Desv. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uraria rufescens (DC.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vicia faba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vicia hirsuta (L.) S. F. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vicia sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vicia

villosa Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna aconitifolia (Jacq.) Marechal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna adenantha (G. F. W. Meyer) Marechal, Mascherpa & Stainier and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna bourneae Ganble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna dalzelliana (Kuntze) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna grahamiana (Wight & Arn.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna hosei (Craib) Backer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna khKalamlensis (Sant.) Ragh. & Wadhwa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna mungo (L.) Hepper and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna radiata (L.) Wilczek var. radiata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna radiata (L.) Wilczek var. sublobata (Roxb.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna subramaniana (Raizada) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna trilobata (L.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna umbellata (Thunb.) Ohwi & Ohahsi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna unguiculata (L.) Walp. subsp. cylindrica (L.) Eselt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna vexillata (L.) A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna wightii Benth. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Virgilia oroboides (Berg.) Salter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wisteria sinensis (Sims) Sweet. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zornia diphylla (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zornia gibbosa Span. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acrocarpus fraxinifolius Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amherstia nobilis Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia

acuminata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia malabarica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia phoenicea Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia racemosa Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia vahlii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bauhinia variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brownea grandiceps Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brownea macrophylla Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia bonduc (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia coriaria (Jacq.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia cucullata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia decapetala (Roth) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia mimosoides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia pulcherrima (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Caesalpinia sappan L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia fistula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia grandis L. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia javanica L. var. javanica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia javanica L. var. nodosa Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia javanica L. var. renigera Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia montana Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia

roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia siamea Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassia spectabilis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceratonia siliqua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chamaecrista absus (L.) H. Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chamaecrista auricoma (Graham ex Benth.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chamaecrista kleinii (Wight & Arn.) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chamaecrista lechenaultiana (DC.) O. Deg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chamaecrista mimosoides (L.) Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chamaecrista nigricans (Vahl) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chamaecrista pumilla (Lam.) K. Larsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynometra cauliflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cynometra travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delonix elata (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delonix regia (Boj. ex Hook) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hardwickia binata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Humboldtia bourdillonii Prian and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Humboldtia brunonis Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Humboldtia decurrense Bedd. ex OSkin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Humboldtia unijuga Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Humboldtia vahliana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kingiodendron pinnatum (Roxb. ex DC.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parkinsonia aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Peltophorum africanum Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peltophorum pterocarpum (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterolobium hexapetalum (Roth.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saraca asoca (Roxb.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saraca thaipingensis Cantley ex.Prain. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schizolobium parahybum (Vell.) S. F. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna alata (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna alexandrina Gars. ex Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna auriculata (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna didymobotrya (Fresn.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna hirsuta (L.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna intermedia (Sharma et al.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna italica Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna multiglandulosa (Jacq.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna occidentalis (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna pallida (Wall) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna septumtrionalis (Viv.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna sophera (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna surattensis (Burm.f) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna timoriensis (DC.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna tora (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tamarindus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia armata R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia

auriculiformis A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia baileyana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia caesia (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia catechu (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia chundra (Roxb. ex Rottl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia confusa Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia cultriformis A. Cunn. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia concurrens Pedley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia dealbata Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia decora Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia decurrens (Wendl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia eburnea (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia elata Cunn. Ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia farnesiana (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia ferruginea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia grahamii Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia hohenackeri Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia homalophylla A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia holosericea A.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia horrida (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia leucophloea (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia longifolia Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia maidenii F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia

mearnsii Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia melanoxylon R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia myrtifolia Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia neriifolia A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia nilotica (L.) Willd. ex Del. subsp. indica (Benth) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia pennata (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia planifrons Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia podalyriifolia A. Cunn ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia polyacantha Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia pruinescens Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia pruinosa A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia pulchella R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia pycnantha Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia retinodes Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia saligna (Labill.) H. L. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia sinuata (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia tomentosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia torta (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia verticillata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acacia wightii Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenanthera pavonina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia amara (Roxb.) Boivin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia chinensis (Osbeck.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia

lathamii Hole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia lebbeck (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia odoratissima (L.f.) Benth. var. odoratissima and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia odoratissima (L.f.) Benth var. mollis Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia procera (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia Kalamn (Jacq.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Albizia thompsonii Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Archidendron clypearia (Jack) Nilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Archidendron monadelphum (Roxb.)Nielsen var. monadelphum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Archidendron monadelphum (Roxb.)Nielson var. gracile (Bedd.) Sanj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calliandra brevipes Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calliandra calothyrsus Meisn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calliandra haematocephala Hassk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calliandra inmeris (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cathormion umbellatum (Wall) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmanthus virgatus Willd. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichrostachys cinerea (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichrostachys muelleri Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichrostachys santapaui Sebastine & Raman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Entada pursaetha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Enterolobium cyclocarpum Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haematoxylum campechianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucaena leucocephala (L.) Gills and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa

intsia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa hamata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa pudica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neptunia prostrata (Lam.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neptunia plena (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neptunia triquetra (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paraserianthes falcataria (L.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paraserianthes lophantha (Willd.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parkia biglandulosa Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pithecellobium dulce (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prosopis cineraria (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prosopis juliflora (Sw.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alchemilla indica Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chaenomeles speciosa (Sweet) Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cotoneaster bacillaris Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cotoneaster buxifolia Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cotoneaster microphyllus Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cotoneaster transens G. Klotz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriobotrya japonica (Thunb.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fragaria chiloensis (L.) Duchesne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fragaria nilgerrensis Schlecht. ex Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fragaria vesca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kerria japonica (L.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malus

baccata (L.) Borkh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malus sylvestris (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Photinia integrifolia Lindl. var. sublanceolata Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Photinia serratifolia (Desf.) Kalkman var. serratifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Photinia serratifolia (Desf.) Kalkman var. tomentosa (Gamble) Vivek. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla indica (Andr.) Wolf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla leschenaultiana Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla sundaica (blume) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prinsepia utilis Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus armeniaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus avium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus cerasoides D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus ceylanica (Wight) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus domestica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus laurocerasus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus persica (L.) Batsch and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus salicina Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus serrulata Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quillaja saponaria Molina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa banksiae R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa brunonii Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa x centifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa x

damascena Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa gigantea Collett ex Crop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa laevigata Michx. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa leschenaultiana Red. & Thory ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa multiflora Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus ellipticus Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus fairholmianus Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus glomeratus Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus idaeus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus indicus Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus micropetalus Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus niveus Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus racemosus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus rugosus Smith var. rugosus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus rugosus Smith var. thwaitesii Focke and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spiraea canescens D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spiraea cantoniensis Lour. var. cantoniensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spiraea cantoniensis Lour var. florepleno Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spiraea japonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spiraea nipponica Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atuna indica (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atuna travancorica (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Chrysobalanus icaco L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saxifraga stolonifera Meerb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vahlia dichotoma (Murr.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vahlia digyna (Retz.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parnassia mysorensis Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parnassia wightiana Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Deutzia scabra Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrangea macrophylla (Thunb.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Philadelphus coronarius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Escallonia rubra (Ruiz & Pav.) Pers. var. macrantha Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Escallonia montevidensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aeonium arboreum (L.) Webb & Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bryophyllum fedtschenkoi (Raym.-Hamet & H.Perrier) C.Y.Cheng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crassula multicava Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crassula quadrifida Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalanchoe bhidei Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalanchoe grandiflora Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalanchoe lanceolata (Forsk.) Pers. var. lanceolata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalanchoe lanceolata (Forsk.) Pers. var. glabra (Clarke) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalanchoe lanceolata (Forsk.) Pers. var. glandulosa (Hochst. ex A. Rich.) Cufod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalanchoe olivacea Dalz. & Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalanchoe pinnata (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalanchoe schweinfurthii Penzig and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalanchoe tubiflora Hamet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rochea coccinea (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sedum mexicanum Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tillaea pentandra Royle ex Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drosera burmannii Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drosera indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drosera peltata Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exbucklandia populnea (R.Br. Ex Griffith) R. W. Br. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liquidambar styraciflua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laurembergia coccinea (Blume) Kan. var. coccinea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laurembergia coccinea (Blume) Kan. var. zeylanica (Arn. ex Clarke) Meyden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myriophyllum oliganthum (Wight & Arn.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callitriche stagnalis Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bruguiera cylindrica (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bruguiera gymnorrhiza (L.) Savigny and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carallia

brachiata (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassipourea ceylanica (Gard.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceriops decandra (Griff.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceriops tagal (Perr.) Robins and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kandelia candel (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhizophora x annamalayana Kathir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhizophora apiculata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhizophora mucronata Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anogeissus acuminata (Roxb. ex DC.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anogeissus latifolia (Roxb. Ex DC.) Wall ex Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calycopteris floribunda Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Combretum albidum G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Combretum coccineum (Sonner.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Combretum nanum Willd.Buch. - Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lumnitzera racemosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quisqualis indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quisqualis malabarica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia bellirica (Gaertn.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia catappa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia chebula Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia cuneata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia elliptica Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia gella Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Terminalia pallida Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia paniculata Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia travancorensis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acca sellowiana (Berg) Burret and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agonis flexuosa Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Angophora costata (Gaertn.) Britt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Angophora intermedia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Angophora lanceolata Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Angophora subvelutina F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Baeckea virgata (Forst.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callistemon brachyandrus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callistemon citrinus (Curtis) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callistemon polandii Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callistemon rigidus R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callistemon salignus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callistemon viminalis (Gaertn.) Don ex Loudon and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus alpina Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus amygdalina Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus blakelyi Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus bosistoana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus botryoides Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus bridgesiana R. T. Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus calophylla R. Br. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Eucalyptus camaldulensis Dehnh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus cephalocarpa Blakely and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus citriodora Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus cladocalyx F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus crebra F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus cypellocarpa L.A.S. Johnson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus elata Dehnh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus diversicolor F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus eugenioides Sieb. ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus ficifolia F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus globulus Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus grandis W.Hill ex Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus hemiphloia F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus leucadendron Reinz. ex DeVriese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus leucoxylon F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus longifolia Link & Otto and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus macarthurii Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus maculata Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus megacornuta C. A. Gardener and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus microcorys F. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus melliodora A. Cunn ex Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus nitida Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus nova-anglica Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Eucalyptus obliqua L. Her. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus ovata Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus paniculata Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus pauciflora Sieb ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus pipertia Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus polyanthemos Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus ptychocarpa F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus punctata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus radiata Sieb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus regnans F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus resinifera Sm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus robusta Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus rossii R. T. Baker & H. G. Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus saligna Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus siderophloia Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus sideroxylon A. Cunn.ex.Woolls and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus staigeriana F. v. Muell. ex Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus tereticornis Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus torelliana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus viminalis Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia bracteata (Willd.) Roxb ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia calcadensis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia continifolia Jacq.subsp. codyensis (Munro ex Wight) Ashton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia

discifera Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia floccosa Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia indica (Wight) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia mabaeoides Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia manickamia Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia rottleriana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia singampattiana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia thwaitesii Duthie and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia uniflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptospermum flavescens Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptospermum scoparium Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptospermum stellatum Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lophostemon confertus (R.Br.) Peter G.Wilson & J.T.Waterh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melaleuca armillaris Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melaleuca hypericifolia Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melaleuca leucadendron L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melaleuca nesophylla F.v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melaleuca quinquenervia S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melaleuca styphelioides Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meteoromyrtus wynaadensis (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myrtus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimenta dioica (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psidium cattleyanum Sabine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psidium

guajava L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhodomyrtus tomentosa (Ait.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syncarpia glomerulifera (Sm.) Nied. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syncarpia laurifolia Tenore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium alternifolium (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium aqueum (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium aromaticum (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium beddomei (Duthie) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium benthamianum (Wight ex Duthie) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium bourdillonii (Gamble) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium calophyllifolium Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium caryophyllatum (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium chandrasekharanii Chandrabose & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium courtallense (Gamble) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium cumini (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium densiflorum Wall ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium fergusonii (Trimen) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium gambleanum Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium gardneri Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium hemisphericum (Wight) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium jambos (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium laetum (Buch. - Ham.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium lanceolatum (Lam.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium

malabaricum (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium malaccensis (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium megacarpum (Craib) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium mundagam (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium munronii (Wight) Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium myhendrae (Bedd. ex Brandis) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium rama - varmae (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium revolutum (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium rubicundum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium scoparium Wallich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium spathulatum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium sriganesanii Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium tamilnadensis Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium travancoricum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium venosum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium zeylanicum (L.) DC. var. zeylanicum and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium zeylanicum (L.) DC. var. ellipticum Henry, Chandrabose and Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium zeylanicum (L.) DC. var. lineare (Duthie) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium zeylanicum (L.) DC. var. megamalayanum K. Ravik. & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Couroupita guianensis Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gustavia superba Berg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barringtonia acutangula (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barringtonia asiatica (L.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Barringtonia racemosa (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Careya arborea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kendrickia walkeri (Wight) Hook. f. ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Medinilla beddomei Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Medinilla fuchsioides Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Medinilla malabarica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melastoma malabathricum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon angustifolium Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon bremeri Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon depressum Benth ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon edule Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon flavescens Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon gracile Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon gracillimum Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon grande Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon heyneanum Benth ex Wight & Arn. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon kollimalayana Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon leucanthemum Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon lushingtonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon manickamii C. Murugan V. Sundaresan & G.J. Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon molestum (Clarke) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon mundanthuraianum Viswanathan & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Memecylon randerianum S.M. & M.R. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon rivulare Bremer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon rostratum Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon sisparense Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon subcordatum Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon subramanii Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon talbotianum Brandis & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon tirunelvelicum Murugan Manickam & Sundaresan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon umbellatum Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon variens Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia aspera (L.) Blume var. aspera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia aspera (L.) Blume var. travancorica (Bedd. ex gamble) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia aspera (L.) Blume var. wightiana (Benth ex Wight & Arn.) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia brachystemon Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia buxifolia Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia gracilis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia leschenaultiana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia muralis Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia reticulata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia rubicunda Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia parvifolia Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia stellata Buch. Ham. ex Ker-Gawl. var. hispidissima (Wight) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia stellata Buch. Ham. ex Ker-Gawl. var. rostrata (D. Don) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia

tirunelvelica Manickam & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia virgata D. Don ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia wynaadensis Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia zeylanica L f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila brunonis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila clarkei Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila devicolamensis Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila elegans Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila grandiflora R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila inaequalis Murugan et Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila kanyakumariana Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila longipetiolata Josephine Manickam Murugan Sundaresan & Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila parameswaranii Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila pulneyensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila rheedii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila rotundifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila sadasivanii Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila speciosa Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila tenera Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila tinnevelliensis Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila versicolor Wight var. versicolor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila versicolor Wight var. axillaris (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila

wallichii Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila zeylanica Wifht & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tibouchina urvilleana (DC.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ammania baccifera L. subsp baccifera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ammania baccifera L. subsp.aegyptiaca (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ammania multiflora Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ammania octandra L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cuphea hyssopifolia Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cuphea ignea A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cuphea platycentra Lemaire and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagerstroemia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagerstroemia microcarpa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagerstroemia parviflora Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagerstroemia reginae Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lawsonia inermis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nesaea brevipes Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nesaea prostrata (Ham. ex Dillwyn) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pemphis acidula Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rotala densiflora (Roth ex Roem. & Schultes) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rotala fimbriata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rotala illecebroides (Arn. ex Clarke) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rotala indica (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rotala macrKalam Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rotala

rosea (Roiret.) C. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rotala rotundifolia (Buch. Ham. Ex D. Don) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rotala verticillaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonneratia apetala Buch. -Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Punica granatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Circaea alpina L. subsp. imaicola (Asch. & Magn.) Kitamura and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fuchsia arborescens Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fuchsia boliviana Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fuchsia magellanica Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ludwigia adscendens (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ludwigia hyssopifolia (G. Don) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ludwigia octovalvis (Jacq.) Raven subsp. sessiliflora (Mich.) Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ludwigia perennis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ludwigia peruviana (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ludwigia prostrasta Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oenothera biennis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oenothera glazioviana Mich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oenothera nocturna Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oenothera odorata Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oenothera rosea Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oenothera stricta Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oenothera tetraptera Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trapa natans L. var. bispinosa (Roxb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Turnera

subulata Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Turnera ulmifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenia hondala (Gaertn.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenia wightiana (Wall. ex Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora alba Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora antioquiensis Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora caerulea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora edulis Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora holosericia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora laurifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora leschenaultii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora ligularis Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora mollissima (H. B. K.) Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora quadrangularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora suberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora subpeltata Ortega and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carica papaya L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Benincasa hispida (Thunb.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrullus colocynthis (L.) Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrullus lanatus (Thunb.) Matsumura & Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coccinia grandis (L.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corallocarpus epigaeus (Rottl. & Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Ctenolepis garcinii (Burm.f.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis melo L. var. melo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis melo L. var. utilissimus (Roxb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis prophetarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucumis trigonus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucurbita maxima Duchesne ex Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucurbita moschata (Duchesene ex Lam.) Duchesne ex Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cucurbita pepo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diplocyclos palmatus (L.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnopetalum wightii Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynostemma pentaphyllum (Thunb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kedrostis courtallensis (Arn.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kedrostis foetidissima (Jacq.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagenaria siceraria (Molina) Standley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luffa acutangula (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luffa cylindrica (L.) M.Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Momordica charantia L. var. charantia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Momordica charantia L. var. muricata (Willd.) Chakravarty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Momordica cymbalaria Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Momordica dioica Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Momordica subangulata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mukia leiosperma (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mukia

maderaspatana (L.) M. Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sechium edule (Jacq.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solena amplexicaulis (Lam.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solena angulata (Chakravarty) Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes anaimalaiensis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes cucumerina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes lobata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes nervifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes tricuspidata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zehneria maysorensis (Wight & Arn.) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zehneria scabra (L.f.) Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zehneria thwaitesii (Schweinf.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia albo-coccinea Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia aliciae Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia anamalayana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia cordifolia (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia floccifera Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia integrifolia Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia malabarica Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Begonia subpeltata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetrameles nudiflora R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cereus pterogonus Lem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cylindropuntia ramosissima (Engler) Knuth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Epiphyllum oxypetalum (DC.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hylocereus undatus (Haw.) Britton & Rosc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nopalea cochenillifera (L.) Salm-Dyck and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opuntia elatior Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opuntia ficus - indica (L.) Miller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opuntia stricta (Haw.) Haw. var. dillenii (Ker Gawl.)L. D. Benson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opuntia vulgaris Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pereskia aculeata Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lampranthus spectabilis (Haw.) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesuvium portulacastrum (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trianthema portulacastrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trianthema triquetra Rottl. var. triquetra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trianthema salsoloides Oliv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zaleya decandra (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corbichonia decumbens (Forsk.) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gisekia pharnaceoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glinus lotoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glinus oppositifolius (L.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mollugo cerviana (L.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mollugo disticha Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mollugo nudicaulis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mollugo pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mollugo stricta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anethum

graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Apium graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bupleurum distichophyllum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bupleurum plantaginifolium Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bupleurum wightii Mukh. var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bupleurum wightii Mukh. var. ramosissimum (Wight &Arn.) Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carum nothum Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centella asiatica (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coriandrum sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cuminum cyminum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Daucus carota L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Foeniculum vulgare Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum aquilegifolium Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum candolleanum (Wight & Arn.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum ceylanicum Gard. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum courtallense Gamble and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum hookerianum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum rigens Wall ex DC. var. rigens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum rigens Wall ex. DC. var. elongatum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum rigens Wall ex DC. var. multiradiatum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum sprengelianum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrocotyle conferta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrocotyle javanica Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Hydrocotyle sibthorpioides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pastinaca sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Petroselinum crispum (Mill.) Nyman ex auct.non. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peucedanum anamallayense Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimpinella candolleana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimpinella heyneana (Wall ex DC.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimpinella leschenaultii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimpinella pulneyensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimpinella wallichiana (Miq.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sanicula elata Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trachyspermum ammi (L.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trachyspermum roxburghianum (DC.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vanasushava pedata (Wight) Mukh. & Constance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aralia malabarica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedera australiana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedera helix L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyscias acuminata (Wight) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyscias fruticosa (L.)Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentapanax leschenaultii (DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera capitata (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera clarkiana Craib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera maduraiensis Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera racemosa (Wight) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera

rostrata (Wight) Harms var. rostrata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera rostrata (Wight) Harms var. micrantha (Clarke) Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera roxburghii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera stellata (Gaertn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera venulosa (Wgith & Arn.) Harms var. venulosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera venulosa (Wgith & Arn.) Harms var. obliquinervia Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera wallichiana (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetrapanax papyrifer (Hook.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cornus capitata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mastixia arborea (Wight) Bedd. subsp. arborea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mastixia arborea (Wight) Bedd. subsp. meziana (Wang.) Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alangium salvifolium (L.f.) Wang. subsp. salvifolium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alangium salvifolium (L.f.) Wang. subsp. hexapetalum (Lam.) Wang and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diervilla florida Sieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lonicera caprifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lonicera etrusca Santi. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lonicera japonica Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lonicera leschenaultii Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lonicera ligustrina Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lonicera periclymenum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lonicera sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viburnum cylindricum Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viburnum erubescens Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viburnum

hebanthum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viburnum punctatum Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sambucus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acranthera anamallica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acranthera grandiflora Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aidia gardneri (Thw.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agrostemma courtallense Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Agrostemma verticillatum Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Benkara malabarica (Lam.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Byrsophyllum tetrandrum (Bedd.) Hook.f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canthium angustifolium Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canthium ficiforme Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canthium neilgherrense Wight var. neilgherrense and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canthium neilgherrense Wight var. chartacea (Gamble) Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canthium coromandelicum (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canthium rheedii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canthium travancoricum (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Catesbaea spinosa Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Catunaregam spinosa (Thunb.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceriscoides turgida (Roxb.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chassalia curviflora (Wall. ex Kurz) Thw. var. ophioxyloides (Wall.) Deb & Krishna and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinchona calisaya Wedd. var. calisaya and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinchona calisaya Wedd. var. ledgeriana How. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinchona

officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cinchona succirubra Pav. ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coffea arabica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coffea canephora Pierre ex A. Froehner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coffea liberica Bull. ex Hiern var. dewevrei (De Wild. & T. Durand) Leburn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coffea travancorensis Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Deccania pubescens (Roth) Tirvengadum var. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Deccania pubescens (Roth) Tirvengadum var. candolleana (Wight & Arn.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dentella repens (L.) Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dentella serpyllifolia Wall. ex Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fergusonia tetracocca (Thw.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galium asperifolium Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galium rotundifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia angusta (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia gummifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia latifolia Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia resinifera Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geophila repens (L.) I.M. Johnston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Guettarda speciosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haldina cordifolia (Roxb.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hamelia patens Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis affinis Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis albo-nervia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis

anamalayana (Gamble) R. Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis articularis R.Br. ex Wight & Arn. subsp. articularis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis articularis R.Br. ex Wight & Arn. subsp. santapaui (Shetty & Vivek.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis aspera Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis auricularia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis barberi (Gamble) Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis biflora (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis brachiata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis buxifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis caerulea Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis corymbosa (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis devicolamensis Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis diffusa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis erecta Manilal & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis eualata (Gamble) Henry & Subram. var. eualata and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis eualata (Gamble) Henry & Subram. var. agastyamalayana Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis gamblei Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis gracilis Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis graminifolia L.f. var. graminifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis graminifolia L.f. var. shuteri (Hook. f.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis herbacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis hirsutissima Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis

lessertiana Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis nitida Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis ovatifolia Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis pruinosa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis pterita Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis puberula (G.Don) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis pumila L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis purpurascens Hook.f. var. purpurascens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis purpurascens Hook.f. var. pallida (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis ramarowii (Gamble) R.Rao & Hemadri var. ramarowii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis ramarowii (Gamble) R. Rao & Hemadri var. kannikattica Sundaresan, Manickam ,G.J. Jothi & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis shettyi Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis sisparensis Gage and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis leschenaultiana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis swertioides Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis villosostipulata (Gamble) R.Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis viscida Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrophylax maritima L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hymenodictyon obovatum Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hymenodictyon orixense (Roxb.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora brachiata Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora coccinea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora

cuneifolia Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora elongata Heyne ex G.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora finlaysoniana Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora johnsoni Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora leucantha Heyne ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora malabarica (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora monticola Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora nigricans R.Br. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora notoniana Wall.ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora pavetta Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Knoxia sumatrensis (Retz.) DC. var. sumatrensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Knoxia sumatrensis (Retz.) DC. var. glaberrima Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Knoxia sumatrensis (Retz.) DC. var. hookeriana Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Knoxia sumatrensis (Retz.) DC. var. linearis (Gamble) Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Knoxia wightiana Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasianthus acuminatus Wight and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasianthus blumeanus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasianthus capitulatus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasianthus ciliatus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasianthus cinereus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasianthus dichotomous Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasianthus jackianus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasianthus oblongifolius Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Lasianthus parvifolius Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasianthus rostratus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasianthus strigillosus Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasianthus truncatus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasianthus venulosus (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luculia grandifolia Ghose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luculia gratissima Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luculia pinceana Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mitracarpus villosus (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mitragyna parvifolia (Roxb.) Korth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mitragyna tubulosa (Arn.) Hav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morinda citrifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morinda pubescens J.E. Smith var. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morinda pubescens J.E. Smith var. tomentosa Rathna Kumari & Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morinda pubescens J.E. Smith var. stenophylla (Spreng.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morinda reticulata Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morinda umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mussaenda belilla Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mussaenda frondosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mussaenda glabrata (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mussaenda hirsutissima (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mussaenda tomentosa Wight ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mycetia acuminata (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neanotis

decipiens (Hook.f.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neanotis hutchinsonii Deb & R. Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neanotis indica (DC.) W.H. Lewis var. indica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neanotis indica (DC.) W.H. Lewis var. affinis (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neanotis indica (DC.) W.H. Lewis var. deltoidea (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neanotis monosperma (Wall. ex Wight & Arn.) W.H. Lewis var. monosperma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neanotis monosperma (Wall. ex Wight & Arn.) W.H. Lewis var. tirunelvelica Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neanotis nummularia (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neanotis rheedei (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neanotis richardiana (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neanotis tubulosa (G.Don) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neanotis wightiana (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neolamarckia cadamba (Roxb.) Bosser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neonauclea purpurea (Roxb.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neurocalyx calycinus (R.Br. ex Benn.) Robins. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nostolachma crassifolia (Gamble) Deb & Lahiri and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochreinauclea missionis (Wall. ex G.Don) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Octotropis travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza brunonis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza eriantha Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza grandiflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza hirsutula Wight ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Ophiorrhiza incarnata Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza mungos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza pectinata Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza pykarensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza roxburghiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza rugosa Wall. var. argentea (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza rugosa Wall. var. merguensis (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza rugosa Wall. var. prostrata (D.Don.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza tirunelvelica Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxyceros rugulosus (Thw.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta blKalam Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta breviflora DC. var. breviflora and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta breviflora DC. var. ciliolata Gamble ex Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta breviflora DC. var. glaberrima Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta breviflora DC. var. pubescens Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta breviflora DC. var. subcoriacea Gamble. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta brunonis Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta calophylla Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta hispidula Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta hohenackeri Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta indica L. var. indica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta indica L. var. minor Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta indica L. var. montana Thw. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta

laeta Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta oblanceolata Bremek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta praeterita Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta thomsonii Bremek. var. puberula Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta tomentosa Roxb. ex J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta zeylanica (Hook.f.) Gamble var. zeylanica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta zeylanica (Hook.f.) Gamble var. puberula Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentas lanceolata (Forssk.) Deflers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentas zanzibarica (Klotzsch) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pleiocraterium verticillare (Wight & Arn.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portlandia grandiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseudaidia speciosa (Bedd.) Tirv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psilanthus wightianus (Wight & Arn.) J. Leroy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria anamallayana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria beddomei Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria bisulcata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria connata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria flavida Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria fosbergii Sohmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria globicephala Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria johnsonii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria

macrocarpa Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria nigra (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria nilgiriensis Deb & Gang. var. nilgiriensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria nilgiriensis Deb & Gang. var. astephana (Hook.f.) Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria nudiflora Wight & Arn. var. nudiflora and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria nudiflora Wight & Arn. var. latifolia Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria octosulcata Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria sarmentosa Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria subintegra (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria truncata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psydrax dicoccos Gaertn. var. dicoccos and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psydrax dicoccos Gaertn. var. lanceolatus (Arn.) Ridsd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psydrax ficiformis (Hook.f.) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psydrax umbellata (Wight) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Richardia brasiliensis Gomes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Richardia scabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubia cordifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saprosma corymbosum (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saprosma foetens (Wight) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saprosma fragrans (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saprosma glomeratum (Gard.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spermacoce articularis L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spermacoce assurgens Ruiz et Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Spermacoce hispida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spermacoce latifolia Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spermacoce mauritiana Osea Gideon ex Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spermacoce pusilla Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spermacoce ramanii Sivarajan & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spermacoce ocymoides Burm.f. var. ocymoides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spermacoce ocymoides Burm.f. var. thekkumalensis (Sivarajan & Joseph) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tamilnadia ulginosa (Retz.) Tirvengadum & Sastre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tarenna alpestris (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tarenna asiatica (L.) Kuntze ex K. Schum. var. asiatica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tarenna asiatica (L.) Kuntze ex K. Schum. var. asiatica forma rigida (Wight) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tarenna asiatica (L.) Kuntze ex K. Schum. var. montana (Thw.) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tarenna canarica (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tarenna monosperma (Wight & Arn.) Raju. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tarenna nilagirica (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tricalysia apiocarpa (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tricalysia sphaerocarpa (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urophyllum ceylanicum (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wendlandia angustifolia Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wendlandia thyrsoidea (Schultes) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Valeriana arnottiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Valeriana hookeriana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Valeriana leschenaultii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Valeriana

moonii Arn.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipsacus leschenaultii Coult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scabiosa atropurpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acanthospermum hispidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Achillea millefolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acroclinium roseum Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenoon indicum Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenostemma lavenia (L.) Kuntze var. lavenia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenostemma lavenia (L.) Kuntze var. madurense (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenostemma lavenia (L.) Kuntze var. reticulatum (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adenostemma lavenia (L.) Kuntze var. rugosum (DC.) Ram Lal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ageratina adenophora (Spreng.) R.King & H. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ageratum conyzoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ageratum houstonianum Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Amberboa ramosa (Roxb.) Jafri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis aristata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis bournei Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis brevifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis busua (Buch.-Ham.ex D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis elliptica DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis lawii (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis leptophylla (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis

marcescens (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis meeboldii W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis neelgerryana (Sch. - Bip. ex DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis notoniana (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis subdecurrens (DC.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis travancorica W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anaphalis wightiana (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arctotis venusta Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argyranthemum frutescens Sch. Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia nilagirica (Clarke) Pamp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia japonica Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia pallens Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artemisia sieversiana Ehrh. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aster indamellus Grierson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aster laevis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aster cordifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aster rotundifolius Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bidens biternata (Lour.) Merr. & Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bidens pilosa L. var. pilosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bidens pilosa L. var. minor (Blume) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bidens triplinervia H.B.K. var. macrantha (Wedd.) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blainvillea acmella (L.) Philipson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blepharispermum petiolare DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Blepharispermum subsessile DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea alata (D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea aurita (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea barbata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea Nripatingeriana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea bifoliata (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea clarkei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea eriantha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea fistulosa (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea hieracifolia (D.Don) DC. var. hieracifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea hieracifolia (D.Don) DC. var. flexuosa (Clarke) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea hieracifolia (D.Don) DC. var. hamiltonii (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea hieracifolia (D.Don) DC. var. macrostachya (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea lacera (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea lanceolaria (Roxb.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea malcolmii (Clarke) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea membranacea Wall. ex DC. var. membranacea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea membranacea Wall. ex DC. var. jacquemontii (Hook.f.) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea mollis (D.Don) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea obliqua (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea oxyodonta DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea virens Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Blumea flava DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Bracteantha bracteata (Vent.) Andr. & Haegi var. bracteata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bracteantha bracteata (Vent.) Andr. var. albidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calendula officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Callistephus chinensis (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carpesium cernuum L. var. nilagiricum Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Carthamus tinctorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centaurea cyanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centrantherum punctatum Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centipeda minima (L.) A. Braun & Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chromolaena odorata (L.) King & Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysanthemum anethifolium Brouss. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chrysanthemum coronarium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeagnus angustifolia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeagnus caudata SCHLECHT. EX MOMIYAMA caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeagnus conferta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeagnus hortensis M. BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeagnus indica SERV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeagnus kologa SCHLECHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeagnus latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeagnus parvifolia WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeagnus pyriformis HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeagnus umbellata THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus floribundus BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Elaeocarpus ganitrus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus lanceolatus BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus munronii (WIGHT.) MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus oblongus GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus serratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus sphaericus (GAERTN.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus tuberculatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeodendron glaucum PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeodendron roxburghii W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatostema lineolatum WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatostema platyphyllum WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatostema sessile FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleocharis dulcis (BURM.F.) TRIN. EX HENSCHEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elephantopus scaber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elettaria cardamomum MATON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elettaria cardamomum MATON major THW. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elettaria cardamomum MATON minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elettaria cardamomum MATON miniscula and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elettaria repens BAILOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleusine aegyptiaca DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleusine coracana (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleusine indica GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eleutherococcus senticosus (RUPR. & MAXIM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elsholtzia

blKalam (BTH.) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elsholtzia ciliata (THUNB.) HYLAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elsholtzia densa BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elsholtzia pilosa BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elsholtzia polystachya BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elsholtzia strobilifera BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elytraria acaulis (L.F.) LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elytrophorus spicatus (WILLD.) CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Embelia acutipetalum (LAM.EX HASSK.) S.M.& M.R. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Embelia ribes BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Embelia robusta C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Embelia subcoriacea (CL.) MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Embelia tsjeriam-cottam A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Emblica officinalis GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Embryopteris glutinifera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Emilia javanica (BURM. F.) C. B. ROBINSON NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Emilia sonchifolia (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Engelhardia polystachya RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Engelhardtia roxburghiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Engelhardtia spicata LESCHEN EX. BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Enhydra fluctuans LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Enhydra fluctuns LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eniada scandens AUCT. NON BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Enicostemma axillare (LAM.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Enicostemma hyssopifolium (WILLD.) VERDOORN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Enicostemma littorale BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Enicostemma verticillatum (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Entada phaseoloides MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Entada pursaetha DC. pursaetha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Entada rheedii SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Entada scandens BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Enteropogon dolichostachyus (LAGAS.) KENG EX LAZAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epaltes divaricata (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ephedra equisetina BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ephedra gerardiana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ephedra intermedia SCHR. & MEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ephedra major HOST NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ephedra nevadensis WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ephedra peduncularis BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ephedra saxatilis STAPF sikkimensis STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ephedra sinica STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ephedra vulgaris HOOK.F. NON A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ephemerantha macraei (LINDL.) HUNT & SUMMERH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epidendrum retusum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epidendrum tenuifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epilobium angustifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epilobium

hirsutum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epilobium roseum SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epilobium royleanum HOUSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epimedium elatum MORR. & DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Epipactis latifolia ALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Equisetum arvense L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Equisetum debile ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Equisetum diffusum DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Equisetum ramosissimum DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis amabilis (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis ciliata NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis cynosuroides BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis gangetica (ROXB.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis nutans (RETZ.) NEES EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis tremula HOCHST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eragrostis viscosa TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eranthemum bicolor SCHRANK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eranthemum nervosum (VAHL) R. BR. EX ROEM & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eranthemum purpurascens NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eranthemum roseum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erechtites valerianaefolia (WOLF.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eremostachys acanthocalyx BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eremostachys loasifolia BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Eremostachys superba ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eremostachys vicaryi BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eremurus himalaicus Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eria calamifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eria pannea LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erianthus arundinaceus (RETZ.) JESWEIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erianthus munja JESW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erigeron alpinus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erigeron asteroides ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erigeron bellidioides (DON) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erigeron bonariensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erigeron canadensis TENORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erigeron floribundus (H.B. & K.) SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erigeron multiradiatus (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erigeron sublyratus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriglossum rubiginosum BL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriobotrya japonica LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriobotrya latifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon setaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon sexangulare L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriocaulon sieboldianum S. & Z. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriodendron anfractuosum BC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erioglossum rubiginosum (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriolaena

hookeriana WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriolaena quinquelocularis WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriosema chinense VOG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriosema himalaicum OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eritrichium canum (BTH.) KITAMURA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erodium cicutarium (L.) L'HERT EX AIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erodium moschatum L'HERIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erophila verna (L.) C.E. MEY. EX GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eruca sativa GARS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eruca vesicaria (LINN.) CAV. sativa (mill.)thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ervatamia coronaria (JACQ.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ervatamia dichotoma (ROXB.) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ervatamia heyneana T.COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ervatamia orientalis (R.BR.) TURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ervatmia divaricata (LINN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erycibe paniculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erygium caeruleum BEIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erygium coeruleum BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eryngium biebersteinianum NEVSKI EX BABROV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eryngium billardieri DELAR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eryngium caeruleum BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eryngium foetidum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erysimum altaicum C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erysimum

repandum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erysimum sisymbrioides C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythraea roxburghii G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythrina arborescens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythrina corallodendron L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythrina fusca LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythrina indica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythrina resupinata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythrina stricta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythrina suberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythrina variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythrina variegata L. orientalis MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythronium indicum ROTTL. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythropalum scandens BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythroxylium coca LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythroxylum areolatum WILLD. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythroxylum lucidum MOON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythroxylum monogyneum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythroxylum monogynum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythroxylum monogynum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythroxylum moonii HOCHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythroxylum retusum BAUER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythroxylum retusum BAUER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ethulia

conyzoides L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus camaldulensis DENST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus citriodora HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus globulus LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucalyptus resinifera HORT. ARG. EX MAIDEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euchresta horsfieldii (LESCH.) BENNETT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euchretia buxifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eucomis undulata AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia aromatica KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia bracteata (WILD.)ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia caryophyllaea WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia hemispherica WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia jambolana LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia jambos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia malaccensis BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia munroii MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia occidentalis BOURD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia operculata SENSU DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia racemosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia spicata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eugenia uniflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulaliopsis binata (RETZ.) C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia Kalammanensis REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia

campestris WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia cullenii (WIGHT) BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia dabia (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia epidendraea (KOENIG) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia explanata LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia herbacea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia nuda LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia pratensis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia ramentacea WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eulophia spectabilis (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euodia lanu-ankenda (GAERTN.)MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus atropurpureus JACQ.B.P. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus crenulatus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus hamiltonianus WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus indicus HEYNE EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus javanicus BL.BIJDR. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus pendulus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus serratifolius BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus theophrasti WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus tingens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eupatorium adenophorum SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eupatorium ayapana VENT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eupatorium birmanicum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Eupatorium cannabinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eupatorium glandulosum SCH. BIP. EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eupatorium odoratum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eupatorium perfoliatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eupatorium triplinerve VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia acaulis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia antiquorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia atoto G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia barnhartii CROIZAT, EUPHORB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia bombaiensis SANT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia caducifolia HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia chamaesyce L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia cognata BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia dracunculoides LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia fusiformis BUCHY.-HAM. EX D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia granulata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia helioscopia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia hirta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia hispida BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia hypericifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia inaequilatera SOND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia laeta HEVNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia lathyris LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia

ligularia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia longan STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia longifolia D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia microphylla HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia milii DESMOUL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia neriifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia nivulia BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia onicrophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia orbiculata H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia pilosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia pilulifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia prostrata AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia pulcherrima WILLD. EX KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia resinifera BERQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia rosea RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia rothiana SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia royleana BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia sanguinea HOCHST. & STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia splendens BOI EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia stracheyi BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia thomsoniana BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia thymifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia tibetica BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia

tirucalli L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia tortilis ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia trigona HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia turcomanica BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia uniflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphorbia wallichii HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphoria longana LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphrasia himalaica WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphrasia odontites LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphrasia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euphrasia platyphylla PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eurya acuminata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eurya japonica AUCT. NON THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eurya nitida KOTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euryale ferox SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euryangium sumbul KAUFFMAN and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eurycoma longifolia JACK. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Evodia fraxinifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Evodia lunu-ankenda MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Evodia meliaefolia BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Evodia roxburghiana BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Evodia rutaecarpa HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Evodia trichotoma (LOUR.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Evolvulus

alsinoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Evolvulus emarginatus BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Evolvulus nummularius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum bicolor ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum lawii C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum pedunculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exacum tetragonum ROXB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Excoecaria acerifolia F. DIDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Excoecaria agallocha L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Excoecaria crenulata WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Exogonium purga LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fabiana imbricata RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagonia arabica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagonia bruguieri DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagonia cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagonia indica L. schweinfurthii HADIDI and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagopyrum cymosum MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagopyrum dibotrys (DON) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagopyrum esculentum MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagopyrum tataricum (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagraea ceilanica THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagraea imperialis MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagraea obovata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagraea

racemosa JACK, ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Farsetia aegyptiaca TURRA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Farsetia edgeworthii HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Farsetia hamiltonii ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Farsetia jacquemontii HOOK. F. & TH. jacquemontii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Farsetia jacquemontii HOOK.F. TH. edgeworthii (HOOK. F. & TH.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Feronia elephantum CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Feronia limonia (I.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ferula alliacea BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ferula assa-foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ferula foetida REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ferula galbaniflua BOISS. & BUHSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ferula jaeschkeana VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ferula narthex BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ferula orientalis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ferula persica WILLD, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ferula suaveolens AITCH. & HEMSEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ferula sumbul HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ferula thomsoni C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Festuca indica RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fibraurea chloroleuca Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fibraurea tinctoria LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus altissima BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus

amplissima SMITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus arnottiana (MIQ.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus asperrima ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus auriculata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus bengalensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus benjamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus callosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus carica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus cunia HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus dalhousiae MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus drupacea THUNB. pubescens (ROTH) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus elastica ROXB. EX. HORNEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus exasperata VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus fistulosa REINW. EX BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus fulva REINW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus gibbosa BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus glabella BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus glomerata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus heterophylla L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus hirta VAHL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus hispida L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus infectoria SENSU ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus

lacor BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus lacor BUCH.- HAM. infectoria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus lacor BUCH.- HAM. lambertiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus lacor BUCH.- HAM. wightiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus lucescens BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus microcarpa L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus mollis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus oppositifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus palmata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus racemosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus religiosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus retusa AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus ribes REINW. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus rumphii BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus scandens ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus semicordata BUCH. EX J. E. SMITH conglomerata (ROXB.) CORNER and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus talboti G.KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus tinctorea FORST. F. parasitica parasitica (WILLD.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus tinctoria FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus tomentosa ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus tsiela ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus tsjakela BURM .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus virens AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ficus

wightiana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Filago arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Filicium decipiens (WIGHT & ARN.) THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis annua (ALL.) ROOM & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis argentea (ROTTB.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis bisumbellata (FORSK.) BUB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis diphylla VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis falcata (VAHL) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis junciformis KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis miliacea L. & VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis ovata (BURM.F.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis polytrichoides (RELZ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fimbristylis sietiniana KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fioria vitifolia (L.) MATTEI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Firmiana colorata (ROXB.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fissendocarpa linifolia (VAHL) BENNET and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fissistigma polyanthum MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flacourtia cataphracta ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flacourtia indica (BURM.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flacourtia jangomas (LOUR.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flacourtia ramontchi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flacourtia sapida WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flacourtia sepiaria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Flagellaria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flaveria australasica HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia bracteata (ROXB.) WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia chappar BUCH.-HAM. EX BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia congesta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia grahamiana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia macrophylla (WILLD.) O.KTZE. EX MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia nana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia paniculata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia procumbens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia semialata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia stricta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia strobilifera (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia tuberosa DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flemingia wightiana GRAHAM EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fleurya interrupta (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flickingeria fugax (RCHB.F.)SEODEMF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flickingeria macraei (LINDL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flickingeria nodosa (DALZ.) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Floscopa scandens LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fluegea leucopyrus WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flueggea leucopyrus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flueggea microcarpa BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flueggea

virosa BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Foeniculum capillaceum GILB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Foeniculum vulgare GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Foeniculum vulgare GAERTN dulce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fomes officinalis (VIIL EX. FR.) LLOYD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fortunella japonica (THUNB.) SWINGLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fragaria indica ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fragaria nilgherrensis SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Francoeria crispa CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Frankenia pulverulenta L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fraxinus excelsior L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fraxinus floribunda WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fraxinus hookeri WENZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fraxinus ornus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fritillaria cirrhosa D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fritillaria imperialis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fritillaria roylei HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fucus distichus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fucus nodosus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fucus vesiculosus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fumaria indica PUGSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fumaria officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fumaria parviflora AUCT. NON. LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fumaria

vaillantii LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Furcraea foetida (L.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fynura bicolour (WILLD.)DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gaillonia aucheri JAUB. & SPACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galega purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galega spinosa L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galeopsis tetrahit L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galidium cartilagineum (L.) GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galinsoga parviflora CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galium acutum EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galium aparine L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galium asperifolium WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galium elegans BLOCKI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galium mullugo L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galium rotundifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galium triflorum MICHX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galium verum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ganophyllum falcatum BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia atroviridis GRIFF. EX T. ANDER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia cambogia GAERTN. DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia cornea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia cowa ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia dulcis KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia

echinocarpa THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia gummi-gutta (L.) ROBS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia hanburyi HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia heterandra WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia indica (DUP.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia kydia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia mangostana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia morella (GAERTN.) DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia pedunculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia pictoria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia purpurea G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia rubro-echinata KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia spicata (WIGHT & ARN.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia talbotii RAIZADA EX SANTAPAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia tinctoria (DC.) W.F. WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia travancorica BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia wightii T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia xanthochymus HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia augusta (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia campanulata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia dumetorum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia floribunda ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia florida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia

gummifera L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia incida ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia jasminoides ELLIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia latifolia AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia lucida ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia nummularioides DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia resinifera ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gardenia turgida ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garuga pinnata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gastrochilus longiflora WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gastrochilus pandurata RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gaultheria fragrantissima WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gaultheria nummularioides D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gaultheria procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gaultheria trichiphylla ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gelidium cartilagineum GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gelonium bifarium Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gelsemium elegans BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gelsemium semepervirens AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gemphostemma ovatum WALL. EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gendarussa vulgaris NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geniosporum gracilo BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geniosporum prostratum (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Geniosporum tenuiflorum (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana algida PALLAS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana argentea ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana borealis GRISEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana carinata GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana chirayta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana decumbens L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana desonasa (ROTTB.) G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana kurroo ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana lutea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana moorcroftiana WALL. EX. G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana olivieri GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana quadrifaria Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana renella FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana stipitata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana tenella FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentiana thianschanica RUPR. EX KUSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentianella moorcroftiana (WALL. EX GRISEB.) AIRY-SH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentianella pedunculata (ROYLE) H. SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentianella tenella (ROTTB.) BORNER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gentianopsis detonsa (ROTTB.) MA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geodorum densiflorum (LAM.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geodorum dilatatum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geophila

herbacea KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geophila reniformis D. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geophila repens (L.) I.M.JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geranium himalayense KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geranium lucidum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geranium mascatense BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geranium molle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geranium nepalense SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geranium ocellatum CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geranium pratense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geranium pusillum BURM.F.SPEC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geranium rivulare VILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geranium robertianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geranium rotundifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geranium sibiricum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geranium wallichianum DON EX SW. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gerbera gossypina (ROYLE) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gerbera lanuginosa BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gerbera piloselloides (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geum alatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geum elatum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geum roylei WALL. EX BOLLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geum urbanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Giesekia

pharnacoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ginkgo biloba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Girardinia diversifolia (LINK) FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Girardinia heterophylla DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Girardinia leschenaultiana DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Girardinia zeylanica DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gironniera cuspidata (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gironniera reticulata THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gisekia pharnaceoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Givotia rottleriformis GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gleditsia sinensis LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gleditsia triacanthos L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gleichenia longissima BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glinus dictamnoides BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glinus lotoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glinus oppositifolius (L.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gliricidia maculata (H.B. & K.) STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Globba clarkeii BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Globba marantina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Globba multiflora WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Globba orixensis ROXB. ASIAT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Globba pauciflora KING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion calocarpem KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Glochidion calocarpum KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion ellipticum WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion heyneanum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion hohenackeri BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion lanceolarium VOIGT. NON DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion multiloculare MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion oblatum HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion sumatrana MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion tomentosum DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glochidion zeylanicum A. JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gloriosa superba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glossocardia bosvallea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glossocardia linearifolia CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glossogyne bidens (RETZ.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glossogyne pinnatifida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glossonema varians BENTH. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gluta travancorica BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycine labialis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycine max (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycine pentaphylla DLAZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycine soja SIEB. & ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycosmis arborea (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycosmis cochinchinensis PIERRE EX ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Glycosmis macrocarpa WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycosmis mauritiana (LAMK.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycosmis mauritiana (LAMK.) TANAKA Kalammanensis (NARAY.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycosmis pentaphylla (RETZ.) DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycyrrhiza glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycyrrhiza glabra L. violace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycyrrhiza radix L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycyrrhiza uralensis FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gmelina arborea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gmelina asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gmelina elliptica SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gmelina parviflora PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gmelina philippensis CHAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gnaphalium indicum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gnaphalium luteo-album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gnaphalium polycaulon PER. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gnetum edule (WILLD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gnetum gnemon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gnetum montanum MARKGRAF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gnetum scandens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gnetum ula BRONGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gnidia glauca STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goldfussia thomsonii (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphia

angustifolia VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphia serrata (GAERTN.) KANIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphostemma crinitum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphostemma parviflora WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphostemma wallichii PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphrena celosioides MART. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphrena globosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gonatanthus pumilus (DON) E. & KRAUSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goniothalamus sequipedalis HK.F.& TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goniothalamus waynaadensis BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goniothalamus wightii HOOK.F. & THOMAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gonostegia hirta (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gonystylus macrophyllus (MIQ.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goodyera repens (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goodyera schlectKalamliana RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goodyera secundiflora (GRIFF.) LINDL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gordonia obtusa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gossypium acuminatum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gossypium arboreum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gossypium barbadense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gossypium herbaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gossypium hirsutum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gossypium indicum TOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Gossypium obtusifolium ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gossypium purpurascens POIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gossypium religiosum WATT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gossypium stocksii MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gouania leptostachya DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gouania microcarpa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gouania tiliaefolia LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Govania leptostachya DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gracilaria lichenoides GERV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grangea maderaspatana POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Graptophyllum hortense NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Graptophyllum pictum (L.) GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gratiola monnieria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grevillea robusta A. CUNN. EX R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia abutilifolia VENT. EX JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia asiatica L. vestita MASTERS and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia asiatica MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia carpinifolia JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia elastica ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia helicterifolia WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia heterotricha MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia hirsuta VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia microcos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia

obtusa WALL. EX GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia oppositifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia optiva DRUMMOND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia orbiculata ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia paniculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia polygama MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia populifolia VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia rhamnifolia HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia rothii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia salvifolia HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia sapida ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia scabrophylla ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia sclerophylla ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia subinaequalis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia tenax (FORSK.) FIORI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia tiliaefolia VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia umbellata AUCT.NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia villosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Guaiacum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Guazuma tomentosa H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Guazuma ulmifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Guettarda speciosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Guilandina bonducella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Guizotia

abyssinica CASS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnadenia himalayica SCHLTR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnadenia orchidis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema aurantiaca WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema balsamicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema hirsutum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema khKalamlense SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema lactiferum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema latifolium WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema montanum (ROXB.) HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema spartium WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnema sylvestre R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnocladus assamicus Kanjilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnopetalum cochinchinensis (LOUR.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnopetalum wightii WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnosporia montana (ROTH.) BENTH. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnosporia royleana M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnosporia spinosa MERILL & ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gymnostachyum febrifugum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynandropsis gynandra BRIQUET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynandropsis pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynocardia odorata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynostemma pentaphyllum (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynura

angulosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynura cusimbua (D.DON) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynura hispida THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynura pseudo-china DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gyrocarpus americanus JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria commelinifolia (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria crinifera LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria diphylla DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria edgeworthii HOOK. F. EX COLLETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria grandiflora LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria intermedia DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria longicorniculata GRAH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria orchidis (LINDL.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria ovalifolia WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria plantaginea LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria rariflora A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria rotundifolia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Habenaria roxburghii (PERS.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hackelochloa granularis (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haemanthus multiflorus MARTYN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haematoxylon campechianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hagenia abyssynica GMEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haldina cordifolia (ROXB.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Halophila

ovalis (R.BR.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haloxylon multiflorum (MOQ.) BUNGE EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haloxylon recurvum BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haloxylon salicornicum BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hamamelis virginiana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hamelia patens JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hamiltonia suaveolens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haplanthodes verticillata (ROXB.) MAJUMDAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haplanthus tentaculatus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Haplanthus verticillata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hardwickia binata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hardwickia pinnata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Harpagophytum procumbens DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Harpullia arborea (BLANCO) RADLK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hebanthe paniculata MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedeoma pulegioides (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedera helix C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedera nepalensis C. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedgsonia macrocarpa (BI.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedychium acuminatum ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedychium coccineum HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedychium coronarium KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedychium ellipticum HAMILT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Hedychium gardnerianum SHEPPARD EX KER- GAWLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedychium glaucum ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedychium gracile ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedychium marginatum C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedychium spicatum BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedychium wardii C.E.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis articularis R.BR. EX WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis auricularia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis auriculata (LINN.). AURICULARIA ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis biflora (L.) LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis brachypoda (DC.) SIVAR. ET AL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis capitellata WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis corymbosa (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis costata (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis diffusa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis glabra R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis gracilis WALL. O.GR. (WALL.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis herbacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis hispida (BENTH.) RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis lineata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis pinifolia WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis pruinosa WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis puberula R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis

pumila L.F. O.PU(L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis scandens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis tenelliflora BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis umbellata (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis uncinella HK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis verticillata (L.) LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedyotis vestita R.BR. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedysarium sennoides WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedysarum alhagi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedysarum gangeticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedysarum purpureum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedysarum sennoides WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedysarum triflorum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hedysarum tuberosum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helianthus annuus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helianthus tuberosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helicanthes elastica (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helicia excelsa BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helicia robusta (ROXB.) R. BR. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helicteres isora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helicteres isora L. glabrescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helicteres isora L. tomentosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliophylum indicum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Heliotropium bacciferum FORSK. tuberculosum (BOISS.) KAZMI bacciferum NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium brevifolium WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium currassavicum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium eichwaldi STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium ellipticum LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium keralense SIV. & MANL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium ophioglossum BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium ovalifolium FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium peruvianum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium rariflorum STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium strigosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium subulatum HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium supinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium tuberculosum BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium undulatum VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heliotropium zeylanicum HEYNE. EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helixanthera wallichiana (SCHULT.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helleborus niger L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helleborus viridis BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helminthostachys zeylanicus (L.) HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heltropium ophioglossum STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hemarthria compressa (L.F.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Hemerocallis fulva L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hemidesmus indicus (L.) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hemidictyum ceterach L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hemigraphis latebrosa NESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hemionitis arifolia (BURM.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum cachemiricum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum candicans WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum candolleanum (WT. & ARN.) GAMBLE . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum canescens WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum lanatum MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum nepalense D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum pinda DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum pinnatum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum rigens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heracleum wallichii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heritiera littoralis AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heritiera minor LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heritiera papilio BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hermodactylus tuberosus (L.)MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hernandia ovigera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hernandia peltata MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Herniaria glabra L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Herniaria hirsuta L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Herniaria

intermedia (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Herpestis monniera (L.) H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hesperethusa alata (W. & A.) ALST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hesperethusa crenulata (ROXB.) M. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hetaeria obliqua Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heterophragma quadriloculare K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heterophragma roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heteropogon contortus (L.) BEAUV. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heterostemma piperifolium KING & GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heterostemma tanjorensis WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hevea brasiliensis (WILLD. EX. JUSS.) MUELL. - HRG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hewittia malabarica (L.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heylandia latebrosa D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heynea sumatrana MIG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heynea trijuga ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus abelmoschus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus aculeatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus cancellatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus canescens HEYNE EX. WIGHT & ARNOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus cannabinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus esculentus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus ficulneus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus furcatus ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus

hirtus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus hispidissimus GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus lampas CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus lunariifolius WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus manihot L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus micranthus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus mutabilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus obtusifolius WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus ovalifolius (FORSK.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus platanifolius (WILLD.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus populneus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus rosa-sinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus sabdariffa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus surattensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus syriacus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus tiliaceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus trionum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus vitifolias L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus vitifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hieracium umbellatum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hieracium virosum PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hieracium vulgatum (FR.) ALMQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hippocratea indica WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Hippophae rhamnoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hippophae rhamnoides L. saticifolia (D.DON) SARVETTAZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hippophae salicifolia DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hippophae tibetana SCHLECT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hiptage benghalensis (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hiptage madablota GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hitchenia caulina BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hodgsonia macrocarpa (BI.) COGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holarrhena antidysenterica (ROTH.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holarrhena mitis R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holarrhena pubescens (BUCH.-HAM.) WALLICH EX DO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holboellia latifolia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holigarna arnottiana HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holigarna ferruginea MARCHAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holigarna grahamii (WGT.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holigarna longifolia BUCH.-HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holigarna nigra BOURD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holmskioldia sanguinea RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holoptelea integrifolia (ROXB.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holostemma ada-kodien SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holostemma annulare (ROXB.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holostemma rheedianum SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holostemma rheedii WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Holosteum umbellatum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Homalomena aromatica SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Homalomena rubescens KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Homonoia retusa (GRAH. EX WT.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Homonoia riparia LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hopea glabra WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hopea odorata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hopea parviflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hopea ponga (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hopea wightiana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoppea dichotoma WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hordeum vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hornstedtia costata (ROXB.) K. SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Horsfieldia glabra (BL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Horsfieldia irya (GAERTN.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Horsfieldia kingii (HK.F.) WARB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Houttuynia cordata THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hovenia acerba LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoya carnosa R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoya globulosa HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoya multiflora BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoya ovalifolia WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoya pendula WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoya

viridiflora R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hoya wightii HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hugonia mystax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Humboldtia unijuga BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Humboldtia vahliana WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Humulus lupulus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hunteria corymbosa ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hunteria legocii SKINA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hunteria zeylanica (RETZ.) GARDNER EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Huperzia phlegmaria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hura crepitans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hybanthus enneaspermus (L.F.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyderangea macrophylla (THUNB.) SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydnocarpus alpina WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydnocarpus anthelminthica PIERRE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydnocarpus castanea HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydnocarpus inebrians VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydnocarpus kurzii (KING) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydnocarpus laurifolia (DENNST.) STEUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydnocarpus macrocarpa (BEDD.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydnocarpus octandra THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydnocarpus pentandra (BUCH.-HAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydnocarpus venenata GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Hydnocarpus wightiana BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydnophytum Kalammanense BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydnophytum formicarium JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrangea arborescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrangea aspera BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrangea macrophylla (THUNB.) SER. stylosa (HK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrangea paniculata SIEB. grandiflora SIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrastis canandensis POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrilla verticillata (L.F.) ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrocharis dubia (BL.) BACKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrocotyle asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrocotyle javanica THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrocotyle javanica THUNB. PODUNTHA MOLKENBOER EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrocotyle rotundifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrocotyle sibthorpiodes LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrolea zeylanica VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygrophila auriculata (SCHUMACH.) HEINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygrophila erecta (Burm.f.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygrophila heinei SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygrophila phlomoides NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygrophila polysperma (ROXB.) AND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygrophila quadrivalvis (BUCH.-HAM.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygrophila ringens (L.) R.BR. EX STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Hygrophila salicifolia NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygrophila schulli (HAM.) M.R. & S.M. ALMEIDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygrophila spinosa T. ANDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hygroryza aristata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hymenaea courbaril L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hymenaea hornemannianum (HAYNE) D. DIETR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hymenocrater sessilifolius BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hymenodictyon excelsum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hymenodictyon obovatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hymenodictyon orixense (ROXB.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyoscyamus albus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyoscyamus muticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyoscyamus niger L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyoscyamus pusillus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyoscyamus reticulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyoscyamus squarrosus GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypecoum leptocarpum HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypecoum pendulum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypecoum procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyperanthera moringa VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum cernuum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum chinense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum elodeoides CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Hypericum humifusum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum japonicum THUNB. EX MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum laxum (BL.) KOIDZUMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum monanthemum HK. F. & TH. EX DYER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum monogynum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum mysurense HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum oblongifolium CHOISY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum patulum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum perforatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum sampsoni HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum uralum BACH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypobathrum microcarpum (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypochaeris glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypodematium crenatum (FORSK.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypolepis punctata (THUNB.) METT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypolytrum nemorum (VAHL) SPRENG. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypoxis aurea LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypoxis orchioides KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyptis brevipes POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyptis capitata JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyptis pectinata POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyptis suaveolens POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyssopus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hyssopus

parviflora BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ichnocarpus frutescens R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ilex denticulata WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ilex godajam COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ilex paraguariensis A.ST.HIL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ilex wightiana WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Illecebrum lanatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Illicium anisatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Illicium griffithii HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Illicium religiosum S. & L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Illicium verum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Illigera appendiculata BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Illigera villosa CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ilysanthes oppositifolia (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ilysanthes reptans (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens balsamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens brachycentra KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens chininsis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens gigantea EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens glandulifera ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens minor (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens roylei WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens

scabrida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens tilo (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens tripetala ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Imperata arundinacea CYR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Imperata cylindrica (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Incarvillea emodi (LINDL.) CHATTERJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera angustifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera anil L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera argentea BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera articulata GONAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera aspalathoides VAHL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera astragalina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera caerulea ROXB. caerulea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera cassioides ROTTL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera ennaephylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera galegoides DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera gerardiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera glandulosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera hebepetala BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera heterantha WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera linifolia RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera

linnaei ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera nil L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera nummulariifolia (L.) SKINA EX ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera oblongifolia FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera paucifolia DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera pulchella ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera suffruticosa MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera sumatrana GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera tinctoria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera trifoliata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera trita L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indigofera uniflora HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indoneesiella echicides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indoneesiella echioides (L.) SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Indoneesiella intermedia SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Intsia bijuga (Colebr.) O. Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Inula cappa DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Inula cuspidata C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Inula grandiflora WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Inula grantioides BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Inula graveolens DESF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Inula helenium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Inula obtusifolia KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Inula

racemosa HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Inula royleana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ionidium enneaspermum VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ionidium suffruticosum GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iphigenia indica (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea aquatica FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea asarifolia (DESR.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea batatas (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea biloba FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea bona-nox HEYNE EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea burmanni CHOISY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea cairica (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea campanulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea candicans SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea carnea (MART. EX CHOISY) AUSTIN. fistulosa (MART. E CHOISY) AUSTIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea carnea JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea coccinea L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea coptica (L.) ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea cymosa ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea dasysperma JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea digitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea dissecta WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea

eriocarpa R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea fastigiata (ROXB.) SWEET NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea fistulosa MART EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea glaberrima BOJ. EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea grandiflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea hederacea AUCT. NON JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea hederifolia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea hispida ROEM. & SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea illustris (CLARKE) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea involucrata BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea marginata (DESR.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea mauritiana JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea maxima G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea muricata (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea nil (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea obscura KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea paniculata (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea pes-caprae (L,) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea pes-tigridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea petaloidea CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea purga (WEND.) HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea purpurea (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea quamoclit L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea

reniformis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea reptans (L.) POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea sepiaria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea sindica STAPF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea staphylina R,BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea tridentata (L.)ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea turbinata LAG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea turpethum (L..) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea uniflora ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea violacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ipomoea vitifolia SWEET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iris decora WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iris ensata THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iris florentina KUNZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iris foetidissima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iris germanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iris kashmiriana BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iris kemaonesis D.DON EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iris nepalensis D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iris songarica SCHRENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iris versicolor THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isachne globosa KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Ischaemum muticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ischaemum pilosum HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ischaemum rugosum SALISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isopyrum acuminata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isopyrum anemonoides KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Isopyrum thalictroides L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Itea chinensis HOOK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora acuminata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora arborea ROXB. EX J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora brunnescens KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora coccinea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora cuneifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora grandiflora Zoll. & Mor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora nigricans BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora notoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora parviflora VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora pavetta ANDR. BOT. REPOS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora polyantha WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora subsessilis WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ixora undulata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), JacarKalam acutifolia HUMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jacobinia tinctoria HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jaeschkea

gentianoides KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jaeschkea oligosperma (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Janakia arayalpathra JOSEPH & CHANDRASHEKARAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum amplexicaule BUCH.-HAM. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum anastomozans WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum angustifolium VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum arborescens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum auriculatum VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum azoricum L. azoricum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum bignoniaceum WALL. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum calophyllum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum chrysanthemum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum cuspidatum ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum diversifolium KOBUSKI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum flexile VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum grandiflorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum humile SENSU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum malabaricum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum multiflorum (BURM.F.) ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum nervosum LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum pubescens (RETZ.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum ritchiei CLARKE IN HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum

rottlerianum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum sambac (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum sambac AIT. heyneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum scandens VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum subhumila W.W. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum trichotomum HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jasminum undulatum KER-GAWLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jateorhiza palmata (LAM.) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha curcas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha glandulifera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha glandulosa VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha glauca VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha gossypifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha montana WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha multifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha nana DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jatropha panduraefolia ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Joannesia princeps VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juglans regia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juglans regia L. kumaonia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juncellus inundatus CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juncus inflexus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juncus lampocarpus EHRH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juncus

prismatocarpus R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juniperus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juniperus excelsa BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juniperus indica BERTOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juniperus macropoda BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juniperus polycarpos C. KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juniperus recurva BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Juniperus wallichiana HOOK.F. EX PARL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jurinea dolomiaea BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jurinea himalaica STEWART NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jurinea macrocephala (ROYLE) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jurinea macrophylla BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jussiaea repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jussiaea suffruticosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Jussiaea tenella BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia acaulis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia adhatoda L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia beddomei (CL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia betonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia bicalyculata VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia bilvalvis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia ecbolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia gendarussa BURM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia

madurensis BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia nasuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia paniculata (VAHL) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia picta ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia prostrata (CL.) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia quinqueangularis KOEN. EX. ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia repens DELESS. EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia simplex DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia tranquebariensis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Justicia vasculosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kaempferia angustifolia ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kaempferia galanga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kaempferia rotunda L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalanchoe integra (MEDIK.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalanchoe laciniata (L.) DC. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalanchoe pinnata (LAM.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalanchoe rosea C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalanchoe spathulata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kallstroemia pubescens (DON) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kamettia caryophyllata (ROXB.) NICOL. & SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kandelia candel (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kandelia rheedei WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kandelia

rheedii W.&A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kedrostis foetidissima (JACQ.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kedrostis rostrata (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kickxia ramosissima (WALL.) JANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kigelia africana (LAMK.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kigelia pinnata (JACQ.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kingiodendron pinnatum (ROXB. EX DC.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kirganelia reticulata BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kleinhovia hospita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kleinia grandiflora (WALL. EX DC.) RANI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Knema angustifolia (ROXB.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Knema attenuata (WALL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Knema erratica (HOOK.F. & TH.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Knema linifolia (ROXB.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Knoxia brachycarpa R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Knoxia corymbosa WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Knoxia roxburghii (SPRENG.) M.A. RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Knoxia sumatrensis (RETZ.) DC. hookeriana BHATTACHARJEE & DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kochia indica WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kochia scoparia (L.) SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kochia sedoides SCHRAD NEUES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Koelpinia linearis PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kokoona zeylanica THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kopsia

flavida BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kopsia fruticosa A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kurrimia bipartita M.LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kydia calycina ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kyllinga brevifolia ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kyllinga monocephala ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kyllinga nemoralis HUTCH. & DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kyllinga squamulata VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kyllinga triceps ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lablab purpureus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lactuca dissecta D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lactuca gracilis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lactuca heyneana D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lactuca indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lactuca orientalis (BOISS.) BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lactuca remotiflora DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lactuca runcinata DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lactuca sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lactuca scariola L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lactuca serriola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lactuca tataraica C.A.REY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lactuca virosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagascea mollis CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagascea

spinosissima COV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagenandra ovata (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagenandra toxicaria (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagenaria leucantha RUSBY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagenaria siceraria (MOLINA) STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagenaria vulgaris SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagerstroemia flos-reginae RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagerstroemia hirsuta (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagerstroemia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagerstroemia lanceolata WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagerstroemia microcarpa W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagerstroemia parir-flosh ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagerstroemia parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagerstroemia reginae PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagerstroemia speciosa (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laggera alata (D.DON) SCH.-BIP. EX OLIVE NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laggera aurita (WILD.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laggera crispata (VAHL) HEP. & WD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laggera flava BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laggera pterodonta BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagotis cashmeriana (ROYLE) RUPR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lagotis glauca GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lallemantia royleana BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lamarkia

aurea MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laminaria saccharina LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lamium album DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lamium amplexicaule L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lamprachaenium microcephalum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lancea tibetica HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Lannea coromandelica (HOUTT.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lannea grandis (DENNST.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lansium domesticum JACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lantana aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lantana camara L. aculeata (L.) MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lantana camara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lantana indica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laportea crenulata GANDICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laportea interrupta (L.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Larrea tridentata (SESSE & MOC.) and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasia aculeata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasia heterophylla SCHOTT MELET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasia spinosa THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasianthus Kalammanicus HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasiosiphon eriocephalus (MEISNER) DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lasiurus hirsutus (FORSK.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lastrea filix-mas L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lathraea

squamaria L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lathyrus altaicus LED. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lathyrus aphaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lathyrus inconspicuus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lathyrus luteus BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lathyrus odoratus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lathyrus pratensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lathyrus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lathyrus sphaericus RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea acaulis (ROXB.) BABCOCK EX KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea aspleniifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea capitata (SPRENG.) DANDY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea chondrilloides HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea fallax (JAUB. & SPACH.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea glomerata HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea nudicaulis HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea pinnatifida CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea procumbens (ROXB.) RAMAYYA & RAJAGOPA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea remotiflora (DC.) STEBBINS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea resedifolia (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launaea sarmentosa (WILLD.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launea acaulis (ROXB.) KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launea procumbens (ROXB.) RAM. & RAJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Launea

sarmentosa ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens chandrasekharanii Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens clavicornu Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens cordata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens crenata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens cuspidata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens dasysperma Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens debilis Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens denisonii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens disotis Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens diversifolia Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens elegans Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens floribunda Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens fruticosa Lesch. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens gardneriana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens goughii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens grandis Heyne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens hensloviana Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens herbicola Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens hookeriana Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens inconspicua Benth ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens jerdoniae Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens

laticornis Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens lawsonii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens lenta Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens leptura Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens leschenaultii (DC.) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens levingei Gamble ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens ligulata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens maculata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens minor (DC.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens modesta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens munronii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens neo-barnesii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens nilgirica Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens oppositifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens orchioides Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens parasitica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens parvifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens phoenicea Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens rufescens Benth. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens scabriuscula Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens scapiflora Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens tangachee Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens

tenella Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens tomentosa Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens trichocarpa Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens umbellata Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens uncinata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens verticillata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens viridiflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens viscida Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens viscosa Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens wightiana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acronychia pedunculata (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aegle marmelos (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atalantia monophylla (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atalantia racemosa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Atalantia wightii Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boenninghausenia albiflora (Hook.) Reichb. ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chloroxylon swietenia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Choisya ternata Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus aurantifolia (Christm.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus aurantium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus limon (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus maxima (Burm.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus

medica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus nobilis Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus reticulata Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Citrus sinensis (L.) Osbeck. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clausena austro - indica B. C. Stone and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clausena dentata (Willd.) M. Roem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clausena indica (Dalz.) OSkin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clausena lansium (Lour.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euodia fraxinifolia (D. Don.) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euodia lunu-ankenda (Gaertn.) Merr. var. lunu-ankenda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euodia lunu-ankenda (Gaertn.) Merr. var. tirunelvelica Henry & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fortunalla japonica (Thunb.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycosmis angustifolia Lindl.ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycosmis cyanocarpa (Blume) Spreng. var. cymosa Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycosmis macrocarpa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycosmis mauritiana (Lam.) Tanaka and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycosmis pentaphylla (Retz.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glycosmis tirunelveliensis Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limonia acidissima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luvunga eleutherandra Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melicope indica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melicope lunu-ankenda (Gaertn.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murraya koenigii (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murraya

paniculata (L.) Jack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Naringi crenulata (Roxb.) Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pamburus missionis (Wight) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paramigyna beddomei Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paramignya monophylla Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pleiospermium alatum (Wall ex. Wight & Arn.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruta chalepensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetradium fraxinifolia (Hook.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Toddalia asiatica (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triphasia trifolia (Burm. f.) P. Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vepris bilocularis (Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum armatum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum ovalifolium Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum rhetsa (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum limonellia (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ailanthus excelsa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ailanthus triphysa (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quassia amara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Suriana maritima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphia serrata (Gaertn.) Kanis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochna integerrima (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochna jabotapita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochna lanceolata Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochna

obtusata DC. var. obtusata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochna gamblei King ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Boswellia serrata Roxb. ex Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bursera penicillata (Sesse & Moc. ex DC.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canarium strictum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canarium vulgare Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commiphora berryi (Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commiphora caudata (Wight & Arn.) Engler var. caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Commiphora caudata (Wight & Arn.) Engler var. pubescens (Wight & Arn.) K.M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garuga floribunda Decne var. gamblei (King ex W. W. Sm.) Kalkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garuga pinnata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia apiocarpa (Thw.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia domestica (Correa) Pellegrin Lecomte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia elaeagnoidea (Juss.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia edulis (Roxb.) Wall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia lawii (Wight) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia tomentosa Teijsm. & Binn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia odorata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aglaia simplicifolia (Bedd.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aphanamixis polystachya (Wall.) Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Azadirachta indica A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chukrasia

tabularis A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cipadessa baccifera (Roth) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dysoxylum binectariferum (Roxb.) Hook. f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dysoxylum ficiforme (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dysoxylum malabaricum Bedd. ex Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melia azedarach L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Naregamia alata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Reinwardtiodendron anamallayanum (Bedd.) Saldahnha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sandoricum koetjape (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Soymida febrifuga (Roxb.) A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swietenia macrophylla King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swietenia mahagoni (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Toona ciliata M. Roem. var. ciliata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Toona ciliata M. Roem. var. pilistila (C. DC.) Nair & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichilia connaroides (Wight & Arn.) Bentvelzen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Turraea villosa Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Walsura trifolia (A. Juss.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xylocarpus granatum Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dichapetalum gelonioides (Roxb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anacolosa densiflora Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olax scandens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olax imbricata Roxb. var. imbricata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olax imbricata Roxb. var. nigrescens Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Strombosia ceylanica Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ximenia americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cansjera rheedii Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opilia amentacea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Apodytes dimidiata E. Meyer ex Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphandra coriacea Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gomphandra tetrandra (Wall ex. Roxb.) Sleumer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Miquelia dentata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nothapodytes nimmoniana (Graham) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrenacantha volubilis Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcostigma kleinii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythropalum populifolium (Arn.) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ilex aquifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ilex denticulata Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ilex gardneriana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ilex malabarica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ilex opaca Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ilex walkeri Wight & Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ilex wightiana Wall ex. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bhesa indica (Bedd.) Ding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassine glauca (Rottb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cassine paniculata (Wight & Arn.) Lobr.-Callen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celastrus paniculatus Willd. var. paniculatus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celastrus

paniculatus Willd. subsp. dependens (Wall.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Celastrus paniculatus Willd. subsp. aggregatus K.T.Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus angulatus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus barberi C. Murugan & V. S. Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus crenulatus Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus dichotomous Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus indicus Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus japonicus Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus kanyakumariensis Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus paniculatus Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Euonymus serratifolius Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glyptopetalum grandiflorum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glyptopetalum lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Glyptopetalum zeylanicum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Loeseneriella bourdillonii (Gamble) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Loeseneriella obtusifolia (Roxb.) A. C. Smith and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lophopetalum wightianum Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maytenus emarginata (Willd.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maytenus heyneana (Roth) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maytenus ovatus (Wall ex Wight & Arn.) Loes. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maytenus rufa (Wall.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maytenus wallichiana (Wight & Arn.) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microtropis microcarpa Wight var. microcarpa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Microtropis microcarpa Wight var. densiflora Merr. & Freem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microtropis latifolia Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microtropis ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microtropis ramiflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microtropis stocksii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microtropis wallichiana Wight ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pleurostylia opposita (Wall.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Reissantia grahamii (Wight) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Reissantia indica (Willd.) Halle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salacia beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salacia chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salacia fruticosa Heyne ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salacia macrosperma Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salacia oblonga Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alphitonia excelsa Reiss ex Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colletia cruciata Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colletia ferox Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Colubrina asiatica (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gouania microcarpa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hovenia acerba Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maesopsis eminii Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Noltea africana (L.) Reichb. ex Harv. & Sond.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pomaderris apetala Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pomaderris lanigera Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhamnus cathartica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhamnus dahuricus Pall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhamnus virgatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhamnus wightii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sageretia hamosa Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sageretia parviflora (Klein) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scutia myrtina (Burm. f.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ventilago

denticulata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ventilago gamblei Suesseng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ventilago goughii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ventilago madraspatana Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus glabrata Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus horrida Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus incurva Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus mauritiana Lam. var. mauritiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus mauritiana Lam. var. fruticosa (Haines) Sebastine & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus nummularia (Burm.f.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus oenoplia (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus rugosa Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus xylopyrus (Retz.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ampelocissus araneosa (Dalz. & Gibs.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ampelocissus divaricata (Wall ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ampelocissus indica (L.) Planch and 15 wasteland weeds based Green Spray with Vedic

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ampelocissus latifolia (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ampelocissus tomentosa (Heyne ex Roth) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ampelocissus wightiana Shetty & Singhand 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cayratia anemonifolia (Zipp. Ex Miq.) Suesseng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cayratia auriculata (Roxb.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cayratia japonica (Thunb.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cayratia mollissima (Wall.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cayratia

pedata (Lam.) Juss. ex Gagnep. var. pedata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cayratia pedata (Lam.) Juss. ex Gagnep. var. glabra Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cayratia roxburghii (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cayratia tenuifolia (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cayratia trifolia (L.) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus arnottiana B.V.Shetty & P.Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus adnata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus discolor Blume. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus latifolia Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus glyptocarpa (Thw.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus heyneana (Wall. ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus quadrangularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus repKalam Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus repens Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissus vitiginea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyphostemma setosum (Roxb.) Alston and 15 wasteland weeds based Green Spray with Vedic

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parthenocissus neilgherriensis (Wight) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parthenocissus semicordata (Wall.) Planchon var. roylei (King) Raizada & Saxina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetrastigma gamblei Shetty & Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetrastigma leucostaphylum (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetrastigma nilagiricum (Miq.) Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetrastigma sulcatum (Lawson) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis vinifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea asiatica (L.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea guineensis G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea indica (Burm. F. ) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea macrophylla Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Allophylus cobbe (L.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cardiospermum canescens Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cardiospermum halicacabum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dimocarpus longan Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dodonaea viscosa (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Filicium decipiens (Wight & Arn.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Harpullia arborea (Blanco) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepisanthes erecta (Thw.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepisanthes senegalensis (Juss. ex Poir.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepisanthes tetraphylla (Vahl.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litchi chinensis Sonner. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Otonephelium stipulaceum (Bedd.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sapindus emarginatus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sapindus trifoliata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schleichera oleosa (Lour.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aesculus indica (Cambess.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acer caesium Wall. ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acer oblongum Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acer pseudo-platanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melianthus major L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Turpinia malabarica Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Turpinia cochinchinensis (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meliosma pinnata (Roxb.) Maxim. subsp. barbulata (Cufod.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meliosma simplicifolia (Roxb.) Walp. subsp. simplicifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meliosma simplicifolia (Roxb.) Walp. subsp. pungens (Wall ex Wight & Arn.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sabia limoniacea Wall. ex Hook. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anacardium occidentale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buchanania axillaris (Desr.) Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Buchanania lanzan Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gluta travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holigarna arnottiana Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holigarna beddomei Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holigarna ferruginea Marchand and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holigarna grahamii (Wight) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Holigarna

nigra Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Lannea coromandelica (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mangifera indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nothopegia aureo-fulva Bedd. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nothopegia beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nothopegia colebrookeana (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nothopegia heyneana (Hook. f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nothopegia racemosa (Dalz.) Ramam. var. racemosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nothopegia racemosa (Dalz.) Ramam. var. angustifolia (Gamble) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nothopegia travancorica Bedd ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nothopegia vajravelui Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhus mysorensis G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhus paniculata Wall. ex Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhus tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schinus molle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schinus terebinthifolius Raddi and 15 wasteland weeds based Green Spray with Vedic Agronomical

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Semecarpus anacardium L. var. anacardium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Semecarpus anacardium L. var. cuneifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Semecarpus auriculata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Semecarpus travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spondias indica (Wight & Arn.) Airy Shaw & Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spondias pinnata (L.f.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corynocarpus laevigata Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moringa

concanensis Nimmo ex Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moringa pterygosperma Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Connarus monocarpus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Connarus sclerocarpus (Wight & Arn.) Schellenb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Connarus wightii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ellipanthus tomentosus Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rourea minor (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abrus fruticulosus Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abrus precatorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abrus pulchellus Wall ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aeschynomene americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aeschynomene aspera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aeschynomene indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus beddomei Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus bupleurifolius (L.) DC. var. bupleurifolius and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus bupleurifolius (L.) Dc. var. gracilis (Edgew.) Baker and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus bupleurifolius (L.) Dc. var. hybridus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus heterrophyllus (Benth. ex Baker) Jefri & Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus longifolius Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus monilifer (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus ovalifolius (Schumac) J. Leon. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus racemosus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus roxburghianus Thoth. & Pramanik and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Alysicarpus glumaceus (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus scariosus Rottler. ex. Spring) Grah. ex Thw. var. scariosus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus scariosus (Rottler. ex. Spring) Grah. ex Thw. var. pilifer (Prain) Pramanik & Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus vaginalis (L.) DC. var. vaginalis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alysicarpus vaginalis (L.) DC. var. stocksii Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arachis hypogaea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Butea acuminata (Benth.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Butea monosperma (Lam.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Butea parviflora Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Butea purpurea (Benth. ex Baker) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cajanus albicans (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cajanus goensis Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cajanus lineata (Wight & Arn) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cajanus cajan (L.) Millsp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cajanus rugosus (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cajanus scarabaeoides (L.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cajanus trinervius (DC.) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calopogonium mucunoides Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calpurnia aurea (Ait.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canavalia cathartica Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canavalia gladiata (Jacq.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canavalia maritima (Aubl.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canavalia mollis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Canavalia

virosus (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Castanospermum australe A. Cunn. & Fraser ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Centrosema pubescens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chorizema ilicifolium Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Christia obcordata (Poir.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Christia vespertilionis (L.f.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cicer arietinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clianthus puniceus Soland ex. Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clitoria ternatea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laurentia longiflora (L.) PETERMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laurus cassia BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laurus cinnamomum (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Laurus nobilis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lavandula bipinnata KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lavandula burmanni BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lavandula carnosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lavandula stoechas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lavandula vera DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lavatera kashmiriana CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lawsonia alba LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lawsonia inermis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lawsonia spinosa L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lechea verticillata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea

aequata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea alata EDGEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea arguata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea asiatica (L.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea aspera EDGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea bracteata CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea compactiflora KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea crispa V. ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea guineensis G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea hirta ROXB EX HORNEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea indica MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea macrophylla ROXB. EX HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea robusta ROXB. HORT. BENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leea sambucina BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lemanea australis ATKINS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lemmaphyllum carnosum (J. SM.) PRESL. NULL and 15 wasteland weeds based Green Spray

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lemna globosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lemna obcordata BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lemna perpusilla TORREY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lens culinaris MEDIC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lens esculenta MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leonotis nepetaefolia R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leontopodium jacotianum BEAUVERD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leonurus

cardiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leonurus hamiltoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leonurus incurva DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leonurus japonicus HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leonurus sibiricus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leonurus stelligera WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepeocercis serrata TRIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepianthes umbellata (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis cristata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis hamiltoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis incurva DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis pungens NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis scariosa NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis trinervia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidagathis trinervis NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidium apetalum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidium capitatum HOOK. F. & THOMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidium cartilagineum (J. MAY.) THELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidium draba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidium iberis L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidium iberis POLL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidium latifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidium perfoliatum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidium

ruderale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidium sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidium virginicum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepionorus sylvestris BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepionurus sylvestris BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepisanthes Kalammanica KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepisanthes rubiginosa (ROXB.) LEENH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepisanthes tetraphylla (VAHL) RADLK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptadenia pyrotechnica DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptadenia reticulata (RETZ.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptadenia spartium WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptochilus decurrens BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptochloa malabarica (L.) VELDKAMP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptodermis lanceolatus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptonychia heteroclita (ROXB.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lespedeza sericea MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lettsomia aggregata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lettsomia atropurpurea C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lettsomia elliptica WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lettsomia mysorensis CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lettsomia nervosa ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lettsomia setosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucaena glauca (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas

aspera (WILLD.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas capitata DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas cephalotes (ROTH.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas ciliata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas flaccida R.BR. scaberula (HOOK.F.) SRINIVASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas indica (L.) R.BR. EX VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas lanata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas lavandulifolia J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas linifolia SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas martinicensis (JACQ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas mollissima WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas plukenetii (ROTH) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas stelligera WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas stricta BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas urticaefolia R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucas zeylanica (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leuconotis eugenifolia DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucosceptrum canum SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucostegia immersa (HK.) PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leucostegia nodosa BEDD.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leueas rosmarnifolia CIRUTUMPAI benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Levisticum officinale W.D.J. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Licuala spinosa WURMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ligularia

amplexicaule DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ligularia jacquemontiana (DECNE) RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ligusticum elatum C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ligustrum indicum (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ligustrum lucidum (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ligustrum nicum (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ligustrum perrottetii A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ligustrum robustum BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lilium candidum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lilium giganteum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lilium martagon L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lilium neilgherrense LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lilium polyphyllum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lilium wallichianum SCHULT. & SCHULT. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnanthemum cristatum GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnanthemum indicum GRISEB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnanthemum nymphaeoides LINK FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila aromatica (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila gratioloides R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila gratissima BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila indica (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila polystachya BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila racemosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Limnophila roxburghii G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila rugosa (ROTH) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophila sessiliflora (VAHL) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnophyton obtusifolium (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limodrum spatulatum WLLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limonia acidissima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limonia alata W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limonia crenulata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limonium cabulicum (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Linaria cirrhosa H.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Linaria minor DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Linaria ramosissima WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindelofia longiflora (BENTH.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindenbergia indica (L.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindenbergia muraria (ROXB.) P.BRUCHE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindenbergia urticaefolia LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindera caudata BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindera neesiana BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindera pulcherrima BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia anagallis (BURM.F.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia antipoda (L.) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia caespitosa (BL.) PANIGRAHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia ciliata (COLESM.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia

cordifolia (COLSM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia crustacea (L.) F. V. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia hyssopioides (L.) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia oppositifolia (RETZ.) MUKH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia procumbens (KROCK.) BORBAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia pyxidaria ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia rotundifolia (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindernia ruellioides (COLSM) PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lindsaea cultrata (WILLD.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Linociera malabarica WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Linociera ramiflora (ROXB.) WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Linum perenne L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Linum strictum LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Linum usitatissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liparis nervosa (THUNB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liparis parviflora LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lippia alba N.E. BR. EX BRITTON & WILS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lippia geminata H.B.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lippia javanica (BURM.F.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lippia nodiflora MICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liquidambar orientalis MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liquidambar styraciflua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Liqustrum indicum (LOUR.) NERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Liriodendron tulipifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litchi chinensis SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lithocarpus pachyphyllus (KURZ) REHDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lithospermum arvense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lithospermum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea chinensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea citrata BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea coriacea (HEYNE EX. MEISNER) HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea cubeba (LOUR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea glutimosa (LOUR.) C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea glutinosa (LOUR.) ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea lancifolia HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea monopetala (ROXB.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea polyantha JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea quinqueflora (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea sebifera PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea stocksii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea umbrosa NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Litsea zeylanica C. & T. NESS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia alsinoides LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia chinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia cordigera CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia excelsa LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia

inflata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia leschenaultiana (PRESL) SKOTTSB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia nicotianaefolia ROTH. EX. R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobelia pyramidalis WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobularia maritima DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lochnera pusilla K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lochnera rosea REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lodoicea maldivica (POIR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lodoicea seychellarum LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Loeseneriella obtusifolia (ROXB.) A.C.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lomatogonium carinthiacum (WULF.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lonicera glauca HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lonicera japonica THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lonicera leschenaultii WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lonicera macrantha (D.DON) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lonicera semenovii REGEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lonicera spinosa (JACQUEM. EX DECNE) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lonicera webbiana WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lophopetalum wallichii KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Loranthus coriaceus DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Loranthus elasticus DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Loranthus falcatus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Loranthus longiflorus DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Loranthus

pentandrus HEYNE. EX SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lotus corniculatus LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Loxococcus rupicola WENDL.& DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ludwigia adscendens (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ludwigia clavelliana GOMEZ DE LA MAZA & MONLINET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ludwigia hyssopifolia (DON) EXCELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ludwigia octovalvis (JACQ.) RAVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ludwigia octovalvis (JACQ.) RAVEN sessiliflora (MICHELI) RAVEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ludwigia parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ludwigia perennis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ludwigia peruviana (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ludwigia prostrata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luffa acutangula (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luffa acutangula ROXB. amara (ROXB.) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luffa aegyptiaca MILL. EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luffa amara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luffa cylindrica (L.) M.J. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luffa echinata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luffa graveolens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luffa graveolens ROXB. longystyla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luffa pentandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luffa tuberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luffa umbellata (KLEIN) ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luisia

tenuifolia BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lumnitzera racemosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lupinus albus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lupinus angustifolius L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lupinus digitatus FORSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lupinus luteus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luvunga eleutherandra Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luvunga scandens (BLUME) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Luzula campestris (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lychnis apetala L. SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lychnis coronaria LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycianthes laevis (DUN.) BITTER SUBTRUNCATA (WALL. EX DUN.) DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycianthes laevis (DUNAL) BITTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycium barbarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycium europaeum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycium ruthenicum MURR. EX DUNAL NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycoperdon gemmatum BATSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycoperdon pusillum PER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycopersicon esculentum MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycopersicon lycopersicum (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycopersicum esculentum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycopodium cernum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycopodium clavatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Lycopodium phlegmaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycopus europaeus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lycoris radiata (L'HERIT.) HERBERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lygodium circinatum (BURM) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lygodium flexuosum (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lygodium japonicum (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lygodium microphyllum (CAV.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lygodium pinnatifidum SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lygodium scandens (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lyonia ovalifolia (WALL.) DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maba bauxifolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maba buxifolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macadamia ternifolia F. MUELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macaranga denticulata (BL.) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macaranga indica W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macaranga nicobarica BALAKR. & CHAKRAB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macaranga peltata (ROXB.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macaranga roxburghi WRIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macaranga tanarius (L.) M. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macaranga tetracoccus (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Machilus bombycina KING EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Machilus macrantha NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Machilus villosa HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maclura

pomifera (RAFIN.) C.K. SCHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macropanax dispermus (BI.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macrosolen cochinchinensis (LOUR.) TIEGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macrosolen parasiticus (L.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macrotomia benthamii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macrotomia perennis BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macrotomia speciosa AITCHET HEMST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Macrotyloma uniflorum (LAM.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Madhuca butyracea (ROXB.) MACBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Madhuca diplostemon (CLARKE) ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Madhuca indica GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Madhuca insignis (RADLK) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Madhuca longifolia (KOEN.) MACLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Madhuca malabarica (BEDD.) R.N.PARKAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Madhuca neriifolia (MOON) LAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maerua apetala (ROTH) JACOBS NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maerua arenaria HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maerua oblongifolia (FORSK.) A.RICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maesa chisia DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maesa indica (ROXB.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maesa montana DC, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maesa ramentacea WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maharanga emodi (WALL.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mahonia

acanthifolia DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mahonia borealis TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mahonia leschenaultii (WALL. EX. WIGHT & ARN.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mahonia manipurensis TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mahonia nepaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mahonia pycnophylla (FEDDE) TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mahonia sikkimensis TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mahonia simonsii TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Majorana hortensis MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malachra capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malaxis acuminata D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malaxis biloba (LINDL.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malaxis mackinnonii (DUTHIE) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malaxis muscifera (LINDLEY) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malaxis rheedei SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malaxis saprophyta (KING & PRANTL) TANG & WAN and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus ferrugineus (ROXB.) MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus peltatus (GEIS.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus philippensis (LAM.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus repandus (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus rhamnifolius (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mallotus tetracoccus (ROXB.) KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malpighia glabra L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malpighia

punicifolia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malus pumila MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malus sylvestris MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malva neglecta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malva parviflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malva rotundifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malva sylvestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malva verticillata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malvastrum americanum (L.) TORR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malvastrum coromandelianum GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mammea americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mammea longifolia PLANCH. & TRIANA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mammea suriga (BUCH.-HAM. EX ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mandragora autumnalis SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mandragora officinalis MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mangifera caesia JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mangifera domestica GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mangifera indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mangifera sylvatica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Manihot esculenta CRANTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Manihot utilissima POHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Manilkara hexandra (ROXB.) DUBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Manilkara kauki (L.) DUBJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Manilkara

zapota (L.) VAN ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Manisuris granularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maoutia puya WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mappia foetida MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maranta arundinaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maranta arundinacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marchantia palmata - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marchantia polymorpha - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mariscus concinnus SCHRADER EX NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mariscus javanicus (HOUTT.) MERR. & METCALF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marlea tomentosa ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marrubium vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marsdenia brunoniana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marsdenia hamiltonii W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marsdenia lucida EDGEW. EX MADDEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marsdenia roylei WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marsdenia tenacissima (ROXB.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marsdenia tinctoria R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marsdenia volubilis (L.F). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marsilea dentata KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marsilea grandifolia LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marsilea minuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Marsilea quadrifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Martnia

diandra GLOX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Martynia annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Martynia diandra GLOX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mastersia assamica BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mastixia arborea CB. CLARK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mathiola incana R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Matricaria aurea (Loefl.)Sch. Bip. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Matricaria chamomilla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Matricaria lasiocarpa BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Matricaria recutita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Matthiola flavida BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Matthiola incana R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Matthiola tristis R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mattiastrum thomsonii (CL.) KAZMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maytenus emarginata (WILLD.) DING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maytenus heyneana (ROTHY) RAJU & BABU NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maytenus senegalensis (LAM.) EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mazus japonicus (THUNB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mazus pumilus (BURM.F.) VAN STEENIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meconopsis aculeata ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meconopsis nepaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meconopsis paniculata (D.DON) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meconopsis robusta HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Meconopsis simplicifolia (G.DON)WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meconopsis wallichii HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mecoropsis napaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Medicago lupulina L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Medicago minima L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Medicago polymorpha L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Medicago sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Megacarpaea polyandra BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melaleuca alternifolia (MAIDEN & BETCHE) CHEEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melaleuca cajaputi ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melaleuca leucadendron L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melanorrhoea curtisii OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melanorrhoea usitata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melanorrhoea wallichii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melanthesa rhamnoides (RETZ.) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melanthesa turbinata (ROXB.) WT. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melanthium indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melasma thompsonii (HK.F.) WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melastoma affine D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melastoma asperum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melastoma decemfidum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melastoma malabathricum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melia azadirachta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melia

azedarach L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melia composita WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melia dubia HIERN, NON CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melianthus major LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melica ciliata DUTHIE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melica jacquemontii DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melilotus indica (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melilotus officinalis (L.) PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melilotus parviflora BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meliosma arnottiana WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meliosma simplicifolia (ROXB.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melissa axillaris (BENTH.) BAKH. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melissa officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melissa parviflora BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melocalamus compactiflorus BENTH. F. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melocanna bambusiodes TRIN. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melocanna bambusoides TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melochia corchorifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melodinus monogynus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melothria heterophylla COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melothria indica LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melothria maderaspatana (L.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melothria perpusilla COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melothria

scabra (LINN. F.) PANIGR. ET S.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon amplexicaule ROXB. malabarica CLARKE IN HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon angustifolium WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon edule ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon gracile BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon heyneanum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon malabaricum (CLARKE) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon sessile BENTH. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon talbotianum BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Memecylon umbellatum BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Menanthes sumatrana (MIQ.) BREMEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Menispermum cocculus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Menispermum columba ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Menispermum cordifolium WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Menispermum glabrum BRUM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha aquatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha cordifolia OPHIZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha crispa GARSAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha dumetorium SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha longifolia (L.) HUDS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha mulleriana SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha niliaca JACQ. alopecuroides NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha

piperita STOKES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha pulegium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha rotundifolia (L.) HUDS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha sativa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha spicata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha sylvestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha verticillata D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mentha viridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meriandra benghalensis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meriandra strobilifera BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia dissecta (JACQ.) HALLIER F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia emarginata (BURM.F.) HALL.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia gangetica (L.) CUFO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia hastata (DESR.) HALLIER. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia hederacea (N.BURM.) H.HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia mammosa (LOUR.) HALL. F. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia peltata (Linn.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia tridentata (L.) HAILLIER tridentata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia tridentata (L.) HALL. F. hastata (DESR.) OOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia tridentata (L.)H. HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia tuberosa (LINN.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia turpethum RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia umbellata (L.) HALLIER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Merremia

vitifolia (BURM. F.) HALL. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mesembryanthemum crystallinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mesua ferrea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mesua nagassarium (BURM.F.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Metathelypteris gracilescens (BL.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meyna laxiflora ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meyna spinosa ROXB. EX LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mezoneuron cucullatum (ROXB.) WT. AND ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mezoneuron sumatranum W.A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Michelia champaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Michelia doltsopa BUCH.- HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Michelia montana BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Michelia nilagirica ZENK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Micranthus oppositifolius WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microcos paniculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microglossa pyrifolia (LAM.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microglossa volubilis DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microlepia puberula VAVR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microlepia speluncae (L.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Micromelum hirsutum OSKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Micromelum integerrimum (Buch-Ham) Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Micromelum minutum (FORST. F.) WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Micromelum pubescens BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Micromeria biflora (DON) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Micromeria capitellata BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Micrometum integerrimum (BUCH.-HAM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Micropus xanthopus (FR.) KUNT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microrhynchus nudicaulis LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microsorium alternifolium COPEL.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microsorium punctatum (L.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microsorium scolopendria (BURM.F.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microstegium ciliatum A.CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microstylis muscifera RIDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microstylis saprophyta KING & PANTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microstylis versicolor (LINDL.) ABEYW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microstylis wallichii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microtoena insuavis (HANCE) PRAIN EX DUNN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Microula tibetica BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mikania cordata (BURM. F.) R.L. ROBINSON NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mikania micrantha H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Milium ramosum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Miliusa roxburghiana (GRIFF.) HK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Miliusa tomentosa (ROXB.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Miliusa velutina HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Millettia auriculata BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Millettia caudata (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Millettia

extensa (BENTH.) BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Millettia pachycarpa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Millettia piscidia WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Millettia racemosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Millingtonia hortensis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa abstergens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa amara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa cineraria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa cinerea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa ferruginea ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa flexuosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa hamata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa intsia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa invisa MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa lucida ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa paniculata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa pudica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa pudica L. hispida BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa pudica L. tetrandra (WILLD.)DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa pudica L. unijuga (DUCHASS. & WALP.)GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa rubicaulis AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa rubicaulis LAMK. himalayana (GAMBLE) DHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa spinisilqua KLEIN. EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimosa

suma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimulus moschatus DOUGI. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimulus strictus BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimusops elengi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimusops hexandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimusops indica A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mimusops kauki L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mirabilis jalapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mischocarpus sundaicus Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mitracarpus villosus (SW.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mitragyna parvifolia KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mitragyna parvifollia KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mitragyna rotundifolia KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mnesithea laevis (RETZ.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Modecca palmata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Modecca trilobata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Modecca wightiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moghania bracteata HIU-LIN-LI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moghania chappar KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moghania macrophylla KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moghania nana MUKHSJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moghania phursia O.KTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moghania semialata (ROXB.) MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moghania

stricta (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moghania strobilifera J.ST. HILAIRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moghania tuberosa KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Molineria crassifolia BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Molinia coerulea MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mollugo cerviana SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mollugo hirta THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mollugo lotoides (L.) O. KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mollugo nedicaulis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mollugo nudicaulis LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mollugo oppositifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mollugo pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mollugo spergula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mollugo stricta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Momordica balsamina WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Momordica charantia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Momordica charantia L. charantia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Momordica charantia L. muricata (WILLD.) CHAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Momordica cochinchinensis SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Momordica cymbalaria HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Momordica dioica ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Momordica exserta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Momordica muricata VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Momordica tuberosa COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Momordica umbellata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Monetia barlerioides L HERIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moniera cuneate and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moniera cuneifolia MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Monochoria hastaefolia PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Monochoria hastata SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Monochoria vaginalis PRESL.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Monotropa uniflora L. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morchella esculenta PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morina coulteriana ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morina longifolia WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morina persica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morinda angustifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morinda citrifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morinda coreia BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morinda

pubescens J.E.SMITH IN REES pubescens VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morinda pubescens SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morinda tinctoria ROXB. tomentosa (ROTH) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morinda tomentosa HEYNE EX ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morinda umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moringa concanensis NIMMO EX DALZ. & GIBSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moringa conconensis NIMMO. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moringa oleifera LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moringa pterygosperma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morus acedosa GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morus alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morus australis POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morus laevigata WALL. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Morus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moschosma polystachyum BENTH. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Moullava spicata (DALZ.) NICOLS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna atropurpurea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna bracteata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna capitata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna cochinchinensis Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna gigantea (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna hirsuta WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna

monosperma DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna nigricans (LOUR.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna pruriens (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna prurita HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mucuna utilis Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mukia maderaspatana (L.) M.ROEMER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mukia scabrella (L..F.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mundulea sericea (WILLD.) A. CHEVAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mundulea suberosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Munronia pinnata (WALL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Muntingia calabura L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia edulis (STOKES) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia elata (VAHL) BRUECKNER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia japonica (THUNB) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia nudiflora (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia scapiflora (ROXB.) ROYLE. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia semiteres (DALZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murdannia vaginata (L.) BRUECK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Muricia cochinchinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murraya exotica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murraya koenigii (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Murraya paniculata (L.) JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Musa balbisiana COLLA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Musa

chinensis SWEET. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Musa ornata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Musa paradisiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Musa rosacea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Musa sapientum O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Musa sapietum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Musa superba ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Musa textilis NEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Musa troglodytarum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Musa velutina WENDL. & DRUDE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mussaenda belilla BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mussaenda erythrophylla SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mussaenda frondosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mussaenda glabra VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mussaenda glabrata VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mussaenda hirsutissima (HOOK. F.) HUTCHINSON EX GAMBLE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mussaenda laxa (HOOK. F.) HUTCH EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mussaenda macrophylla WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mussaenda roxburghii HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mutilla occidentalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mylitta lapidescens HORAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myosoton aquaticum (L.) MOENCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myrica cerifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myrica

esculenta BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myrica integrifolia ROXY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myrica nagi THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myrica pensylvanica LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myrica sapida WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myricaria bracteata ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myricaria coulteriana ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myricaria elegans ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myricaria germanica DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myriogyne minuta LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myrioneuron nutans WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myriophyllum spicatum LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myristica argentea WARB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myristica dactyloides GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myristica fragrans HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myristica laurifolia HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myristica malabarica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myristica moschata THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myristica officinalis L..F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myropyrum similacifolium BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myrsine africana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myrsine capitellata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myrsine semiserrata WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myrsine

serrata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myrtus caryophyllata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myrtus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myxopyrum serratulum A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Myxopyrum smilacifolium BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nannorrhops ritchieana H. WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Naravelia zeylanica DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Narcissus tazetta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nardostachys grandiflora DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nardostachys jatamansi DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Naregamia alata WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Naringi alata (WALL. EX WIGHT & ARN.) EL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Naringi crenulata (ROXB.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nasturtium fontanum ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nasturtium indicum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nasturtium officinale R. BR. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nasturtium palustre DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Natsiatum herpeticum BUCH.-HAM. EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nauclea aculeata H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nauclea cadamba ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nauclea missionis WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nauclea orientalis (L.) L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nauclea ovalifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nauclea

sessilifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neanotis hirsuta (L.F.) LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neanotis rheedei (WIGHT & ARN.) W.H.LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neillia thyrsiflora DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neisosperma oppositifolium (Lamk.) Fosb. & Sach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nelsonia canescens (LAM.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nelumbium speciosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nelumbo nucifera GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neodissochaeta celebica (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neolamarckia cadamba (ROXB.) BOSSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neolitsea cassia (L.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neolitsea chinensis (LAM.) CHUN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neolitsea scrobiculata (MEISSNER) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neolitsea umbrosa (NEES) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neolitsea zeylancia (NEES) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neonauclea sessilifolia (ROXB.) MERR. NULL and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepenthes distillatoria AUCT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepenthes khasiana KH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta cataria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta ciliaris BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta coerulascens MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta connata ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta discolor ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta

elliptica ROYLE EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta eriostachya BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta floccosa BTH. LAB. GEN. & SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta glomerulosa BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta glutinosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta hindostana (ROTH) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta leucophylla BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta longibracteata (BENTH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta malabarica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta podostachys BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta royleana STEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta ruderalis HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nepeta spicata BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nephelium lappaceum LINN. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nephelium litchi (LOUR.) GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nephelium longana CAMB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nephelium stipulaceum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nephrolepis biserrata SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nephrolepis cordifolia (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nephrolepis multiflora (ROXB.) JARRETT EX MORTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neptunia natans (L. F.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neptunia oleracea LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neptunia prostrata (LAM.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neptunia

triquetra BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nerium antidysentericum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nerium coronarium JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nerium indicum MILLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nerium odorum SOLANED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nerium oleander L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nerium tomentosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nervilia aragoana GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nervilia plicata SCHLTR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nervilia prainiana (KING & PANTL) SCIDEN.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nesaea lanceolata (WT. &ARN.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nesaea prostrata (DILLWYN) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neuracanthus sphaerostachyus DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Neuracanthus trinervis WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nicandra physalodes (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nicotiana macrophylla SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nicotiana plumbaginifolia VIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nicotiana rustica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nicotiana tabacum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Niebuhria linearis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nigella damascena LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nigella sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nilgirianthus ciliatus (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Nilgirianthus heyneanus (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nipa fruticans WURMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nomocharis nana (KLOTZ.)WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nopalea cochenillifera (L.) LYONS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nothapodytes nimmoniana (GRAH.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Notholaena eckloniana KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nothopanax fruticosum MIQ. FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nothopegia castaneifolia (Roth)Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nothopegia colebrookiana BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nothosaerva brachiata WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Notonia grandiflora DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nyctanthes arbor-tristis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphaea alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphaea caerulea SAVIGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphaea cyanea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphaea edulis D.C and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphaea lotus HOOK. F. (NON L). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphaea nouchali BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphaea odorata AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphaea pubescens WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphaea rubra ROXB. EX ANDREWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphaea stellata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphaea stellata WILLD. cyanea H.F. & T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Nymphaea tetragona GEORGI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphoides cristata (ROXB.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphoides hydrophylla (LOUR.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphoides indica (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphoides indicum (L.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphoides macrospermum VASUDEVAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphoides peltata (GMEL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nypa fruticans Wurb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochlandra brandisii GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochlandra rheedii BENTH. & HOOK. F. EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochlandra scriptoria (DENNST.) C.E.FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochlandra travancorica GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochna gamblei KING(SONARI) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochna jabotapita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochna lanceolata KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochna obtusata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochna pumila HAM. EX D. DON PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochna squarrosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochradeneus baccatus DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochradenus baccatus DEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochreinauclea missionis (WALL.EX G.DON) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochrocarpus longifolius (WIGHT) T.ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ochthochloa coracana EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum

adscendens WIGHT EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum americanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum basilicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum basilicum L. basilicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum basilicum L. majus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum basilicum L. pilosum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum basilicum L. minimum DAMERT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum canum SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum caryophyllatum SCHWEIG EX. SCHRAUK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum gratissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum kilimandscharicum GUERKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum pilosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum polystachyon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum prostratum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum sanctum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ocimum tenuiflorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Odina pinnata KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Odina wodier ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oenanthe javanica (BI.)DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oenothera biennis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olax acuminata WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olax imbricata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olax nana

WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olax scandens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oldenlandia auricularia K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oldenlandia biflora LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oldenlandia corymbosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oldenlandia dichotoma HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oldenlandia diffusa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oldenlandia fruticosa (L.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oldenlandia glandulifera WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oldenlandia herbacea (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oldenlandia heynii BR. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oldenlandia umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olea cuspidata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olea dioica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olea europea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olea ferruginea ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olea glandulifera WALL. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Olea polygama WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oleandra neriiformis CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oleandra pistillaris (SW.) C.CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oleandra wallichii PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oligochaeta ramosa (ROXB.) WAGEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oligomeris linifolia (VAHL) MACB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Onosma

bracteatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Onosma echioides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Onosma hispidum WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Onosma hookeri CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Onychium contiguum (WALL.) HOPE.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Onychium japonicum O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Onychium siliculosum (DESV.) C. CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Operculina petaloidea (CHOISY) OOSTSTROOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Operculina turpethum (L.) S. MANSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophelia angustifolia D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophelia chiraita GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophelia densifolia GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophelia elegans WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophelia multiflora DATZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiocephalus striatus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophioglossum costatum R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophioglossum fibrosum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophioglossum nudicaule L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophioglossum pendulum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophioglossum thermale KUMAROV NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophioglossum vulgaatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophioglossum vulgatum (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiopogon intermedius DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Ophiopogon japonicum KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiopogon malcolmsonii ROYLE EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiopogon wallichianus HOOK.F. PAUCIFLORA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza mungos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza nicobarica BALAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza nutans C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza ochroleuca HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza pauciflora HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiorrhiza rugosa WALL. ARGUITEA DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophioxylon serpentinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophiuros exaltatus KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ophrestia pentaphylla (DALZ.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opilia amentacea ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oplismenus burmannii (RETZ.) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opopanax chironium KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opuntia cochinellifera MILL. GARD. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opuntia dillenii (KER-GAMIER) HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opuntia elatior MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opuntia ferox HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opuntia ficus-indica (L.) MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opuntia monacantha HAW. SUPPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opuntia nigricans HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opuntia stricta (HAW.) HAW. dillenii (KER.GAWL)BENSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Opuntia

vulgaris MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orchis chusua D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orchis habenarioides K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orchis latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orchis laxiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orchis mascula L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orchis spathulata L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oreocnide frutescens (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oreocnide integrifolia (GAUD) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Origanum majorana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Origanum vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ormocarpum cochinchinense (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ormocarpum sennoides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ormosia travancoria BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orobanche aegyptiaca PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orobanche solmsii CLARKE EX. HOOK.F. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orophea katschallica KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oroxylum indicum (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orthosiphon aristatus (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orthosiphon diffuses BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orthosiphon glabratus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orthosiphon grandiflorus BOLDINGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orthosiphon incurvus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Orthosiphon pallidus ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orthosiphon rubicundus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orthosiphon spiralis (LOUR) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orthosiphon stamineus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orthosiphon thymiflorus (ROTH.) SLEASEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orygia decumbens FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oryza granulata Nees. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oryza meyeriana (Zoll.&Mor.)Baill granulata Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oryza mutica STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oryza rufipogon GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oryza sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia aspera BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia capitata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia crinita BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia cupularis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia nepalensis HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia sexatilis (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia sikkimensis CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia stellata KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osbeckia zeylanica L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osmanthus fragrans LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osmunda claytoniana L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osmunda

regalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osyris arborea WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osyris quadripartita SALZ EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Osyris wightiana WALL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Othonnopsis intermedia BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Otostegia aucheri BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Otostegia limbata HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ottelia alismoides (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ougeinia dalbergioides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ougeinia oojeinensis (ROXB.) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ouratea angustifolia BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxalis acetosella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxalis corniculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxalis corymbosa DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxalis debilis H.B.K. corymbosa (DC.) LOUR. 0. C0. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxalis latifolia H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxalis martiana ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxalis pubescens H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxyria digyna (L.) HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxyspora paniculata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxystelma esculentum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxystelma secamone (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxytenanthera nigrociliata MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Oxytenanthera thwaitesii MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxytropis lapponica (WAHL.) GAY. CORRESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxytropis mollis ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxytropis tatarica BUNGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pachygone ovata (POIR.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pachygone zeylanica (GAERTN) SANT. & WAGH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pachyrrhizus angulatus RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pachyrrhizus erosus (L.) URBAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pachystoma senile (LINDL.) REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Padus cornuta (WALL. EX ROYLE) CARR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paederia foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paederia scandens (LOUR.) MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paederia tomentosa BLUME BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paeonia emodi WALL. EX. ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pajanelia longifolia (WILLD.) K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Palaquium ellipticum (DOLZ.) BAILLON and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Palhinhaea cernua (L.) FRANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pamburus missionis (WIGHT) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panax ginseng MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panax pseudoginseng WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panax quinquefolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panax wangianus Sun and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pancratium triflorum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Pancratium zeylanicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), PKalamnus fascicularis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), PKalamnus foetidus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), PKalamnus furcatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), PKalamnus kaida KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), PKalamnus odoratissimus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), PKalamnus tectorius AUCT. NON SOLAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), PKalamnus thwaitesii MARTELLI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), PKalamnus unipapillatus DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum antidotale RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum argyptiacum HORT. EX ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum brizoides JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum crus-corvi L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum flavo-marginatum MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum floro-marginatum MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum frumentaceum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum grossarium GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum grosslarium GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum incomtum TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum isachne ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum italicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum macimum FACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum maximum JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum

miliaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum milliare AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum psilopodium TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum psilopodium TRIN. psilopodium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum sarmentosum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum stagninum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Panicum sumatrense ROTH EX ROEM. ET SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Papaver argemone L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Papaver dubium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Papaver hybridum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Papaver nudicaule L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Papaver orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Papaver rhoeas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Papaver somniferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paphiopedilum druryi (BEDD.) STEIN. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paracalyx scariosa (ROXB.) ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paraleptochilus decurrens (BLUME) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parameria barbata (BI.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parameria polyneura HOOK.R. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paramignya angulata KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paramignya longispina HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Paramignya monophylla WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pardanthus chinensis KER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paris polyphylla SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parkia biglandulosa WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parkia javanica MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parkia roxburghii G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parkia timoriana (A. DC.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parkinsonia aculeata L.SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parmelia cirrhata FR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parmelia kamstchadalis ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parmelia nilgherrensis NYL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parmelia perforata ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parmelia perlata (HUDS.) ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parmignya monophylla WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parnassia laxmannii PALL. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parnassia nubicola HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parnassia palustris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parnassia pusilla HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parochetus communis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parsonsia alboflavescens (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parsonsia helicandra HOOK. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parsonsia laevigata (Moon) Alston. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Parsonsia spiralis WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Parthenium hysterophorus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pasania truncata (KING) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paspalum conjugatum BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paspalum distichum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paspalum scrobiculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paspalum scrobiculatum L. commersonii STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora assamica CHAKRAVARTY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora edulis SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora incarnata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora perpera MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Passiflora quadrangularis LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Paullinia cupana H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pausinystalia yohimba PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta crassicaulis BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta indica L. minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavetta tomentosa ROXB. EX SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavonia odorata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavonia procumbens SOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavonia propinqua GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavonia repKalam (J.E. SM.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavonia zeylanica CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Payena

lucida A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pecteilis susannae (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pedalium murex L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pedicularis bicornuta CLOTZ. EX. GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pedicularis cheilanthifolia SCHRENK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pedicularis comosa LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pedicularis longiflora RUDOLPH tubiformis (KLOTZSCH)PENNEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pedicularis pectinata WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pedicularis pycnantha BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pedicularis pyramidata ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pedicularis siphonantha D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pedilanthus tithymaloides (L.) POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peganum harmala L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pegia nitida COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pegolettia senegalensis CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pegonatherum crinitum KUNTH. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pelargonium graveolens L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pelargonium roseum R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peliosanthes bakeri HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peliosanthes teta ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pellaea colomelanos LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pellaea hastata (THUNB) PRANTL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peltigera canina WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Peltophorum dasyrhachis (MIQ.)KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peltophorum pterocarpum (DC.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pemphis acidula FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pennisetum alopecuroides (L.) SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pennisetum americanum (L.) LEEKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pennisetum compressum R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pennisetum flaccidum GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pennisetum glaucum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pennisetum spicatum ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pennisetum typhoides (BURM.F.) STAPF ET HUBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pennisetum typhoideum (RICH) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentanema indicum (L.) LING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentaneura khasiana KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentapetes phoenicea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentaptera tomentosa BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentatropis capensis (L.F.) BULLOCK and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentatropis cynanchoides R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentatropis microphylla (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentatropis nivalis (GMEL.) FIELD & WOOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentatropis spiralis DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peperomia pellucida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peperomia reflexa (L.F.) A. DIETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peperomia tetraphylla (G.FORST.) HOOK. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peranama

cyatheoides D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pergularia aktensa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pergularia daemia (FORSK.) CHOIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pergularia extensa N.E.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pergularia tomentosa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pericampylus glaucus (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pericampylus incanus MIERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Perilepta auriculata (NEES) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Perilla frutescens (L.) BRITT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Periploca aphylla DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Periploca indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Periploca sylvestris RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristrophe bicalyculata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristrophe bivalvis MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristrophe paniculata (FORSK.) BRUMMITT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristrophe roxburghiana (SCHULT.) BREMEK. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peristylus stocksii (HK.F.) KRANZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Perotis indica (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Perovskia abrotanoides KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Perovskia atriplicifolia BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persea fructifera KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persea gamblei (KING EX HK.F.) KOST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Persea macrantha (NEES) KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Petrea

volubilis GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Petroselinum crispum NYM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peucedanum aucheri BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peucedanum dhana BUCH.-HAM.EX CLARKE DALZELII C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peucedanum grande CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peucedanum graveolens BENTH. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Peucedanum nagpurense (CI.) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaius grandifolius LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaius tancarvilleae (L. HERIT.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaius wallichii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phalaenopsis amabilis LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phalaris arundinacea L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phalaris canariensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phallus rubicundus (BOSC.) FRIES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pharbitis nil CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pharnaceum cerviana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pharnaceum mollugo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus aconitifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus adenanthus G.F. MEYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus aureus ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus dalzellii COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus lunatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus mungo (L) MANT. radiatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus

mungo (L) MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus pauciflorus DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus radiatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus roxburghii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus semierectus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus sublobatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus trilobus AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaseolus vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaulopsis dorsiflora (RETZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phaulopsis imbricata (FORSK.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phlegmariurus phlegmaria (L.) SEN & SEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phlogacanthus curviflorus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phlogacanthus guttatus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phlogacanthus jenkinsii C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phlogacanthus pubinervis T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phlogacanthus thrysiflorus WALL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phlogacanthus thyrsiflorus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phlogacanthus thyrsiformis (HARD.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phlomis bracteosa ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoebe lanceolata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoebe wightii MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoenix acaulis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoenix asperulatus HUTCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoenix

dactylifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoenix farinifera ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoenix humilis ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoenix loureirii KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoenix paludosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoenix pusilla GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoenix sylvestris ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pholidota chinensis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pholidota imbricata (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phoradendron leucarpum (RAF.) REV. & M.C. JOHNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Photinia notoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Photinia serrulata LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phragmites australis (CAV.) TRIN. EX STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phragmites communis TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phragmites karka TRIN. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phragmites maxima BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phragmites roxburghii (KUNTH) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phrymium dichotoma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyla nodiflora (L.) GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllagathis rotundifolia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus acidus (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus airy-shawii BRUNEL & ROUX and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Phyllanthus amarus SCHUM. & THENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus clarkei HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus debilis KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus distichus (L.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus emblica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus fraternus WEBSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus gomphocarpus HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus indofischeri BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus maderaspatensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus missionis HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus mukherjeeanus MITRA ET BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus multiflorus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus niruri SENSU HOOK.F.Non Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus polyphyllus DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus reticulatus POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus rhamnoides WILLD and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus rheedii WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus simplex RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus urinaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllanthus virgatus G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllocephalum indicum (LESS.) KIRKMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllochlamys taxoides KOORDERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phyllostachys bambusoides SIEB. & ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Phymatodes ebenipes (HOOK.) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phymatodes scolopendria (BURM.) CHING. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Physalis alkekengi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Physalis alkekengi LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Physalis angulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Physalis divaricata D.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Physalis flexuosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Physalis indica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Physalis minima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Physalis peruviana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Physochlaina praealta (DECNE) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Physostigma venenosum BALF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phytolacca acinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phytolacca americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Phytolacca lathenia (MOQ.) HANS WALTERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Picarasma guassioides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Picea abies (L.) KARST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Picrasma javanica BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Picrasma nepalensis BENN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Picrasma quassioides BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Picris hieracioides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Picrorhiza kurroa ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Picrorhiza scrophulariiflora PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Picrorrhiza kurrooa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pieris ovalifolia D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pilea microphylla (L.) LIEBM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pilea umbrosa WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piliostigma malabaricum (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pilocarpus jaborandi HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimenta acris KOSTEL ALLG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimenta racemosa J. W. MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimpinella anisum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimpinella bracteata HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimpinella diversifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimpinella heyneana (WALL. EX DC.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimpinella involucrata MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimpinella saxifraga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimpinella stocksii BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pimpinella tirupatiensis BAL. & SUB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinanga dicksonii (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinanga manii BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinus dammara LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinus deodara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinus excelsa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinus gerardiana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinus griffithi M. CLELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinus

insularis ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinus kesiya GORDON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinus longifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinus maritima LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinus merkussi JUNGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinus picea PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinus roxburghii SARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinus sylvestris LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinus wallichiana JACKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pinus webbiana WALL. EX. LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper argyrophyllum MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper attenuatum BUCH.-HAM. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper aurantiacum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper auranticum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper baccatum CAS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper bachystachyum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper bantamense BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper barberi GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper betele LINN. SIRIBOA (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper betle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper betleoides C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper boehmeriaefolium WALL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper caninum BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper

chaba HUNTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper clusii C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper crassipes KORTH. EX. C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper cubeba L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper dichotomum HORT. PAR. EX KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper diffusum VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper gamblei CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper griffithii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper guineense SCHUM & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper lanceolatum RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper longum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper mullesua D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper officinarum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper pedicellatum C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper pedicellosum WALL.EX CASS. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper peepuloides ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper retrofractum VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper ribesioides WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper sarmentosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper sylvaticum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper thomsoni Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper thomsonii HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper

trichostachyon (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper trioicum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Piper wallichii (MIQ.) HAND MAZZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pipturus velutinus WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pisonia aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pisonia alba SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pisonia grandis R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pisonia mitis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pisonia morindifolia R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pisonia umbellata (FORST.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pistacia chinensis BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pistacia chinensis BUNGE integerrima (STEW) RECH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pistacia integerrima STEW. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pistacia khinjuk STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pistacia lentiscus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pistacia terebinthus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pistacia vera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pistia stratiotes L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pistia stratiotes LINN. CUNEATA ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pisum arvense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pisum sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pithecellobium angulatum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pithecellobium bigeminum MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Pithecellobium clypearia BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pithecellobium dulce (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pithecellobium fasciculatum BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pithecellobium globosum KOSTERM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pithecellobium lobatum BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pithecellobium monadelphum (ROXB.) KOSTER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pithecolobium dulce BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pithecolobium subcoriaceum THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pithecolobium umbelletum (VAHL.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum floribundum SENSU HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum nepaulense (DC.) REHDER & WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum nilghirense WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum tetraspermum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pityrogramma calomelanos (L.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Planchonella obovata (R.BR.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago amplexicaulis CAV. bauphula (EDGEW.) RECH. F. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago arenaria DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago brachyphylla EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago ciliata DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago depressa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago erosa WALL. IN ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago himalaica PILG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago

ispaghula ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago lagocephala BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago lanceolata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago major L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago media L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago ovata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago psyllium LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago pumila WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago stocksii BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plantago tibetica HK. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Platanthera susannae (L.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Platanus orientalis LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Platostoma africanum BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Platostoma africanus BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Platostoma flaccidum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plecospermum spinosum TREC. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus ambonicus (LOUR.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus barbatus ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus coetsa HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus fruticosus WIGHT EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus incanus LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus japonicus (BURM.F) KOIDZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus lophanthoides (DON) GRIER. & LONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Plectranthus mollis (AITON) SPLRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus nilgherricus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus rugosus WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus striatus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus ternifolius D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectranthus vettiveroides (JACOB) SINGH & SHARMA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectronia didyma KURZ FOR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plectronia parviflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pleione maculata (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pleiospermium alatum (WALL. EX WT. & ARN.) SURINGLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pleopeltis contorta (CHRIST.) PANIGR. & PATAV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pleopeltis lanceolata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pleopeltis macrocarpa (BORRY EX WILLD.) KAULF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pleopeltis nuda HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plesmonium margaretiferum (ROXB.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pleurospermum angelicoides (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pleurospermum brunonis (DC.)BENTH. EX. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pleurospermum candollei (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pleurostylia opposita (WALL.) ALSTON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pluchea indica LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pluchea lanceolata OSKIN & HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pluchea pinnatifida HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pluchea tomentosa DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pluechea

indica LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumbago auriculata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumbago capensis THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumbago indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumbago rosea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumbago zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumeria acuminata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumeria acutifolia POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumeria alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumeria rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumieria acutifolia POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumieria alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plumieria rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Poa cynosuroides RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Poa malabarica KLEIN.EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Podocarpus latifolia BLUME and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Podocarpus neriifolius DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Podophyllum emodi WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Podophyllum hexandrum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Podophyllum peltatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Poeciloneuron indicum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Poeciloneuron pauciflorum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogonatherum crinitum (THUNB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogonia

plicata (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon auricularis (L.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon benghalensis (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon cablin (BLANCO) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon elsholtzioides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon heyneanus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon paniculatus (WILLD.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon parviflorus BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon patchouli PELLET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon plectranthoides DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon pubescens BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon purpurascens DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon vestitus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pogostemon villosus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Poikilospermum suaveolens (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Poinciana elata L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Poinciana gilbesii HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Poinciana pulcherrima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polanisia felina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polanisia icosandra WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polemonium caeruleum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polianthes tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyalthia cerasoides (ROXB.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyalthia

coffeoides (HOOK.F.&THOMS.) BENTH. & HOOK.F. EX. HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyalthia fragrans BENTH. & HOOK. F. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyalthia korinti (DUNAL) BENTH. & J.HOOK. EX J.HOOK. & TH oms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyalthia longifolia BENTH. & HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyalthia simiarum BENTH. & HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyalthia suberosa (ROXB.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyanthes tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polycarpaea corymbosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polycarpon prostratum (FORSK.) ASCH. & SCHWEINF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala abyssinica (R.BR.) FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala arillata HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala arvensis WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala crotalarioides HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala elongata KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala erioptera DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala glomerata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala irregularis BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala leptalea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala longifolia POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala persicaraefolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala senega L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala sibirica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala

telephioides WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala vulgaris THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygallata arillata BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonatum cirrhifolium ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonatum multiflorum (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonatum verticillatum (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum affine DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum alatum HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum alpinum ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum amphibium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum amplexicaule DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum auriculatum MEISN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum aviculare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum barbatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum bistorta L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum bistorta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum capitatum BUCH.-HAM. EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum chinense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum chinense LINN. SUBHASTATA MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum convolvulus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum cymosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum flaccidum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum glabrum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Polygonum hydropiper LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum lapathifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum macrophyllum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum minus HUDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum molle D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum multiflorum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum nepalense MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum paronychioides MEYER EX HOHEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum perfoliatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum persicaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum plebeium R. BR. EFFUSA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum plebeium R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum polystachyum WALL. EX MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum posumbi HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum pulchrum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum recumbens ROYLE EX BAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum roettleri ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum rumicifolium ROY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum serrulatum LAGASCA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum sphaerostachyum MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum stagninum (BUCH.-HAM. EX MEISSN.) STEWARD stagninum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum stewartianum DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Polygonum strigosum BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum tenellum BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum tomentosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum tortuosum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum vaccinifolium WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum virginianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygonum viviparum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polypodium irioides LAMK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polypodium quercifolium L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polypodium vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyporus anthelminticus BERK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyporus officinalis FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyscias fruticosa (L.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polysolenia wallichii HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polystichum aculeatum (L.) ROTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polystichum biaristatum (BLUME) MOORE NULL and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polystichum squarrosum (D.DON) FEE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polytoca barbata STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polytrichum juniperinum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pometia pinnata Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ponerorchis chusua (D.DON) SOO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pongamia glabra VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pongamia pinnata (L.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Pontederia vaginalis BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Populus alba LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Populus caspica BORNM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Populus ciliata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Populus euphratica OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Populus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Porana paniculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Porphyra umbilicalis (L.) AG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Porphyra vulgaris LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulaca grandiflora HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulaca guadrifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulaca meridiana LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulaca oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulaca pilosa LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulaca quadrifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulaca sativa LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulaca tuberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla anserina LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla arbuscula D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla argyrophylla WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla atrosanguinea LODD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla bifurca L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla fragarioides LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla

fruticosa L. rigida (LEHM.) WOLF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla fulgens WALL. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla gerardiana LINDL. EX LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla kleiniana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla lineata TREVIR EX REICH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla moonaiana WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calophyllum inophyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calophyllum polyanthum Wall.ex Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia cowa Roxb. ex DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia gummi-gutta (L.) Robs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia mangostana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia morella (Gaertn.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia papilla Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia rubro-echinata Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia spicata (Wight & Arn.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia talbotii Raiz. ex Sant and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia wightii T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Garcinia xanthochymus Hook. f. ex. T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum androsaemum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum humifusum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum japonicum Thunb. ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum mysurense Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Hypericum patulum Thunb ex Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum uralum Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hypericum wightianum Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mammea suriga (Buch. - Ham. ex Roxb.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mesua ferrea L. subsp. ferrea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mesua ferrea L. subsp. pulchella (Planch. & Triana) Vesque var. pulchella and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mesua ferrea L. subsp. pulchella (Planch. & Triana) Vesque var. coromandeliana (Wight) Mahesh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Poeciloneuron indicum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Poeciloneuron pauciflorum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Camellia japonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Camellia sinensis (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eurya nitida Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gordonia obtusa Wall ex Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schima wallichii (DC.) Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ternstroemia japonica (Thunb.) Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saurauia fasciculata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saurauia napaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stachyurus himalaicus Hook. f. & Thoms. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dipterocarpus indicus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hopea erosa (Bedd.) van Sloot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hopea glabra Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hopea parviflora Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hopea ponga (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hopea

utilis (Bedd.) Bole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Shorea roxburghii G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vateria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ancistrocladus heyneanus Wall. ex Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abelmoschus angulosus Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abelmoschus esculentus (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abelmoschus ficulneus (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abelmoschus manihot (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abelmoschus moschatus Medicus subsp. tuberosus (Span.) Borss.Waalk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon crispum (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon hirtum (Lam.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon indicum (L.) Sweet subsp. indicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon indicum (L.) Sweet subsp. guineense (Schumach.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon megapotamicum (Spreng.) Mill. & Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon neilgherrense Munro ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon pannosum (Forst. f.) Schlect and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon persicum (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon ramosum (Cav.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon striatum Dickson ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Abutilon theophrastii Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alcea rosea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Decaschistia crotonifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Decaschistia rufa Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Gossypium arboreum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gossypium barbadense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gossypium herbaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gossypium hirsutum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus canescens Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus cannabinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus furcatus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus hirtus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus lobatus (Murr.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus lunariifolius Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus mutabilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus micranthus L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus panduriformis Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus platanifolius (Willd.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus radiatus Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus rosa-sinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus sabdariffa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus schizopetalus (Mast.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus surattensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus syriacus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus tiliaceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus trionum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hibiscus vitifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kydia

calycina Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malachra capitata (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malva parviflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malva sylvestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malva verticillata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malvastrum coromandelianum (L.) Garcke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malvaviscus arboreus Cav. var. arboreus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malvaviscus arboreus Dill ex Cav. var. penduliflorus (DC.) Schery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Modiola caroliniana (L.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavonia odorata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavonia procumbens (Wall ex. Wight & Arn.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pavonia zeylanica (L.) Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Plagianthus pulchellus A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida acuta Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida cordata (Burm. f.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida cordifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida mysorensisWight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida rhombifolia L. var. rhombifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida rhombifolia L. var. retusa (L.) Borss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida schimperiana Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thespesia lampas (Cav.) Dalz. ex Dalz. & Gibs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thespesia populnea (L.) Soland ex Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urena

lobata L. subsp. lobata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urena lobata L. subsp. sinuata (L.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Adansonia digitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bombax ceiba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bombax ellipticum Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bombax insigne Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ceiba pentandra (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chorisia speciosa St. Hil. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cullenia exarillata Robyns and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Durio zibethinus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Byttneria herbacea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cola acuminata (P. Beauv.) Schott & Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dombeya acutangula Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dombeya burgessiae Gerr. ex Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dombeya mastersii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dombeya mollis Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dombeya platanifolia Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dombeya spectabilis Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dombeya wallichii (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriolaena hookeriana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriolaena lushingtonii Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriolaena quinquelocularis (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eriolaena stocksii Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Firmiana

colorata (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Guazuma ulmifolia Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Helicteres isora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Heritiera papilio Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hildegardia populnifolia (Roxb.) Schott & Endl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kleinhovia hospita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Leptonychia moacurroides Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melhania balakrishnanii K.Ravik., R.Ganesan & K.Ramamurthy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melhania cannabina Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melhania hamiltoniana Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melhania incana Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melochia corchorifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melochia nodiflora Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Melochia pyramidata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pentapetes phoenicea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterospermum acerifolium (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterospermum canescens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterospermum diversifolium Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterospermum obtusifolium Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterospermum reticulatum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterospermum rubiginosum Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterospermum xylocarpum (Gaertn.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterygota alata (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sterculia

balanghas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sterculia foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sterculia guttata Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sterculia urens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sterculia villosa Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Theobroma cacao L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Waltheria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berrya cordifolia (Willd.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berrya javanica (Turez.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus aestuans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus capsularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus fascicularis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus olitorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus tridens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus trilocularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corchorus urticifolius Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia abutilifolia Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia abutilifolia Vent. ex Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia barberi Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia bracteata Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia damine Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia flavescens Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia gamblei Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia

heterotricha Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia hirsuta Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia lanceaefolia Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia nervosa (Lour.) Panigr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia oppositifolia Buch - Ham ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia orbiculata Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia pKalamica Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia rhamnifolia Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia rothii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia serrulata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia tenax (Forsk.) Fiori and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia tiliifolia Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia umbellifera Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Grewia villosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Muntingia calabura L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triumfetta annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triumfetta pentandra A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triumfetta pilosa Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triumfetta rhomboidea Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triumfetta rotundifolia Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus amoenus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus blascoi Weibeln and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Elaeocarpus lanceifolius Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus munronii (Wight) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus recurvatus Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus rugosus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus serratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus glandulosus Wall. ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus tuberculatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elaeocarpus venustus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hugonia mystax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Linum mysurense Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Linum usitatissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Reinwardtia indica Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythroxylum coca Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythroxylum lanceolatum (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythroxylum monogynum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythroxylum moonii Hochr. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erythroxylum obtusifolium (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aspidopterys canarensis Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aspidopterys indica (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Galphimia gracilis Bartl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hiptage benghalensis (L.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hiptage obtusifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hiptage parvifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malpighia

coccigera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malpighia glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malpighia heternantha Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Malpighia punicifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tristellateia australasiae A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Balanites aegyptiaca (L.) Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fagonia cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Guaiacum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tribulus lanuginosis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tribulus subramanii P. Singh, Giri & V. Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Erodium moschatum (L.) L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Geranium nepalense Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pelargonium capitatum (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pelargonium cucullatum (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pelargonium x domesticum L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pelargonium graveolens L' Herit and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pelargonium grossularioides (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pelargonium x hortorum L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pelargonium inquinans (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pelargonium peltatum Soland. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tropaeolum majus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tropaeolum pentaphyllum Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Limnanthes douglasii R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Biophytum insignis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biophytum intermedium Wight var. pulneyensis Edgew. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biophytum longibracteatum Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biophytum nudum (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biophytum polyphyllum Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biophytum proliferum (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biophytum reinwardtii (Zucc.) Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biophytum sensitivum (L.) DC. var. sensitivum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biophytum sensitivum (L.) DC var. candolleanum (Wight) Edgew . & Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Biophytum sensitivum (L.) DC var. nervifolium (Thw.) Edgew . & Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxalis acetosella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxalis cernua Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxalis corniculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxalis corymbosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxalis deppei Lodd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxalis latifolia H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxalis pubescens H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oxalis variabilis Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Averrhoa bilimbi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Averrhoa carambola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydrocera triflora (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens acaulis Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens auriculata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens

balsamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Impatiens campanulata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla multifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla nepalensis HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla reptans LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla salesoviana STEPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla sericea LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla sibbaldi HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla sundaica (BL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Potentilla supina LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pothomorphe subpeltata (WILLD.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pothos cathcarti SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pothos kunstleri HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pothos officinalis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pothos scandens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia bennettiana WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia frondosa (DON) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia hirta HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia indica GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia quinquenervis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia sanguinea (BI.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia viminea WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pouzolzia zeylanica (L.) BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prangos

pabularia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pratia begonifolia (WALL.) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pratia nummularia KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna barbata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna coriacea CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna corymbosa ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna divaricata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna esculenta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna flavescens HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna integrifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna latifolia ROXB. mucronata C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna macrophylla WALL. EX SCHAUER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna mucronata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna obtusifolia R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna parasitica BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna serratifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna spinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna thyrsoidea WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna tomentosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Premna villosa CLARKE IN HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Primula denticulata HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Primula

macrophylla D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Primula reticulata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prinsepia utilis ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prismatomeris tetrandra K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Priva cordifolia (L.F.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Priva leptostachya JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pronephrium nudatum (ROXB. EX GRIFF.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prosopis chilensis (MOLINA) STUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prosopis cineraria (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prosopis farcta (SOL EX RUSS) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prosopis juliflora (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prosopis spicigera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Protium kataf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Protium pubescens ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Protium serratum (COLEBR) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus amygdalus BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus armeniaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus avium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus carmesiana HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus cerasoides D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus cerasus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus ceylanica (WT.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus communis FRITSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus

communis HUDS. insitia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus cornuta (ROYLE) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus domestica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus dulcis (MILLER) D.A. WEBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus insititia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus mahaleb L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus malus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus persica BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus puddum (WALL.) ROXB. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus salicina LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus triflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Prunus undulata HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Przewalskia tangutica MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psalliota campestris L FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psammogeton biternatum EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psammogeton canescens (DC.) VATKE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseudarthria viscida WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseuderanthemum bicolor (SCHRANK.) RADIK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseuderanthemum platiferum (WALL.) RADLK. EX LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseudodissochaeta assamica (CL.) NAYAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseudodrynaria caronas (WALL. EX METT.) CHING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseudognaphalium luteoalbum (L.) HILL. & BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pseuduvaria prainii (KING) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psidium

cattleyanum SABINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psidium guajava L. pomiferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psidium guyava L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psidium pomiferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psidium pyriferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psidium quajava L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psilanthus travancorensis (WIGHT & ARN.) LERAY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psilotrichum trichotomum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psilotum nudum BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psophocarpus tetragonolobus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psoralea corylifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psoralea plicata DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psoralea tetragonoloba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria calocarpa KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria curviflora THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria dalzelii J. HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria glandulosa (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria ipecacuanha LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria montana BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria sarmentosa BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychotria viridiflora REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Psychrogeton andryaloides (DC) NOVOP. EX KRASH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pteridium aquilinum (L.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pteris

aquilina BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pteris biaurita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pteris cretica L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pteris ensiformis BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pteris longipes DON F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pteris multifida POIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pteris vitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pteris wallichiana AGARDH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pternandra coerulescens JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterocarpus dalbergioides ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterocarpus indicus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterocarpus marsupium ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterocarpus santalinus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterococcus corniculatus (SM.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterocymbium javanicum R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterolobium hexapetalum (ROTH) SANT. & WAGH NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pteropyrum olivierii JAUB. & SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterospermum acerifolium WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterospermum canescens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterospermum diversifolium BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterospermum heyneanum WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterospermum rubiginosum HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterospermum suberifolium (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Pterospermum xylocarpum (GAERTH.) SAMT. & WAGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pterygota alata R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ptesmonium margaritiferum (ROXB.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ptychopetalum olacoides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ptychopetalum uncinatum ANSELMINO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ptychotis ajowan DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pueraria hirsuta (THUNB.) SCHU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pueraria lobata (WILLD.) OHWI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pueraria phaseoloides (ROXB.)BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pueraria tuberosa (ROXB. EX. WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pulicaria crispa SCH.-BIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pulicaria dysenterica (L.) GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pulicaria glaucescens JAUB. & SPACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pulicaria wightiana (DC.) BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Puneeria coagulans STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Punica granatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pupalia lappacea (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pupalia orbiculata WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Putranjiva roxburghii WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Putranjiva zeylanica MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pycnocycla aucheriana BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pycnocycla glauca ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pycnospora lutescens (POIR.) SCHINDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pygeum

gardneri HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pygeum wightianum BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pygmaeopremna herbacea (ROXB.) MOLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pygmaeopremna pyrifolia - culta NAKAI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrethrum indicum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrethrum umbeliferum BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrola rotundifolia LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrrosia adnascens (SW.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrrosia heterophylla (L.) ORUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrrosia lanceolata (L.) FARWELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrrosia mannii (GIES.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrrosia penangiana (HK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrus aucuparia GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrus chinensis ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrus cydonia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrus lindleyi REHD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrus malus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrus pashia BUCH.-HAM EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pyrus tomentosa ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quamoclit coccinea MOENCH.METH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quamoclit phoenicea CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quamoclit pinnata BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quamoclit

vulgaris CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quassia indica (GAERTN.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quercus acutissima CARR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quercus floribunda LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quercus ilex L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quercus incana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quercus infectoria OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quercus lamellosa SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quercus leucotrichophora A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quercus pachyphylla KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quercus robur PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quercus truncata KING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Quisqualis indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Radermachera xylocarpa (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Randia cochinchinensis (LOUR.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Randia densiflora BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Randia dumetorum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Randia fasciculata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Randia longiflora LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Randia longispina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Randia malabaricum LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Randia rugulosa (THW.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Randia spinosa POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Randia

tetrasperma BENTH. & HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Randia tomentosa HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Randia uliginosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus aquatilis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus cantoniensis DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus diffusus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus falcatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus hirtellus ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus hyperboreus ROTLB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus laetus WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus lingua L. SP. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus muricatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus pensylvanicus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus sceleratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus trichophyllus CHAIX IN VILL. DAUPH. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus tricuspis MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Raphanus caudatus ALEF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Raphanus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rauvolfia canescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rauvolfia densiflora (WALL.) BENTH. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rauvolfia micrantha HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rauvolfia reflexa T. & B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rauvolfia

serpentina (L.) BENTH. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rauvolfia tetraphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ravenala madagascarensis SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Reaumuria hypericoides WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Reinwardtia indica DUMORT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Reinwardtia trigyna PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Reissantia arborea (ROXB) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Reissantia grahamii (WIGHT) DING.HOU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Reissantia indica (WILLD.) HALLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Remirea maritima AUBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Remusatia vivipara SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Reseda odorata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhabdia lycioides SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhamnus dahuricus PALL. REISE RUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhamnus nepalensis WALL. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhamnus prostrata JACQ. EX PAKER NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhamnus purpurea EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhamnus purshiana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhamnus triquetra (WALL.) BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhamnus virgatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhamnus wightii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhaphidophora decursiva SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhaphidophora laciniata (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Rhaphidophora pertusa SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhazya stricta DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rheum acuminatum HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rheum australe D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rheum emodi WALL. EX MEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rheum moorcroftianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rheum nobile HOOK.F. & THOMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rheum officinale BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rheum palmatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rheum rhaponticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rheum spiciforeme ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rheum spiciforme ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rheum undulatum PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rheum webbianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhinacanthus calcaratus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhinacanthus communis NEES and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhinacanthus nasuta (L.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhinchoglossum obliquum BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhizophora apiculata BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhizophora mangle Roxb. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhizophora mucronata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhodamnia trinervia BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhodiola heterodonta (Hook. f. & Thoms.) Boriss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhodiola

imbricata EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron anthopogon D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron arboreum SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron barbatum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron campanulatum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron chrysanthum PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron cinnabarinum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron decipiens LACAITA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron falconeri HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron javanicum BENN. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron lepidotum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron ponticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron setosum D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhododendron thomsonii HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhodomyrtus parviflora ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhodomyrtus semialata MURR. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhodomyrtus tomentosa WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhus chinensis MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhus coriaria L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhus hookeri SAHNI & BAHADUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhus insignis HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhus javanica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhus parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhus

punjabensis J.L. STEW. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhus semialata MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhus succedanea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhus wallichii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchocarpa foetida SCHRAD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchoglossum obliquum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia minima (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchosia nummularia (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchospermum verticillatum REIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rhynchostylis retusa (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ribes alpestre WALL. EX DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ribes emodense REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ribes grossularia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ribes himalense ROYLE EX DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ribes nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ribes orientale DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ribes rubrum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Richardia scabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ricinus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Riedlea corchorifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rikliella squarrosa (L.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rivea hypocrateriformis CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rivea ornata CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Roccella

montagnei BEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Roripa islandica (OEDER) BORBAS SCHINZ & THELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rorippa dubia HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rorippa indica (L.) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rorippa indieca HIERN. APETALA HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rorippa islandica (OED.) BORBASS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rorippa montana SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rorippa nasturtium-aquaticum (L.) HAYEK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa banksiae AIT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa brunonii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa centifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa chinensis JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa eglanteria MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa foetida HERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa gallica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa macrophylla LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa moschata HERRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa multiflora THUNB. EX J. MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa rubra BLACKW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa sericea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosa webbiana WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Roscoea

alpina ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Roscoea procera WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Roscoea purpurea ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosmarinus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rostellularia procumbens (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rosularia rosulata (EDGEW.) OHBA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rotala baccifera KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rotala densiflora (ROTH) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rotala indica (WILLD.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rotala rotundifolia KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rothia indica (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rotula aquatica LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rourea mimosoides PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rourea minor (GAERTN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rourea santaloides WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Roylea cinerea (DON) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Roylea elegans WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubia cordifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubia munjista ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubia sikkimensis KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubia tinctorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus biflorus HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus contennifer KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus

ellipticus SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus fruticosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus idaeus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus lasiocarpus SMITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus lucens FOCKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus moluccanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus niveus THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus paniculata SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus rugosus SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus saxatilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus strigosus MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rubus ulmifolicus SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rudolphia frondosa POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruellia patula JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruellia prostrata POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruellia secundra BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruellia strepens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruellia suffruticosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruellia tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex acetosella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex crispus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex dentatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex hastatus DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex

hymenosepalus TORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex maritimus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex nepalensis SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex orientalis BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex paulsenianus RECH. F. FEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex scutatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumex vesicarius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rumphia amboinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rungia parviflora NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rungia pectinata (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rungia repens (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruscus aculeatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Russelia equisetiformis SCHL. & CHAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruta angustifolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruta chalepensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruta graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ruta tuberculata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rytilix granularis (L.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sabia lanceolata COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sabia robusta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccharomyces cerevisiae MEYEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccharum arundinaceum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccharum bengalense RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Saccharum ciliare ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccharum fuscum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccharum munja ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccharum officinarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccharum robustum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccharum sara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccharum sinense ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccharum spontaneum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sacciolepis indica CHASE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sacciolepis interrupta (WILLD.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccolabium guttatum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccolabium papillosum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saccolabium praemorsum HOOK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sageraea dalzelli BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sageraea laurifolia (GRAHAM) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sagina saginoides (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sagittaria sagittifolia L. sagittifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saguerus rumphii ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salacia chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salacia fruticosa HEYNE EX LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salacia grandiflora KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salacia macrophylla BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salacia macrosperma WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salacia

oblonga WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salacia reticulata WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salicornia brachiata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salicornia indica DREGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salix acmophylla BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salix acutifolia WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salix alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salix babylonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salix caprea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salix daphnoides VILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salix elegans WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salix pychnostachya ANDERSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salix tetrasperma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salmalia insignis (WALL.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salmalia malabarica SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salomonia cantoniensis LOUR. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salsola baryosma (R. & S.) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salsola foetida DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salsola kali LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvadora indica ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvadora oleoides DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvadora persica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvadora persica L. wightiana (PLANCH EX THW.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvadora

wightiana PLANCH. EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia aegyptiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia bengalensis KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia cabulica BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia coccinea BUCHOZ EX ETLINGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia glutinosa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia haematodes W. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia hians ROYLE EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia lanata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia macrosiphon BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia moorcroftiana WALL. EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia mukerjeea BENNET & RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia plebeia R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia pumila BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia sclarea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvia spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Salvinia cucullata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalamdera indica GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalamdera lucida WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Kalamnea Kalamn (JACQ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sambucus ebulus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sambucus hookeri REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sambucus

javanica REINW. EX BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sambucus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sambucus wightiana WALL. EX WGT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sandoricum indicum CAV. DISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sandoricum koetjape (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sanguinaria canadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sanicula europaea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sansevieria cylindrica BOJ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sansevieria ebracteata (CAV.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sansevieria hyacinthoides (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sansevieria lanuginosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sansevieria roxburghiana SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sansevieria trifasciata HORT. EX PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sansevieria zeylanica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Santaloides minus SCHELLENB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Santalum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Santalum flonum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Santolina chamaecyparissus LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sapindus emarginatus VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sapindus laurifolia VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sapindus mukorossi GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sapindus trifoliatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sapium indicum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sapium

insigne TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sapium sebiferum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saponaria vaccaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saprosma ternatum (WALL. EX ROXB.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saraca asoca (ROXB.) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saraca indica AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcandra glabra (THUNB.) NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcocephalus cordatus MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcocephalus missionis HAVILAND REV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcococca saligna (D.DON) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcolobus globosus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcostemma acidium (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcostemma acidum VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcostemma brevistigma WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcostemma brunonianum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcostemma intermedium DECNE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcostemma secamone (L.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcostemma stocksii HK. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sarcostigma kleinii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sassafras albidum (NUTT.) NESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sassafras officinale NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Satureja hortensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Satureja montana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Satyrium

nepalense D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saurauia armata KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saurauia macrotricha KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saurauia napaulensis DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saurauia nepalensis DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saurauia robusta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saurauia roxburghii WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sauromatum guttatum (WALL.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sauromatum pedatum (WILLD.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sauromatum venosum (AIT.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sauropus androgynus (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sauropus quadrangularis MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea affinis SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea albescens (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea auriculata (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea bracteata DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea candicans CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea ceratocarpa DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea costus (FALC.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea gossypiphora DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea gracilis DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea heteromalla (DON) HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea hypoleuca SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea

lappa C.B.CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea obvallata (DC.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea sacra EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea schultzii H.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea simpsoniana (FIELD & GARD.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saussurea taraxacifolia WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saxifraga diversifolia WALL. EX SER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saxifraga imbricata ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saxifraga ligulata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scabiosa speciosa ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scaevola frutescens KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scaevola koenigii VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scaevola sericea VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scaevola taccada (GAERTN.) ROXB. N and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.ULL

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scaphium affine RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scaphium wallichii SCHOTT & ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scapiflora species (ROXB.) ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera elata (BUCH.-HAM. EX D.DON) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera elliptica (BL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera hypoleuca (KURZ) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera shypoleucoids HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera stellata (GAERTN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera venulosa (WIGHT & ARN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schefflera

venulosum WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schima wallichii (DC.) KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schinus molle HORT. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schisandra chinensis (TURCZ.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schisandra neglecta SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schizachyrium exile STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schizaea dichotoma (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schizandra neglecta SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schizophyllum commune FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schleichera oleosa (LOUR.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schleichera trijuga WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schlerichera trijuga WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schrebera swietenioides ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schultzia benthami C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schumannianthus virgatus (ROXB.) ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schweinfurthia papilionacea MERRILL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Schweinfurthia sphaerocarpa A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scilla coromandeliana ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scilla hohenackeri FISCHET MAY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scilla hyacinthina (ROTH.) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scilla indica BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scindapsus aureus (LINDEN EX ANDRE) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scindapsus officinalis SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scirpus

articulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scirpus barbatus ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scirpus corymbosus HEYNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scirpus grossus L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scirpus inclinatus (DEL.) ASCHERS. & SCHWEINF. EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scirpus kysoor ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scirpus lacustris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scirpus maritimus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scirpus tuberosus DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleria hebecarpa NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleria levis RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleria lithosperma (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleria pergracilis (NEES) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleria poaeformis RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleria terrestris (L.) FASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sclerocarya birrea HOCHST and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleropyrum pentandrum (DENNST.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleropyrum wallichianum (WIGHT & ARN.) A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scolopia aculeata SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scolopia crenata CLOS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scoparia dulcis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scopolia anomala (LINK & OTTO) AIRY-SHAW NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scopolia lurida DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scopolia

stramonifolia (WALL.) SHRESTHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scorzonera virgata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scrophularia koelzii PENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scrophularia variegata M.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scurrula parasitica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scurrula philippensis (CH. & SCH.) DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scutellaria angulosa BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scutellaria assamica MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scutellaria discolor COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scutellaria galericulata L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scutellaria glandulosa COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scutellaria heydei HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scutellaria indica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scutia indica BRONG.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scutia myrtina (N.BURM.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scyphiphora hydrophyllacea GAERTN.F. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sebastiana chamaelea MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Secamone emetica R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sechium edule SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Securinega leucopyrus (WILLD.) MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Securinega suffruticosa (PALL.) REHDER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Securinega virosa BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sedum asiaticum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sedum

crassipes WALL. EX HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sedum ewersii LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sedum multicaule WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sedum quadrifidum PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sedum tibeticum HOOK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sedum tillacoides DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sedum trifidum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sedum wallichianum HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selaginella bryopteris (L.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selaginella chrysocaulos (HOOK. & GREV.)SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selaginella ciliaris (RETZ.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selaginella involvens SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selaginella krausiana A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selaginella monosperma SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selaginella plumosa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selaginella radicata (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selaginella repKalam (DESV. EX POIR.) SPRENG NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selaginella rupestris and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selaginella willdenowii (POIR.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selenicereus grandiflorus (LINN.) BRITT. & ROSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selinum candollei DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selinum filicifolium EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selinum striatum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selinum

tenuifolium WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Selinum vaginatum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Semecarpus anacardium L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Semecarpus heterophylla BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Semecarpus kurzii ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Semecarpus travancorica BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sempervium sedoides JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senebiera didyma PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio aureus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio bhutanicus BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio cappa DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio graciliflorus . DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio hohenackeri HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio jacquemontianus BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio kraschenninikovii SCHICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio laetus EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio nudicaulis HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio quinquelobus HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio scandens DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio tenuifolius BURM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senecio vulgaris L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Senna prostrata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Serenoa repens (BARTR.) SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesamum

indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesamum laciniatum KLEIN EX. WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesamum orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesamum prostratum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania aculeata PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania aculeata PERS. cannabina (RETZ.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania aegyptiaca POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania bispinosa (JACQ.) W.F. WIGHT bispinosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania cannabina RETZ. POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania grandiflora (L.) POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania paludosa PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania sesban (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania sesban (L.) MERR. bicolor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania sesban (L.) MERR. picta (CON.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania sesban (L.) MERR. typica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania sesban (L.) MERR. sesban sesban and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesbania speciosa TAUB. EX ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Seseli diffusum (ROXB. EX. SM.) SAMT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Seseli indicum WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Seseli sibiricum BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sesuvium portulacastrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setaria glauca BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setaria italica (L.) BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setaria

planifolia STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setaria plicata (LAM.) COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setaria verticillata (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Setaria viridis BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Shorea robusta GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Shorea roxburghii G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Shorea tumbaggaia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida acuminata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida acuta BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida carpinifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida cordata (BURM.F.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida cordifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida humilis CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida lanceolata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida mauritiana JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida orientalis CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida ovata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida retusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida rhombifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida rhombifolia L. retusa (L.) BORASSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida rhombifolia L. retusa (L.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida rhombifolia L. rhombifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida

rhombifolia L. rhomboidea (DC.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida rhomboidea ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sida veronicaefolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sideroxylon spinosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sideroxylon tomentosum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Siegesbeckia orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sigesbeckia orientalis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Silene apetala WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Silene inflata SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Silene laxantha MAJUMDAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Silene moorcroftiana WALL. EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Silene vulgaris (MOENCH) GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Silybum marianum GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Simmondsia chinensis (LINK) C.K. SCHNEID. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sinapis alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sinapis chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sinapis juncea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sinapis ramosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sison ammi HERB. MADR. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sisymbrium altissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sisymbrium irio L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sisymbrium loeselii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Sisymbrium orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sisymbrium sophia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sium latijugam C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Skimmia anquetilia N.P.TAYLOR & AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Skimmia arborescens T.ANDERS EX. GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Skimmia laureola (DC.) ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax aspera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax china L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax glabra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax glaucophylla KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax lanceifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax macrophylla ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax ocreata A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax ovalifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax parvifolia WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax perfoliata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax prolifera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax pseudo-china WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax wightii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smilax zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smithia conferta J.E. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smithia geminiflora ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Smithia sensitiva AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum

aculeatissimum JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum albicaule KOTSCHY EX DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum americanum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum anguivi LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum aviculare FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum capsicoides ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum ciliatum LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum denticulatum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum dulcamara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum erianthum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum ferox L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum giganteum JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum gracilipes DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum hirsutum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum incanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum insanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum jacquini WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum khasianum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum kurzii PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum laciniatum AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum lasiocarpum DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum lycopersicum LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum

mauritianum SCORP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum melongena L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum melongena L. incanum KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum myriacanthum DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum pseudocapsicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum pubescens HEYNE. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum sarmentosum NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum seaforthianum ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum sisymbrifolium LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum spirale ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum surattense BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum torvum SWARTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum trilobatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum tuberosum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum verbascifolium AUCT NON L. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum viarum DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum villosum SCHUR. puniceum (KRISCHLEGER) EDMONDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum violaceum ORTEGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum virginianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solanum xanthocarpum SCHRAD & WENDL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solena amplexicaulis (LAM.) GANDHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Solena heterophylla LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonchus

arvensis L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonchus asper (L.) HILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonchus brachytus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonchus maritimus L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonchus oleraceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonchus wightianus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila maculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila rheedei WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonerila tenera ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonneratia acida L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonneratia apetala BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonneratia caseolaris (L.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sonneratia griffithii KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sophora glauca LESCH. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sophora griffithii STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sophora mollis (GRAH. EX ROYLE) BAK and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sophora tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sophora wightii BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sopubia delphinifolia G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorbaria tomentosa (LINDL.) REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorbus aucuparia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorbus tianshanica RUPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum bicolor MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum

halepense (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum saccharatum PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sorghum vulgare PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Soymida febrifuga (ROXB.) A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sparganium stoloniferum BUCH.- HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spathodea campanulata P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spathoglottis plicata BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spatholobus parviflorus (ROXB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spatholobus roxburghii BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spergula arvensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spergularia rubra (L.) J.PRESL & C.PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spermacoce articularis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spermacoce hispida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spermadictyon suaveolens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphaeranthus africanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphaeranthus amaranthoides BURM. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphaeranthus hirtus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphaeranthus indicus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphaeranthus microcephalus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphaeranthus senegalensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphaerostephanos subtractus (BERG.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphaerostephanos unitus (L.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphenoclea zeylanica GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Sphenodesme involucrata (PRESL.) paniculata (CL.) MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphenodesme pentandra JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphenomeris chinensis (L.) MAXON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphenomeris chusana COPELAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sphyranthera lutescens (KURZ) PAX & HOFFER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spilanthes acmella MURR. olerace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spilanthes calva WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spilanthes oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spilanthes paniculata WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spinacia oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spinifex littoreus (N.BURM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spiraea aruncus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spiraea bella SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spiraea canescens D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spiraea lindleyana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spondias acuminata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spondias mangifera WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spondias mombin L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spondias pinnata (L.F.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stachyphrynium spicatum (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stachys floccosa BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stachys officinalis (L.) TREV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stachys palustris L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stachys

parviflora BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stachys sylvatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stachys tuberosa LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stachytarpheta indica (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stachytarpheta jamaicensis (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stachytarpheta mutabilis (JACQ.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stachytarpheta urticaefolia (SALISB.) SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Statice aegyptica DELILE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stauranthera grandifolia BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stauranthera umbrosa CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stellaria alsine GRIMM. undulata (THUNB.) OHWI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stellaria aquatica SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stellaria media WIGHT EX EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stellera chamaejasme L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stemodia viscosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stemona tuberosa LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stenochlaena palustris (N.BURM.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stenolobium stans SEE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stenoloma chinensis BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stenotaphrum dimidiatum (L.) BRONGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stephania glabra (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stephania glandulifera MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stephania hernandifolia (WILLD.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stephania

japanica (THUNB.) MIERS discolour (BLUME.) FORMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stephania japonica (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stephania japonica (THUNB.) MIERS. japonica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stephania rotunda LOUR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stephania wightii (A,) DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stephegyne parvifolia KORTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sterculia alata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sterculia balanghas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sterculia foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sterculia guttata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sterculia rubiginosa VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sterculia scaphigera WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sterculia urens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sterculia villosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stereospermum chelonoides (L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stereospermum colais (DILLWYN) MABB. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stereospermum neuranthrum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stereospermum personatum (HASSK.) CHATTERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stereospermum suaveolens DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stereospermum tetragonum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stereospermum xylocarpum WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Steudnera virosa (KUNTH) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stichoneuron caudatum RIDLEY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Stictocardia campanulata (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stipa capensis THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stipa capillata L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stipa sibirica (L.) LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stipa tortilis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stranvaesia glaucescens LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Streblus asper LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Streblus taxoides (HEYNE EX ROTH) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Striga asiatica (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Striga gesnerioides (WILLD.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Striga lutea LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Striga orobanchoides BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes acrocephalus T. AND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes auriculatus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes callosus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes ciliatus NEES and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes consanguineus C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes dalhousianus C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes flaccidifolius NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes heyneanus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes kunthiana T.ANDERS. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes lupulinus NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes nobilis CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Strobilanthes wallichii NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strobilanthes wightianus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stroemia tetrandra VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strophanthus dichotomus DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strophanthus wallichii A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strophanthus wightianus WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos aenea A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos axillaris COLEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos cinnamomifolia THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos colubrina AUCTT. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos gaultheriana PIER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos ignatia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos ignatii BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos maingayi CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos minor DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos nux-blKalam A.W.Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos nux-vomica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos potatorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos rheedei CL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Strychnos wallichiana STEUD. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stylocoryne lucens GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stylophorum lactucoides (HOOK. F. & THOMS.) BENTH. & HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stylosanthes fruticosa (RETZ.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Styrax benzoin DRYAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Styrax hookeri CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Styrax officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Styrax serrulatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Styrax tonkinensis CRAIB EX. HARTWICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Suaeda fruticosa FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Suaeda monoica FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Suregada angustifolia (BAILL. EX MUELL. - ARG.) AIRY SHAW and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Suregada multiflora (JUSS.) BAILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia affinis CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia alata ROYLE EX. D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia anguestifolia BUCH.-HAM. EX D. DON. PULCHELLA BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia angustifolia HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia chirata (ROXB. EX. FLEM.) KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia chirayita ROXB. EX (FLEMING) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia

ciliata (G.DON) BURTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia cordata CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia corymbosa (GRISEB.) WT. EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia decussata NIMNO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia densiflora (GRISEB.) KASHYAPPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia densifolia (GRISEB.) KASHYAPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia lawii BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia minor (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia paniculata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia perennis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia petiolata DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia pulchella C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia purpurascens WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swertia thomsonii CI. EX HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swietenia febrifuga ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swietenia macrophylla KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Swietenia mahagoni (L.) JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symphorema involucratum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symphorema polyandrum WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symphytum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos beddomei C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos caudata WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos chinensis (LOUR.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Symplocos cochinchinensis S.MOORE laurina laurina (RETZ.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos cochinchinensis S.MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos crataegoides BUCH.-HAM. EX.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos laurina WALL. EX REHD. & E. H. WILS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos monantha WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos paniculata (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos racemosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos spicata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos sumuntia D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Symplocos theaefolia BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Synadenium grantii HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Synantherias sylvatica SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Synapis dichotoma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Synedrella nodiflora GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Synnema uliginosum (L.F.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syringa emodi WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syringa persica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium alternifolium (WT.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium aromaticum (L.) MERRILL & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium caryophyllaeum AUCT.NON GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium caryophyllatum (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium cerasoides (ROXB.) CHATT. & KANJI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium cerasoideum (ROXB.) RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium

cumini (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium hemisphericum (WIGHT) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium heyneanum WALL. EX DUTHIE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium jambolana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium jambolanum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium jambos (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium malaccense (L.) MERR. & MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium neyneanum (DUTHIE) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium operculatum (ROXB.) NIEDENZU obovatum (DUTHIE) GAMBLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium operculatum GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium Kalamrangense (BL.) MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium travancoricum GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Syzygium zeylanicum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tabernaemontana alternifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tabernaemontana coronaria R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tabernaemontana crispa ROBT. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tabernaemontana dichotoma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tabernaemontana divaricata (L.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tabernaemontana heyneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tabernaemontana sphaerocarpa BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tabernaemontana wallichiana STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tacca aspera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tacca integrifolia KER-GAWL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tacca

leontopetaloides (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tacca pinnatifida J.R. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tagetes erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tagetes minuta L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tagetes patula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tamarindus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tamarix aphylla (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tamarix ariticulata VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tamarix dioica ROXB. EX. ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tamarix ericoides ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tamarix gallica AUCT. NON.L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tamarix indica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tamarix troupii HOLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tanacetum dolichophyllum KITAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tanacetum fruticulosum LEDEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tanacetum gracile HOOK. F. & TH and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tanacetum longifolium WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tanacetum parthenium (L.) SCHULTZ BIP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tanacetum tenuifolium JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tanacetum tibeticum HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tanacetum tomentosum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tanacetum vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taraktogenos kurzii KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Taraktogenos macrocarpa (BEDD.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taraxacum officinale WIGGERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taraxacum officinale WIGG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tarenna asiatica KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taverniera cuneifolia (ROTH) ARN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taverniera nummularia BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taxillus tomentosus (ROXB.) VAN TIEGHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taxillus umbellifer (SCHULTES) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taxus baccata L. wallichiana Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Taxus wallichiana ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tecoma capensis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tecoma grandiflora LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tecoma radicans JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tecoma stans JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tecoma undulata G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tecomella undulata (SM.)SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tectaria coadunata (WALL.) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tectaria macrodonta (FEE) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tectaria polymorpha (WALL. & HOOK.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tectona grandis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Telosma minor CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Telosma pallida (ROXB.) CRAIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Teona ciliata ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia

candida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia hamiltonii J.R.DRUMM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia hirta (BUCH.-HAM.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia petrosa BLATTER & HALBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia procumbens BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia purpurea PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia purpurea PERS. pumila and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia rheedei DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia senticosa PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia spinosa PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia tinctoria PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia uniflora PERS. petrosa (BLATT. & HALLB.) GILLETT & ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia uniflora PERS. petrosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tephrosia villosa PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Teramnus labialis (L.F.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Teramnus mollis BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia alata HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia arjuna (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia bellerica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia bellerica ROXB. laurinoides CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia bellirica (GAERTN.) ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia bialata STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia catappa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Terminalia chebula RETZ. typica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia chebula RETZ. & WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia citrina FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia coriacea (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia crenulata ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia manii KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia myriocarpa HEURCK & MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia oSkini BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia pallida BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia paniculata ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia pyrifolia KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia reticulata ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia tomentosa (ROXB.) WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Terminalia travancorensis WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Termitomyces microcarpus (BERK. & BR.) HEIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ternstroemia gymnanthera (WT. & ARN.) BEDD. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ternstroemia japonica AUCT.NON THUNB) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetracera akara (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetracera indica (HOUTT. EX CHRISTM. & PAUZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetracera laevis AUCT. NON VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetracera scandens (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetrameles nudiflora R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetranthera roxburghii NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Tetrastigma lanceolarium (ROXB.) PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetrastigma leucostaphylum (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetrastigma serrulata (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Teucrium chamaedrys LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Teucrium polium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Teucrium scordium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Teucrium stocksianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thalictrum alpinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thalictrum cultratum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thalictrum dalzelli HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thalictrum foetidum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thalictrum foliolosum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thalictrum javanicum BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thalictrum minus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thalictrum pauciflorum ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thalictrum pedunculatum EDGEW. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thalictrum reniforme WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thamnolia vermicularis (SWARTZ) ACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thea assamica J.W.MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thecagonium biflorum (L.) BABU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thelypteris gracilescens (BI.) CHING. glandulysis KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Themeda arguens (L.) HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Themeda arundinacea (ROXB.) RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Themeda

gigantea HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Themeda triandra FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Theobroma cacao LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Theriophonum infaustum N.E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Theriophonum minutum BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thespesia lampas (CAV.) DALZ. EX DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thespesia populnea (L.) SOL.EX. CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Theum tibeticum MAXIM. EX HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thevetia neriifolia JUSS. EX. STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thevetia peruviana MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thlaspi arvense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thlaspi kotschyanum BOISS. & HOHEN BROIGAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thlaspi tetragona HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thomsonia nepalensis WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thonningia axillaris (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thottea siliquosa (LAM.) DING HOU and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thuja orientalis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thunbergia alata BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thunbergia erecta (BENTH.) T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thunbergia fragrans ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thunbergia grandiflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thunbergia hawtayneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thunbergia laurifolia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thymus

linearis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thymus serpyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thymus vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thysanolaena acarifera NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thysanolaena agrostis NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thysanolaena maxima (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thysanolaena procera MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tiaridium indicum LEHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tiliacora acuminata MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tiliacora racemosa COLEBR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tinospora cordifolia (WILLD.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tinospora crispa (L.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tinospora malabarica (LAM.) HOOK F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tinospora sinensis (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tinospora tomentosa (COLEBR.) HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tithonia diversifolia (HEMSLEY) A. GRAY and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tithonia tagetiflora DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Toddalia aculeata PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Toddalia asiatica (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Toddalia bilocularis W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tonningia axillaris KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Toona ciliata ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Torenia asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Torenia

bicolor DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Torenia parviflora BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Torenia polygonoides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Torenia thouarsii KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Torenia travancorica GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Torenia vagans ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tournefortia candollii C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tournefortia montana LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tovara virginiana (LINN.) RAFIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Toxocarpus villosus DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trachelospermum fragrans HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trachelospermum lucidum (DON) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trachycarpus martianus H.WANDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trachydium lehmanni BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trachyspermum ammi (L.) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trachyspermum khasianum (CI.) WOLFF. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trachyspermum roxburghianum (DC.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tradescantia axillaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragia bicolor MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragia cannabina L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragia cordata MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragia cordifolia VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragia involucrata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragia

muelleriana PAX & HOFFM. unicolor (MUELL.ARG.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragia plukenetii A.RADCLIFFE-SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragopogon gracilis D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragopogon porrifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tragopogon pratensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trapa bicornis L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trapa bispinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trapa natans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trapa natans L. bispinosa (ROXB.) NAKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trema cannabina LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trema orientalis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trevesia palmata (ROXB.) VIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trewia nudiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trewia polycarpa BTH. & HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trianthema decandra L. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trianthema govinda BUCH.-HAM. EX G. DON NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trianthema govindia BUCH-HAM EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trianthema monogyna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trianthema pentandra LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trianthema portulacastrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trianthema triquetra ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tribulus alatus DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tribulus lanuginosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tribulus

terrestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tricalysia singularis (KORTH.) K. SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tricalysia sphaerocarpa (HOOK.F.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichilia connaroides (WT. & ARN.) BENTVELZEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichilia spinosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichodesma africanum R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichodesma indicum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichodesma zeylanicum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tricholepis angustifolia DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tricholepis glaberrima DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tricholepis montana DLAZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tricholepis procumbens WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichomanes javanicum BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichopus zeylanicus GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichopus zeylanicus GAERTN. travancoricus (BED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes anaimalaienis BEDDOME and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes anguina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes bracteata (LAM.) VOIGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes cordata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes cucumerina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes dioica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes incisa ROTTL. EX ROSENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes laciniosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Trichosanthes lobata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes nervifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes palmata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes tricuspidata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trichosanthes wallichiana (SERINGE) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tridax procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trifolium alexandrinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trifolium alexandrium L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trifolium fragiferum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trifolium indicum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trifolium officinalis WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trifolium pratense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triglochin maritima L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triglochin palustris L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trigonella corniculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trigonella emodi BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trigonella foenum-graecum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trigonella hamosa (L.) WILLD. uncata (BOISS. & BOE) TOWNSEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trigonella incisa BENTHA. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trigonella occulta DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trigonella polycerata L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trigonella uncata BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trigonostemon longifolius BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trillium

govanianum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trimufetta rhomboidea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triphasia trifolia (BURM. F.) P. WILS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tripleurospermum maritimum (LINN.) W.D.J. KOCH inodorum (LINN.) HYL. EX VAAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triticum aestivum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triticum amyleum SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triticum durum DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triticum pilosum (DALZ. & GIBS) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triticum sativum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triticum spelta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triticum vulgare WILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triumfetta annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triumfetta bartramia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triumfetta rhomboidea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triumfetta rotundifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triumfetta semitriloba L. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Triumfetta tomentosa NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tropaeolum minus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Trophis aspera RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tropidia curculigoides LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tuber cibarium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tulipa stellata HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Turbina corymbosa (L.) RAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Turnera

angustifolia MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Turnera diffusa WILLD. APHRODISIACA (L.F. WARD)URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Turnera ulmifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Turpinia nepalensis WALL. EX WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Turpinia pomifera (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Turraea villosa BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tussilago farfara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora asthmatica WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora dalzelli HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora fasciculata BUCH.-HAM. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora hirsuta WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora indica (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora tenuis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora tenuissima (ROXB.) WGT. & ARN. EX WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tylophora tetrapetala (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Typha angustata BORY & CHAUB and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Typha angustifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Typha australis SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Typha elephantina GRAH, NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Typha laxmannii LEPECH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Typhonium divaricatum DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Typhonium flagelliforme (LODD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Typhonium roxburghii SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Typhonium trilobatum (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ulmus campestris L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ulmus wallichiana PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uncaria cordata (LOUR.) MERR. ferruginea (BL.) RIDSD. FORMA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uncaria gambier ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uncaria sessilifructus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Unona narum DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uraria alopecuroides WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uraria crinita DESV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uraria hamosa WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uraria lagopodioides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uraria picta DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uraria prunellaefolia GREH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uraria rufescens (DC.) SCHINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urena lobata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urena repKalam ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urena simiata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urena sinuata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urginea coromandeliana HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urginea indica (ROXB) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urginea maritima (L.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urginea nagarjunae Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urtica ardens LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urtica

dioica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urtica hyperborea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urtica parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Urtica pilulifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Usena sikkimensis BISWAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Usnea flexilis STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Usnea florida (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Usnea hirta (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Usnea longissima ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Usnea rubicunda STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Usnea sikkimensis BISPAS. SP. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Usnea venosa MOT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uteleria sallicifolia BEDD. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utleria salicifolia BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia bifida L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia gibbosa L. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia reticulata SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Utricularia stellaris L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uvaria dulcis DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uvaria ebracteolata PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uvaria hookeri KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uvaria micrantha (A.DC.)Hook.f.Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uvaria narum (DUNAL) WALL EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uvaria

zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vaccaria pyramidata MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vaccinium leschenaultii WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vaccinium macrocarpon AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Valeriana brunoniana W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Valeriana dubia BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Valeriana hardwickii WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Valeriana jatamansi JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Valeriana leschenaultii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Valeriana officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Valeriana pyrolaefolia DENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Valeriana wallichii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vallaris heynei SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vallaris pergulanus BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vallaris solanacea (ROTH.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vallisneria spiralis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), VKalam coerulea GRIFF. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), VKalam parviflora LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), VKalam roxburghii R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), VKalam spathulata (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), VKalam teres LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), VKalam tessellata (ROXB.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), VKalam testacea (LINDL.) REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vandellia

erecta BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vandellia pedunculata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vandellia pyxidaria MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vangueria pubescens KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vangueria spinosa SENSU HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vanilla planifolia ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vanilla wightiana LINDL.EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vateria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vateria macrocarpa B.L.GUPTA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vateria malabarica BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vatica lancaefolia BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ventilago calycina TUL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ventilago calyculata TULASNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ventilago denticulata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ventilago madraspatana GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vepris bilocularis (WIGHT & ARN.) ENGL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Veratrum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Veratrum viride AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Verbascum chinense (L.) SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Verbascum coromandelianum (VAHL) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Verbascum thapsus PLENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Verbena nodiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Verbesina calendulacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Verchellia

farnesiana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia albicans DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia anthelmintica (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia arborea HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia aspera BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia cinerea LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia patula MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia pyramidale (D.DON) MITRA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia revoluta BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia roxburghii LESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia squarrosa (D.DON) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vernonia teres WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Veronica agrestis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Veronica anagallis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Veronica arvensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Veronica beccabunga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Veronica biloba L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Veronica hederaefolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Veronica serpyllifolia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vetiveria zizanioides (L.) NASH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viburnum acuminatum WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viburnum colebrookianum WALL. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viburnum coriaceum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viburnum

corylifolium HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viburnum cotinifolium DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viburnum cylindricum BUCH.-HAM.EX D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viburnum foetidum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viburnum hebanthum THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viburnum nervosum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viburnum obovatum WALT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viburnum punctatum BUCH.- HAM, EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vicatia wolffiana (WOLFF EX FEDDE) NORMAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vicia faba LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vicia hirsuta KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vicia sativa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vicoa auriculata CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vicoa indica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna aconitifolia (JACQ.) MARECHAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna adenantha (MEYER) MARECHAI and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna angularis (WILLD.) OHWI. & OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna catjang ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna cylindrica SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna dalzelliana (O.KTZE) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna grahmiana (WT. & ARN.) VERD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna mungo (L.) HEPPER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna pilosa BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna

radiata (L.) R. WILCZEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna radiata (L.) WILEZ sublobata (ROXB.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna trilobata (L.) VERDCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna umbellata (THUNB.) OHWL & OHOSHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna unguiculata (L.) WALP. cylindrica (L.) ESELT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna unguiculeta (L.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vigna vexillata (L.) A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vinca major LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vinca minor SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vinca parviflora RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vinca pusilla MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vinca rosea L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vincetoxicum album (MILL.)ASCHERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vincetoxicum hirundinaria MEDIC glaucum (WALL. EX WT.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola biflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola caespitosa D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola canescens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola cinerea BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola diffusa GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola odorata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola patrinii GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola pilosa BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola serpens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola

suffruticosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola sylvestris LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola tricolor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viscum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viscum articulatum BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viscum monoicum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viscum nepalense SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viscum orientale WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex agnus-castus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex altissima L.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex glabrata F. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex leucoxylon SCHAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex negundo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex negundo L. incisa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex negundo L. negundo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex negundo L. purpurascens SIVARAJAN & MOLDENKE and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex paniculata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex peduncularis WALL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex pinnata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex pubescens VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex quinata (LOUR.) F.N. WILLIAMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitex trifolia L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis adnata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis

araneosus DALZ. & GIBS. EX M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis carnosa (ROXB.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis hastata MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis heyneana ROEM. & SCULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis indica W. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis lanata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis objecta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis pallida W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis parvifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis pedata VAHL EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis planicaulis HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis polystachya WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis quadrangularis WALT EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis repens WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis rugosa HOOK.F. & THOMS. EX M. LAWS. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis setosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis tomentosa HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis trifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis vinifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vitis vitiginea HAINES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vittaria elongata SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vittaria zosterifolia WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viverra

zibetha L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Volkameria inermis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Volutarella divaricata C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wagatea spicata DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wahlenbergia marginata (THUNB.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Waldheimia glabra (DECNE) REGEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Waldheimia stoliczki (CI.) OSTENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Waldheimia tomentosa (DECNE) REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wallichia disticha T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Walsura piscidia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Walsura trifoliata (A.JUSS) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Waltheria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wattakaka volubilis (L.F.) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Webera corymbosa WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Webera tetrandra WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wedelia biflora (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wedelia calendulacea LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wedelia chinensis MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wedelia wallichii LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wendlandia exerta DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wendlandia heynei (R. & S.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wendlandia notoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wendlandia pendula DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Wendlandia tinctoria DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wikstroemia canescens MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wikstroemia indica (L.) C. A. MEY. viridiflora (MEISSN.) HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wikstroemia ridleyi GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wikstroemia viridiflora MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Willughbeia edulis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Withania coagulans DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Withania somnifera DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wolffia globosa (ROXB.) HARTOG & PLAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wollastonia biflora (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Woodfordia floribunda SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Woodfordia fruticosa (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wrightia antidysenterica GRAH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wrightia arborea (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wrightia coccinea SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wrightia tinctoria R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wrightia tomentosa R.& S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Wrightia zeylanica R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xanthium indicum KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xanthium strumarium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xanthophyllum arnottianum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xanthophyllum flavescens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xanthoxylum fraxineum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xantolis

tomentosa (ROXB.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xeromphis spinosa (THUNB.) KEAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xeromphis uliginosa (RETZ.) MAHESH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ximenia aegyptiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ximenia americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xylaria polymorpha PERS. EX MERAT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xylia dolabriformis BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xylia xylocarpa (ROXB.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xylocarpus granatum KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xylopia parvifolia HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xylosma longifolium CLOS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xyris anceps LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xyris auceps AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xyris complanata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xyris indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xyris pauciflora WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Youngia japonica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Yucca aloifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Yucca filamentosa WOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Yucca gloriosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zaleya decandra (L.) BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zaleya govindia (DON) NAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zaleya pentandra (L.) JEFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zalia

decandra (L.) BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zannichellia indica ROTTL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanonia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zantedeschia aethiopica (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum acanthopodium DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum alatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum armatum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum budrunga (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum hamiltonianum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum hostile WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum limonella (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum nitidum (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum ovalifolium WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum oxphyllum EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum rhetsa (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum tetraspsermum WT. & ARN. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zanthoxylum triphyllum WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zataria multiflora BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zea mays L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zehneria hookeriana ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zehneria indica (LOUR.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zehneria maysorensis (WT. & ARN.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zehneria scabra (L.F.) SOND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zehneria

thwaitesii (SCHWEIN.) JEFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zehneria umbellata THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zephyranthes ajax SPRENGER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zephyranthes grandiflora LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zephyranthes rosea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zeuxine longilabris (LINDL.) BENTH. EX HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zeuxine strateumatica (L.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zeuxine sulcata LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber capitatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber cassumunar ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber cernuum DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber chrysanthum ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber mioga ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber montanum (KOEN.) LINK EX A. DIETRICH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber officinale ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber officinalis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber purpureum ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber roseum ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber rubens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber squarrosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zingiber zerumbet ROSC. EX SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zinnia elegans JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zizania caduciflora HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zizania

latifolia TURCZ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphora clinopodioides M.BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphora tenuior L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus glabarata HEYNE, EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus glabrata HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus jujuba LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus mauritiana LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus napeca WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus nummularia WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus oenoplia MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus oxyphylla EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus rugaosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus rugosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus sativa GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus sororia ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus trinervia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus trinervius ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anemone hupehensis Lemoine ex Boynton var. japonica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anemone rivularis Buch.- Ham.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aquilegia vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis gouriana Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis munroiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis smilacifolia Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis

theobromina Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Clematis wightiana Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Consolida ambigua (L.) P. W. Ball and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Delphinium elatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Naravelia zeylanica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus diffusus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus muricatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus reniformis Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ranunculus wallichianus Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thalictrum foliolosum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thalictrum javanicum Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thalictrum saniculaeforme DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Chimonanthus praecox(L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Acrotrema arnottianum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dillenia bracteata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dillenia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dillenia pentagyna Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dillenia retusa Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dillenia suffruticosa (Griffith) Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tetracera akara (Burm. f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Magnolia campbellii Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Magnolia grandiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Magnolia liliflora Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Magnolia

x alba DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Michelia champaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Michelia nilagirica Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alphonsea lutea (Roxb.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alphonsea sclerocarpa Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Alphonsea zeylanica Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Annona cherimola Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Annona muricata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Annona reticulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Annona squamosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artabotrys hexapetalus (L. f.) BhKalamri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Artabotrys zeylanicus Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cananga odorata (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyathocalyx zeylanicus Champ. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmos lawii (Hook. f. & Thoms.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Desmos viridiflorus (Bedd.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goniothalamus cardiopetalus (Dalz.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goniothalamus rhynchantherus Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goniothalamus salicina Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goniothalamus thwaitesii Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goniothalamus wightii Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Goniothalamus wynadensis (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meiogyne pannosa (Dalz.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Meiogyne

ramarowii (Dunn) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Miliusa eriocarpa Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Miliusa montana Gard. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Miliusa nilagirica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Miliusa tomentosa (Roxb.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Miliusa wightiana Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mitrephora heyneana (Hook. f. & Thoms.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orophea erythrocarpa Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orophea thomsonii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Orophea uniflora Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyalthia cerasoides (Roxb.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyalthia coffeoides (Hook. f. & Thoms.) Benth. & Hook. f. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyalthia fragrans (Diaz.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyalthia korintii (Dunal) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyalthia longifolia (Sonner.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyalthia rufescens Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyalthia suberosa (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polyalthia tirunelveliensis M. B. Viswan. & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Popowia beddomeana Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sageraea dalzellii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uvaria macropoda Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uvaria narum (Dunnal) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Uvaria zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xylopia

parvifolia (Wight) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Anamirta cocculus (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cissampelos pareira L. var. hirsuta (Buch.-Ham. ex DC.) Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cocculus hirsutus (L.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cocculus laurifolius DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cocculus pendulus (Forst.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coscinium fenestratum (Gaertn.) Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyclea arnottii Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cyclea peltata (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Diploclisia glaucescens (Blume) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pachygone ovata (Poir.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stephania japonica (Thunb.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stephania wightii (Arn.) Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tiliacora acuminata (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tinospora cordifolia (Willd.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tinospora sinensis (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis lycium Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis nilghiriensis Ahrendt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis tinctoria Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Berberis wightiana Schneid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mahonia leschenaultii (Wall. ex Wight & Arn.) Takeda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nelumbo nucifera Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphaea nouchali Burm. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Nymphaea pubescens Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Nymphaea rubra Roxb. ex Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Argemone mexicana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Eschscholzia californica Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Mecanopsis wallichii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Papaver caucasicum Bait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Papaver fugax Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Papaver rhoeas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Papaver somniferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Romneya coulteri Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Corydalis lutea (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dicentra scandens (D. Don.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fumaria indica (Hassk.) Pugsley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Fumaria officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barbarea intermedia Boreau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barbarea verna (Miller) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Barbarea vulgaris R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica juncea (L.) Czern. & Coss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica nigra (L.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica oleracea L. var. botrytis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica oleracea L. var. capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica oleracea L. var. gemmifera Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica oleracea L. var. gongylodes L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Brassica

rapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capsella bursa-pastoris (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cardamine africana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cardamine hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cardamine trichocarpa Hochst. ex A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cheiranthus cheiri L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Coronopus didymus (L.) Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iberis amara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Iberis umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidium ruderale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidium sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lepidium virginicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lobularia maritima (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Matthiola incana (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Raphanus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rorippa indica (L.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Rorippa nasturtium - aquaticum (L.) Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sisymbrium volgense Ledeb. ex Shmal. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Thlaspi arvense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cadaba fruticosa (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cadaba trifoliata (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis brevispina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis decidua (Forsk.) Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis

divaricata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis diversifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis fusifera Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis grandiflora Wall ex. Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis grandis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis kollimalayana Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis moonii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis nilgiriensis Subbha Rao Kumari & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis rheedii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis rotundifolia Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis sepiaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis shevaroyensis Sundararaghavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Capparis zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome angustifolia Forsk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome aspera Koen ex. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome burmannii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome chelidonii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome felina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome hassleriana Chod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome monophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome rutidosperma DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome

speciosa Raf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cleome viscosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crateva adansonii DC. subsp. odora (Buch. - Ham.) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Crateva magna (Lour.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gynandropsis gynandra (L.) Briq and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maerua apetala (Roth) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Maerua oblongifolia (Forsk.) A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Steriphoma clemoides Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Reseda alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Reseda luteola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hybanthus enneaspermus (L.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hybanthus travancoricus (Bedd.) Melch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola arcuata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola betonicifolia J. E. Smith subsp. betonicifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola canescens Wall. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola hamiltoniana D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Viola pilosa Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bixa orellana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cochlospermum religiosum (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Aphloia theiformis (Vahl) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia championii Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia graveolens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia ovata (Lam.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia

rubescens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia thwaitesii Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia tomentosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Casearia wynadensis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flacourtia indica (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flacourtia jangomas (Lour.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Flacourtia montana Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Homalium jainii A. N. Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Homalium travancoricum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Homalium ceylanicum (Gard.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydnocarpus alpina Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydnocarpus macrocarpa (Bedd.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hydnocarpus pentandra (Buch. - Ham.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Oncoba spinosa Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scolopia crenata (Wight & Arn.) Clos var. crenata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scolopia crenata (Wright & Arn.) Clos var. brevifolia Mukherjee and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xylosma latifolium Hoof. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xylosma longifolia Clos and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Hymenosporum flavum (Hook.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum anamallayense Nayar & Giri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum bicolor Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum ceylanicum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum crassifolium Soland.ex Putterl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched),

Pittosporum dasycaulon Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum eugenioides A. Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum napaulense (DC.) Rehder & Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum neelgherrense Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum tetraspermum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum tobira (Thunb.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum umbellatum Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum undulatum Vent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Pittosporum viridulum Nayar, Giri & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sollya heterophylla Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Muraltia juniperifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala arillata Buch.-Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala arvensis Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala bolbothrix Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala elongata Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala erioptera DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala jacobii Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala javana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala longifolia Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala myrtifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala persicariifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala rosmarinifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala

sibirica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala telephioides Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala virgata Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polygala wightiana Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Securidaca bracteata Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xanthophyllum flavescens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Xanthophyllum manickamii Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Arenaria neelgerrensis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cerastium glomeratum Thuill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Cerastium indicum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Dianthus caryophyllus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drymaria cordata (L.) Willd. ex Roem. & Schultes subsp. diandra (Blume) Duke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Drymaria villosa Cham. & Schlect. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Gypsophila elegans M. Bieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Lychnis coronaria (L.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polycarpaea aurea Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polycarpaea corymbosa (L.) Lam. var. corymbosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polycarpaea corymbosa (L.) Lam. var. longipetala Sriniv. & D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polycarpaea diffusa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polycarpaea spicata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polycarpon prostratum (Forsk.) Asch. & Sehweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Polycarpon tetraphyllum (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Sagina saginoides (L.) Karsten, Deutsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Saponaria

officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Scleranthus annus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Silene armeria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Silene coeli - rosa (L.) Godron and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Silene gallica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Spergula arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stellaria media (L.) Vill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stellaria monosperma Buch. - Ham. ex D. Don var. paniculata (Edgew) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Stellaria vestita Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Vaccaria pyramidata Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulaca oleracea L. var. oleracea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulaca oleracea L. var. linearifolia Sivarajan & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulaca pilosa L. subsp. pilosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulaca pilosa L. subsp. pilosa var. tuberosa (Roxb.) Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulaca pilosa subsp. grandiflora (Hook.f.) Geesink and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulaca quadrifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulaca wightiana Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Portulacaria afra Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Talinum portulacifolium (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Talinum triangulare Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tamarix aphylla (L.) Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tamarix ericoides Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Tamarix indica Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bergia

ammannioides Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Bergia capensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatine ambigua Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Elatine triandra Schkuhr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calophyllum apetalum Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Calophyllum austroindicum Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus vulgaris LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Ziziphus xylopyrus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zornia diphylla (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zornia gibbosa SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zosima absinthifolia (VENT.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Acampe rigida (Buch.-Ham. ex Sm.) P. F. Hunt (Allelopathically enriched), Zosima orientalis HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com,

(Where there are two or three same references of one species then consider the first one as purified through long duration purification method, second as purified through medium duration method and third through short duration purification method.)

For queries write at pankajoudhia@gmail.com